

**OPERATION OF WASTEWATER TREATMENT PLANTS  
COURSE OUTLINE**

VOLUME II, SEVENTH EDITION

<b>Chapter</b>	<b>Topic</b>	<b>Page</b>
11	ACTIVATED SLUDGE (OPERATION OF CONVENTIONAL ACTIVATED SLUDGE PLANTS) .....	1
12	SLUDGE DIGESTION AND SOLIDS HANDLING .....	139
13	EFFLUENT DISCHARGE, RECLAMATION, AND REUSE.....	237
14	PLANT SAFETY .....	257
15	MAINTENANCE .....	325
16	LABORATORY PROCEDURES AND CHEMISTRY .....	465
17	APPLICATIONS OF COMPUTERS FOR PLANT O & M .....	617
18	ANALYSIS AND PRESENTATION OF DATA.....	631
19	RECORDS AND REPORT WRITING .....	665
20	TREATMENT PLANT ADMINISTRATION .....	679
<b>Appendix</b>	COMPREHENSIVE REVIEW QUESTIONS AND SUGGESTED ANSWERS.....	757
	HOW TO SOLVE WASTEWATER TREATMENT PLANT ARITHMETIC PROBLEMS .....	779
	ABBREVIATIONS .....	808
	WASTEWATER WORDS .....	809
	SUBJECT INDEX .....	859

## SUBJECT INDEX

## VOLUME II

## A

- ABC (Association of Boards of Certification), 698  
 AIDS (Acquired Immune Deficiency Syndrome), 266, 494  
 Abnormal operation  
   activated sludge, 64, 69, 77, 78, 79–83  
   aerobic digestion, 204  
   anaerobic digestion, 186, 187  
   effluent discharge, reclamation, and reuse, 245–247  
 Absorbance, light, 487  
 Accident  
   form, 307, 308  
   frequency, 265  
   investigation, 306  
   operators, 265, 307  
   prevention, 495  
   record, 275  
   reports, 307, 308, 668, 729, 733, 734  
 Accidental spills, 21  
 Accountable, 689  
 Acid formers, 148, 150, 184, 187  
 Acid regression stage, 183  
 Acidity test, 502, 539  
 Acids, 271, 492  
 Activated sludge  
   Also see Volume I, Chapter 8, “Activated Sludge,” and  
     *ADVANCED WASTE TREATMENT*, Chapter 2,  
     “Activated Sludge”  
   abnormal operation, 64, 69, 77, 78, 79–83  
   actual operation, 60, 64  
   aeration methods, 23  
   aeration tank, 19, 23, 33, 39, 40, 42, 43, 48, 53, 58, 60, 67,  
     88  
   aerobic digestion, 217  
     Also see *ADVANCED WASTE TREATMENT*, Chapter 3,  
     “Residual Solids Management”  
   air systems  
     See Air systems, activated sludge  
   ammonia removal  
     See *ADVANCED WASTE TREATMENT*, Chapter 7,  
     “Enhanced Biological (Nutrient) Control”  
   BOD, 21, 64  
   bacteria, 116  
   blowers, 23, 28, 40, 45, 47, 77, 78, 80, 83  
   brown foam, 53, 73  
   bulking, 71, 90, 116  
   COD, 21, 64  
   canning season, 64, 71  
   centrifuge tests, 19  
   chemical addition, 49, 64, 71, 72  
   clarifiers, 16, 19, 39, 47, 53, 64, 72  
   collection system, 21  
   complete mix, 60, 90, 91  
   compressors  
     See Blowers  
   contact stabilization, 60, 86, 112, 113  
   contact time, 19, 48, 53, 90  
   control of process, 19, 20, 54, 58  
   control tests, 517  
   conventional activated sludge, 21, 48, 53, 55, 58, 69, 86, 88,  
     112, 113  
   daily observations, 67  
   dark foam, 53, 73  
   denitrification, 73, 90  
   description, 16, 42  
   design variables, 21, 72  
   detention time  
     See Activated sludge, contact time  
   diffusers, 23, 25, 33, 37, 38, 40, 42, 47, 60, 77, 78, 80, 83, 84  
   dissolved oxygen, 19, 49, 60, 64, 72, 90  
   efficiency of process, 19, 20, 22, 53, 60  
   effluent, 19, 20, 21, 44, 49, 53, 54, 62, 64, 69, 71, 73, 87  
   emergency procedures, 64  
   energy use, 67  
   equipment, 23, 33, 69, 77–84  
   extended aeration, 21, 57, 58, 73, 112, 113  
   F/M ratio, 16, 21, 67, 71, 73  
   filamentous growths, 19, 60, 61, 63, 71, 72, 73, 90, 116, 117,  
     120, 121, 122  
   filters (air), 23, 27, 40, 45  
   floc mass, 19, 20  
   flow diagram, 17, 18  
   foam, 44, 49, 53, 60, 73  
   food/microorganism ratio, 16, 21, 67, 71, 73  
   formulas, 781  
   growth curves, bacteria, 118  
   high-rate, 21, 57, 58, 90  
   housekeeping, 46  
   hydraulic loading, 21, 70  
   industrial waste treatment, 21, 61, 64, 71, 88  
     Also see *INDUSTRIAL WASTE TREATMENT*, Volume I,  
     Chapter 5, “Industrial Waste Monitoring”  
   influent, 19, 20, 21, 22, 53, 62, 69, 70, 88  
   inspecting new facilities, 42  
   Kraus process, 21, 71, 87, 88  
   lab results, 21, 53  
   layout, 18, 56, 86, 88  
   loadings, 58  
   MCRT, 58, 59, 67, 74, 522  
   MLSS, 50, 58, 60, 69, 70, 71, 72, 87, 90  
   MLVSS, 58, 60, 70, 87  
   maintenance, 73, 74, 77, 78, 79–84  
   mean cell residence time, 58, 59, 67, 74, 522  
   mechanical aeration, 23, 24, 26, 33, 40, 77, 78  
   microbiology, 111–128  
   microorganisms, 16, 19, 48, 53, 57, 58, 69, 70, 71, 86,  
     111–124  
   microscopic examination, 60  
   mixed liquor suspended solids, 50, 58, 60, 69, 70, 71, 72, 87,  
     90  
   mixed liquor volatile suspended solids, 58, 60, 70, 87  
   mixing, 48, 53, 72

## 860 Treatment Plants

- Activated sludge (continued)
  - modifications, 21, 86
  - modified aeration, 87, 88, 89, 90, 91
  - monitoring, 128
  - nitrification, 126
    - Also see *ADVANCED WASTE TREATMENT*, Chapter 2, "Activated Sludge," and Chapter 7, "Enhanced Biological (Nutrient) Control"
  - nitrogen requirements, 87
  - Nocardia*, 117, 118, 124, 127
  - normal operation, 53, 60
  - nutrient requirements, 71, 86, 87
  - objectives, 7
  - odors, 19, 67, 72
  - operation, 16, 20, 53, 54, 58, 59, 60, 64
  - operational strategy, 20, 53, 60, 61, 64
  - organic loading, 21
  - organisms, 16, 19, 48, 53, 57, 58, 70, 71, 72, 86
  - oxidation, 16, 71, 72
  - oxidation ditch
    - See Volume I, Chapter 8, "Activated Sludge"
  - oxygen requirements, 16, 19, 20, 49, 60, 70
  - oxygen transfer, 23, 33
  - package plants
    - See Volume I, Chapter 8, "Activated Sludge"
  - pH, 64, 71
  - plans and specifications
    - See Volume I, Chapter 8, "Activated Sludge"
  - preliminary treatment requirements, 16, 19
  - problems, 69, 77
  - problems (arithmetic), 785–787, 797–800
  - process control, 19, 20, 54, 111, 120–128
  - protozoa, 116, 117, 119
  - pumps, 48, 339
  - pure oxygen, 23
    - Also see *ADVANCED WASTE TREATMENT*, Chapter 2, "Activated Sludge"
  - purpose, 16, 86
  - RAS, 22, 48, 49, 50, 51, 60, 61, 67, 72, 87, 88
  - reaeration, 86–89
  - recording observations, 120
  - recordkeeping, 20, 42, 48, 53, 64, 69
  - return sludge, 22, 48, 49, 50, 51, 60, 61, 67, 72, 87, 88
  - rising sludge, 73, 90, 126
  - rotifers, 119, 121, 123
  - SDI, 518
  - SVI, 60, 61, 63, 517
  - safety, 39, 40, 48, 76
  - sampling, 49, 53, 64, 70, 71, 111–114
  - secondary clarifiers, 16, 19, 47, 53, 64, 67, 72, 88, 90
  - seed organisms, 48, 49, 50
  - septic sludge, 51, 72
  - settleability tests, 19, 49, 50, 53, 73, 517
  - settrometer, 49, 517
  - shock loads, 21, 69, 88
  - short-circuiting, 44
  - shutdown, 77
  - sludge age, 21, 54, 58, 67, 70, 71, 72, 519
  - sludge blanket, 19, 60, 69, 71, 72, 90
  - sludge bulking, 71, 90, 116, 117
  - sludge density index, 518
  - sludge pumps, 48, 60
  - sludge return, 22, 48, 49, 50, 51, 60, 67, 72, 87, 88
  - sludge volume index, 60, 61, 63, 517
  - sludge wasting, 19, 22, 48, 54, 55, 56, 57, 60, 183
  - solids, 19, 21, 44, 49, 50, 51, 55, 58, 64, 70, 72, 87
  - Sphaerotilus*, 117
  - stabilize, 16
  - start-up, 48
  - step-feed aeration, 53, 88, 89, 112, 113
  - storm flows, 21, 61, 62, 70, 88
  - supernatant return, 22, 70, 87, 188
  - surface aerators, 23, 24, 26, 40, 77, 78, 79
  - surfactants, 73
  - TOC, 64
  - temperature, 21, 54, 64, 70
  - thick foam, 53
  - toxic wastes, 20, 70, 72, 87
  - trend chart, 53, 124, 125, 127, 128
  - trends, 53, 124, 125, 127, 128
  - troubleshooting, 70, 74–76, 77
  - types of processes, 16, 86
  - upset, 21
  - variables, 20, 21, 86
  - visual inspection, 60, 67
  - WAS, 19, 22, 48, 54, 55, 56, 57, 60, 183
  - wasting sludge, 19, 22, 48, 54, 55, 56, 57, 60, 183
  - white foam, 44, 49, 53
  - zoogical bacteria, 16
- Activated sludge control tests, 517
- Acute health effect, 271
- Ad valorem* taxes, 716
- Administration
  - advertising positions, 694
  - applications, 694
  - backflow prevention, 721, 722
  - budgeting, 714
  - capital improvements, 715
  - certification, 697
  - communication, 708–710
  - compensation, 694, 697
  - conducting meetings, 710
  - confined space entry procedures, 731
  - consumer complaints, 712
  - consumer inquiries, 712
  - contingency planning, 722
  - continuing education, 698
  - controlling, 687
  - cross connection control program, 721
  - directing, 687
  - discipline problems, 701
  - discriminatory hiring, 693, 694
  - disposition of plant records, 741
  - emergency response, 722–725
  - employee complaints, 701
  - equipment repair/replacement fund, 715
  - evaluation, performance, 698
  - financial assistance, 716
  - financial management, 713–717
  - financial stability, 713
  - first aid, 727
  - functions of manager, 687
  - harassment, 702
  - hazard communication, 728
  - interviewing job applicants, 694, 695
  - interviews, media, 711
  - meetings, conducting, 710
  - number of employees needed, 692
  - operations and maintenance (O & M), 711, 718–722
  - operator certification, 697
  - oral communication, 708
  - organizing, 689
  - orientation, new employee, 697
  - paper screening, 694
  - performance evaluation, 698
  - personnel records, 706
  - planning, 689
  - planning for emergencies, 722

- Administration (continued)
  - plant tours, 712
  - policies and procedures, 697
  - probationary period, 697
  - procurement of materials, 741
  - public relations, 711–713
  - public speaking, 712
  - qualifications profile, 693
  - rates, wastewater treatment, 715
  - recordkeeping, 738–743
  - records, personnel, 692, 706
  - repair/replacement fund, equipment, 715
  - SCADA (Supervisory Control And Data Acquisition) systems, 719–721
  - safety program, 725–738
  - selection process, 694
  - sexual harassment, 702
  - staffing, 692–707
  - supervisor, training, 698
  - telephone contacts, 712
  - tours, plant, 712
  - training, 697, 698, 735
  - unions, 706
  - wastewater treatment rates, 715
  - written communication, 708–710
- Advanced waste treatment
  - See *ADVANCED WASTE TREATMENT*
- Advertising, job openings, 694
- Aeration tanks, activated sludge, 19, 23, 33, 40, 42, 43, 48, 53, 58, 60, 67, 295
- Aerobes, 49
- Aerobic sludge digestion
  - Also see *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management”
  - abnormal operation, 219
  - aeration equipment, 218, 219
  - aerobic, 217
  - bacteria, 148
  - comparison with anaerobic, 217
  - costs, 217
  - covers, 218
  - decomposition of solids, 217
  - description, 217
  - detention time, 218
  - dewatering, 218, 219
  - diffusers, 219
  - disposal of solids, 218
  - dissolved oxygen, 218
  - drying beds, 218–223
  - effluent, 218
  - endogenous respiration, 218
  - energy, 217
  - equipment, 217, 218
  - extended aeration, 218
  - floating sludge, 219
  - food, 218
  - maintenance, 219
  - mechanical dewatering, 218, 219, 222–224
  - microorganisms, 148, 218
  - nitrogen removal, 217
  - normal operation, 218
  - odors, 217, 218, 219
  - operation, 218
  - organisms, 148, 218
  - oxygen demand, 218
  - primary sludge, 218
  - problems, 219
  - process description, 217
  - pumping sludge, 218
  - purpose, 148, 217
  - raw sludge, 218
  - recordkeeping, 218
  - scum, 219
  - secondary sludge, 218
  - shock load, 219
  - sludge, 217, 218, 219
  - solids, 217, 218
  - stabilization, 217, 218
  - start-up, 218
  - supernatant, 218, 219
  - temperature, 218
  - troubleshooting, 219
  - volatile material, 217, 218, 219
  - withdrawal of sludge, 218
- Affirmative action, 694
- Agglomerate, 19
- Air chamber, pump, 419, 422
- Air gap, 721, 722
- Air gap device, 304, 305, 446, 447, 722
- Air strainer, ejectors, 423
- Air systems, activated sludge
  - aeration methods, 23
  - aeration systems, 23
  - blowers, 23, 28, 40, 45, 47, 77, 78, 80, 83
  - coarse bubble diffusers, 33, 38
  - compressors
    - See Air systems, activated sludge, blowers
  - condensate traps, 33
  - diffused air, 23, 78
  - diffusers, 25, 33, 37, 38, 39, 40, 42, 47, 60, 77, 78, 80, 83, 84
  - distribution system, 33, 34, 40, 77, 78, 80, 81, 84
  - filters, 23, 27, 40, 45, 78, 82
  - fine bubble diffusers, 25, 33
  - headers, 23, 33, 35, 36, 40, 42, 46, 82, 84
  - hoists, 33, 40
  - inspecting new facilities, 42
  - leveling headers, 33
  - mechanical, 23, 24, 26, 33, 40, 77, 78
  - metering, 33, 46
  - methods, 23, 24
  - odorous air, 28
  - orifice, 33, 46
  - parts, 33–36
  - process systems, 23
  - purpose, 23
  - safety, 39, 40
  - sources of air, 28
  - start-up, 48
  - surface aerators, 23, 24, 26, 40, 77, 78, 79
  - systems, 23, 28
  - testing, 48
  - types, 23
- Alignment
  - motors, 399, 400, 401
  - pumps, 342, 368, 415, 431, 432
- Aliquot, 562
- Alkalinity, 148, 151, 184, 185, 186, 191, 202
- Alkalinity tests, 502, 527, 540
- Alternating current, 375
- Ambient temperature, 605
- Amebiasis, 493
- Americans with Disabilities Act (ADA), 706
- Amines, 299
- Ammeter, 378
- Ammonia
  - electrode, 583, 584
  - test, 502, 580
- Amperometric, 545

## 862 Treatment Plants

- Amps, 375
- Anaerobic environment, 493
- Anaerobic sludge digestion
  - Also see *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
  - abnormal operation, 186
  - acid formers, 148, 150, 184
  - actual operation, 211, 212
  - alkalinity, 148, 151, 184, 185, 186, 191, 202
  - anaerobic, 148, 152, 153
  - bacteria, 148, 151, 153, 183–185, 187
  - boiler, 162, 176, 200, 207
  - buffer, 151, 184, 185, 186, 188, 191, 552
  - carbon dioxide, 158, 184, 191, 195, 202, 206, 211, 217, 523
  - centrifuge, 188, 222, 224
  - cleaning, pipelines and digesters, 152, 183, 201, 211, 213, 214, 215
  - comparison with aerobic, 217
  - computations, 194
  - condensate traps, 153, 155, 159, 166, 167, 200
  - coning, 185
  - control of process, 151, 191
  - corbels, 153, 179, 180, 181
  - costs, 217
  - covers, 152, 153, 154, 180, 181
  - definition, 148
  - description, 148
  - digested sludge disposal, 148, 153, 217, 218
  - digested sludge removal, 148, 153, 217, 218
  - digestion time, 148, 151, 211
  - dissolved air flotation, 186
  - drip traps, 159, 166, 167, 200, 295
  - drying beds, 153, 218–223
  - energy, 158, 187, 217
  - enzymes, 187, 188
  - equipment, 152, 153, 158–175, 180
  - explosion, 158, 160, 162, 166
  - feed, 151, 183, 184, 185, 186, 187, 191, 204
  - fixed cover, 152, 154, 179
  - flame arresters, 153, 155, 159, 162, 163–165, 295
  - floating cover, 153, 179, 180, 201
  - flow diagram, 149
  - foam, 184, 187
  - food supply, 148
  - formulas, 781, 782
  - gas, 158, 184, 187, 191, 195, 217
  - gas, dome, 158
  - gas meter, 166, 195, 200
  - gas mixing, 176
  - gas production, 148, 187, 191, 195, 202, 211
  - gas system, 153, 155, 158–166, 209
  - heat value of gas, 158
  - heating, 158, 166, 175, 176, 200, 211
  - high-rate, 148, 151
  - inlet, 153, 155, 191
  - lab results, 152, 191, 211
  - lime, 186
  - liquid-solids separation, 151, 188
  - loadings, 191, 192, 194, 195, 197, 202, 204, 211
  - maintenance, 152, 162, 166, 179, 199–201
  - mechanical dewatering, 218, 219, 222–224
  - mechanical mixing, 176–179
  - mesophilic bacteria, 151, 191
  - methane fermenters, 148, 150, 184, 187
  - methane gas, 148, 158, 184, 187, 193, 217
  - microorganisms, 148, 150, 151, 183, 184, 191
  - mixing, 148, 151, 176–179, 187, 208, 211
  - neutralizing, 186, 204
  - normal operation, 148, 151, 183, 191, 199, 204, 211
  - objectives, 144, 148, 153
  - odors, 187, 199, 200, 213
  - operation, 148, 151, 183, 191, 199, 204, 211
  - operational strategy, 199
  - organisms, 148, 150, 151, 183, 184, 191
  - pH, 148, 183, 191, 192, 202
  - pipelines, 152
  - plans and specifications, 228
  - pressure regulators, 159, 166, 169, 170
  - pressure relief valves, 153, 155, 159, 161–163
  - problems, 184
  - problems (arithmetic), 787–791, 800–804
  - psychrophilic bacteria, 151
  - pumping sludge, 185, 191, 199, 200, 211, 219
  - purpose, 144, 148, 153
  - putrefaction, 217
  - raw sludge, 148, 152, 153, 183, 191, 200, 202, 211, 218
  - reactions, 148, 150
  - recirculated sludge, 191, 192
  - recordkeeping, 152, 191, 199–203, 204, 211
  - reduction in volatile solids, 192
  - review of plans and specifications, 228
  - safety, 152, 158, 162, 166, 181, 185, 188, 213
  - sampling, 191, 199, 202
  - sampling well, 166, 173, 523
  - saprophytic organisms, 148, 150
  - scum, 179, 183, 201
  - secondary digested sludge, 194
  - secondary digestion, 151
  - sediment traps, 153, 155, 159, 162, 166, 167, 200
  - seed organisms, 151, 184, 185, 188, 194
  - septic sludge, 200
  - shock loads, 191
  - shutdown, 213
  - sludge, 184, 191, 200
  - sludge draw-off lines, 153
  - sludge drying beds, 153, 218–223
  - sludge pumps, 192, 200
  - sludge withdrawal, 188, 191, 204, 223
  - solids, 188, 192, 194, 195, 202
  - solids balance, 195, 202
  - sour, 183, 184, 186, 191, 523
  - stabilize, 181, 188
  - standard rate, 148
  - start-up, 183
  - stuck, 183, 184, 186, 191, 523
  - supernatant, 151, 153, 185, 188, 192, 193, 194, 202, 204, 213
  - supernatant tubes, 153–156, 194, 200, 201
  - temperature, 148, 151, 191, 199, 202, 204, 211
  - thermal valves, 162, 164
  - thermophilic bacteria, 151
  - thief hole, 166, 173, 523
  - thin sludge, 185
  - time for digestion, 148, 151
  - toxic wastes, 204, 205
  - traps, 162, 166, 167, 168
  - trend chart, 191, 199, 202, 203, 649
  - troubleshooting, 204
  - upset, 183, 184, 186, 191, 523
  - use of gas, 158, 187
  - vacuum filters, 224
  - vacuum relief valves, 153, 155, 159, 162
  - valves, 152, 158, 162, 163, 164, 200, 201
  - visual inspection, 199, 200
  - volatile acid/alkalinity, 148, 186, 191, 195, 199, 202, 206, 211
  - volatile solids, 148, 183, 184, 192, 202, 211
  - waste activated sludge, 183

Anaerobic sludge digestion (continued)  
 waste gas burner, 159, 166, 171, 172, 201  
 water seal, 153, 155, 187, 201  
 withdrawal of sludge, 188, 191, 204, 223  
 Analog readout, 376  
 Analysis of data  
   Also see Data analysis and presentation  
   lab results, 622  
 Analytical balance, 485, 595  
 Annual operating reports, 674  
 Annual report, 710, 715  
 Anoxic, 74  
 Applications, job, 694  
 Applying protective coating, 298  
 Arithmetic  
   geometric mean, 639  
   mean, 637  
   median, 638  
   metric system, 660  
   mode, 638  
   moving averages, 644  
   range of values, 638  
   square root, 654  
   standard deviation, 651  
   variance, 651  
 Arithmetic mean, 637  
 As-built plans and specifications (record drawings), 105, 110, 669, 738  
 Aseptic, 564  
 Assessment bonds, 716  
 Assessment of system vulnerability, 722  
 Association of Boards of Certification (ABC), 698  
 Audience, communications, 708, 709, 711  
 Audiovisuals, 709  
 Authority, 689  
 Autoclave, 552  
 Automatic samplers, 500  
 Average, 637, 644  
 Average, running, 622, 623  
 Axial flow pumps, 345, 352

**B**

BOD  
   bottle, 481  
   incubator, 485  
   predict value, 655  
   test, 502, 573  
   test, chlorinated samples, 576, 577  
   test, industrial wastes, 578  
 BTU (British Thermal Unit), 158  
 Backflow, 721, 722  
 Backflow prevention, 304, 721, 722  
 Backsiphonage, 721, 722  
 Bacteria, activated sludge, 116  
 Balance, analytical, 485, 595  
 Ball valves, 419, 422  
 Bar graphs, 647  
 Bar screens  
   Also see Volume I, Chapter 4, "Racks, Screens, Comminutors, and Grit Removal"  
   safety, 290  
 Bardenpho process, 90, 92  
 Bases, 271, 492  
 Beakers, 479, 486  
 Bearings, electric motor, 425  
 Bearings, pump, 339, 342, 345, 347, 348, 350, 351, 353, 354, 356, 360, 361, 370, 415, 419, 423  
 Beer's Law, 487

Belt drives, pump maintenance, 427, 429, 430  
 Bench sheets, 489  
 Benching, excavations, 285, 288  
 Benefits, employee, 694, 697  
 Bioassay, 253  
 Biocatalysts, 187  
 Biochemical oxygen demand (BOD) test, 502, 573  
 Biocides, 299  
 Biosolids, 227  
 Blacktop drying beds, 222  
 Blank sample, 488, 542  
 Block grants, 716  
 Bloodborne Pathogens (BBP) program, 270  
 Blow down receiver, ejectors, 423  
 Blowers  
   abnormal conditions, 77, 78, 80  
   air compressors, 28, 29, 30  
   air discharge silencer, 28  
   bearings, 28  
   centrifugal, 28, 32, 77  
   ear protective devices, 28  
   filters, 23, 27, 40, 78, 82  
   inspecting new facilities, 45, 47  
   lubrication, 28, 33  
   maintenance, 28, 33, 78, 83  
   manufacturer's manual, 45  
   metering, 33  
   orifice, 33  
   output, 28  
   performance, 28, 29, 30, 31  
   positive displacement, 28, 31, 77  
   process air compressors, 28  
   safety, 28, 40, 267, 270, 446  
   silencer, 28  
   start-up, 40, 45, 47, 48  
   testing, 47  
   troubleshooting, 80  
   ventilation, 267, 446  
   vibration, 28  
 Boiler, 162, 176, 200, 207  
 Boiling flask, 480  
 Bonds, 716  
 Bonnet valve, 439, 441  
 Bottle, BOD, 481  
 Bottle, reagent, 481  
 Bound water, 71  
 Breathing apparatus, self-contained, 267, 307  
 Brinelling, 360  
 Brown foam, activated sludge, 53, 73  
 Bubbler-type controls, 361  
 Buchner funnel, 481  
 Budgeting, 714  
 Buffer, 151, 184, 185, 186, 188, 191, 552  
 Buildings, maintenance, 335  
 Bulking  
   activated sludge, 71, 90, 116, 117  
   filamentous growth, 60, 71, 116–118  
 Bunsen burner, 483  
 Burets, 480, 485  
 Burner, Bunsen, 483  
 Burns, 495

**C**

COD test, 502, 541  
 COD to BOD curves, 651  
 CPR (cardiopulmonary resuscitation), 727  
 Calculation of square root, 654  
 Calibration curves, 488

## 864 Treatment Plants

- Calibration, flowmeters, 457
- Calibration, gas detectors, 446
- Call date, 716
- Cannell, James W., 394
- Capacity, pump, 345, 417
- Capital improvements, 715
- Capital planning, 715
- Carbon adsorption, physical chemical treatment
  - See *INDUSTRIAL WASTE TREATMENT*, Volume I, Chapter 10, "Physical Treatment Processes"
- Carbon analyzer, 606
- Carbon dioxide, 158, 184, 191, 195, 202, 206, 211, 217, 523
- Carbon dioxide test, 529
- Carbon measurement, 606
- Carbon tetrachloride, 493
- Carcinogens, 297, 299
- Cardiopulmonary resuscitation (CPR), 727
- Casing, pump, 339, 343, 347, 348
- Causes of data variations, 635
- Cave-ins, 285
- Cavitation, 346
- Centrate, 227
- Centrifugal force, 341
- Centrifugal pumps
  - description, 339, 345, 347–353
  - maintenance, 368, 414
- Centrifugation
  - Also see *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
  - cake, 222, 224, 227
  - conditioning, 224
  - description, 224
  - operation, 224
  - sludge, 224
  - sludge dewatering, 224
  - use, 224
- Centrifuge, clinical, 507, 520
- Certification, 697
- Chain drives, 428
- Change oil, pump, 419
- Channels (flow), maintenance, 335
- Characteristics of wastewater
  - See Wastewater characteristics
- Chart, recording, 454, 455, 457
- Charts, 636, 647
- Check valves, 159, 369, 417, 423, 437, 438
- Chemical oxygen demand (COD)
  - compared with BOD, 541
  - concentration in wastewater, 541
  - preservation, 502
  - test, 541
- Chemicals
  - formulas, 478
  - labeling, 309, 310, 315, 316
  - movement, 494
  - names, 478
  - safety, 271, 296, 301, 492
  - storage, 301, 481, 494
  - toxic, 271, 493
- Chemistry
  - See Laboratory procedures
- CHEMTREC* [(800) 424-9300], 337, 723
- Chloride, test, 502, 543
- Chlorinated samples, BOD, 576, 577
- Chlorination
  - See Volume I, Chapter 10, "Disinfection and Chlorination"
- Chlorinators
  - emergencies, 337
  - leak detection, 336
  - maintenance, 336
  - safety, 337
- Chlorine leaks, 336, 676
- Chlorine monitor, 268
- Chlorine residual test, 502, 545
- Chlorine safety, 268, 292, 296, 317, 337
- Cholera, 493
- Chronic health effect, 271
- Cipolletti weir, 451, 456
- Circuit breakers, 380–382, 384–386
- Civil rights, 694
- Clamps, 480, 483
- Clarifiers
  - activated sludge, 16, 19, 39, 47, 53, 64, 72
  - safety, 39, 292
- Clarity test, 504
- Cleaning digesters, 152, 183, 201, 211, 213, 214, 215
- Cleaning pipelines, 152, 449, 450
- Cleaning pumps, 415
- Clearing plugged pipes, pumps, and valves
  - costs, 449
  - cutting tools, 450
  - digested sludge lines, 449
  - equipment, 449, 450
  - high-velocity pressure units, 450
  - methods of clearing, 449, 450
  - pipes, 449
  - pressure clearing methods, 449, 450
  - pumps, 450
  - scum lines, 449
  - sludge lines, 449
  - valves, 449, 450
- Climate, sludge dewatering, 221
- Clinical centrifuge, 507, 520
- Closed impeller, 349
- Closeness of fit, 659
- Coagulation, 72
- Code of ethics, 748
- Coil filter, 226
- Coliform group bacteria test, 551
- Colilert Method, 566
- Collecting data, lab, 489
- Collection of samples, 111, 252
- Collection system, 21, 278, 298
- Combustible gas monitor, 268, 272, 298
- Comminution, safety, 291
- Communication, 621, 708–710
- Compensation, 694, 697
- Competent person, 266
- Complaint procedure, 701
- Complaints
  - customer, 712
  - employee, 701
- Completely mixed system, activated sludge, 60, 90, 91
- Composite sample, 243, 498, 499
- Computers
  - analysis of lab results, 622
  - average, running, 622, 623
  - cautions, 626
  - communications, 621
  - data analysis, 620
  - database management, 620
  - equipment maintenance, 623
  - Internet, 621, 711
  - inventory control, 623
  - justification, 623, 624, 625
  - lab results, analysis, 622
  - maintenance, equipment, 623
  - monitoring, 620, 624

- Computers (continued)  
 NPDES, 624  
 pretreatment monitoring, 624  
 process control, 624  
 recordkeeping, 620  
 reports, 620, 624  
 running average, 622, 623  
 SCADA (Supervisory Control And Data Acquisition) system, 627, 719  
 software, 99, 620, 625, 626  
 systems monitoring, 620, 624  
 time savings, 626  
 trend analysis, 622, 623  
 word processing, 620
- Condensate drain, 153, 155, 159, 166, 167, 200  
 Condenser, 482  
 Conditioning sludge, 224  
 Conducting meetings, 710  
 Conductivity, 603  
 Conductors, 376  
 Cone, Imhoff, 482, 506  
 Cones, traffic, 279  
 Confined space entry permit, 267, 269, 731, 732  
 Confined space procedures, 731, 732  
 Confined spaces, 265, 266–270, 278, 292, 293, 295, 446, 505  
 Coning, 185  
 Connecting rods, 419, 422, 423  
 Conservation, water, 711  
 Constant differential flowmeter, 451, 452, 456  
 Consumer complaints, 712  
 Consumer inquiries, 712  
 Contact stabilization, activated sludge, 60, 86, 112, 113  
 Contacts, starters, 394–399  
 Contingency planning, 722  
 Continuing education, 698  
 Contract negotiations, 706  
 Contract service, flowmeters, 457  
 Control methods, activated sludge, 19, 20  
 Controllers, flow, 454  
 Controlling, 687  
 Controls, level, 361, 424  
 Conventional activated sludge, 21, 48, 53, 55, 58, 69, 86, 88, 112, 113  
 Conversion instruments, 454, 455, 456  
 Corbels, 153, 179, 180, 181  
 Corrective maintenance, 718  
 Correlation coefficient, 659  
 Correlations, 655, 659  
 Corrosion, 201, 505, 506, 605  
 Corrosive chemicals, 492  
 Costs  
   aerobic digestion, 217  
   anaerobic digestion, 217  
   preventive maintenance, 333  
   records, 669  
   repair, 333  
   safety, 305  
   unplugging pipelines, 449  
 Counting techniques, 120–122  
 Couplings, 342, 354, 367, 429, 431, 432  
 Coverage ratio, 713, 714, 715  
 Covers, anaerobic digester, 152, 153, 154, 180, 181  
 Cross connections, 304, 414, 721  
 Crucible, Gooch, 484  
 Crucible, porcelain, 484  
 Cumulative curves, 651, 652  
 Current, electrical, 375, 376, 378, 379, 380, 381, 382, 385, 386  
 Customer complaints, 712  
 Customer inquiries, 712
- Cuts, skin, 495  
 Cutting tools, plugged pipes, 450  
 Cuvette, 487  
 Cyclone grit separators  
   See Volume I, Chapter 4, “Racks, Screens, Comminutors, and Grit Removal”  
 Cylinders, graduated, 479, 485, 517
- ### D
- DO, 53, 251, 252  
 DO meter, 484  
 DO profile, 251  
 DO test, 502, 570  
 Daily records, 204, 669  
 Dangerous air contamination, 267  
 Dark foam, activated sludge, 53, 73  
 Data analysis and presentation  
   arithmetic mean, 637  
   average, 637, 644, 649  
   bar graphs, 647  
   COD to BOD curves, 651  
   calculation of square root, 654  
   causes of data variations, 635  
   charts, 636, 647  
   computers, 620  
   electronic calculators, 639  
   geometric mean, 639  
   geometric mean table, 641–644  
   graphs, 647  
   importance, 635  
   log probability paper, 639  
   mean, 637  
   median, 638  
   metric calculations, 660  
   mode, 638  
   moving averages, 644  
   preparation of charts, 647  
   range of values, 638  
   square root, 654  
   standard deviation, 651  
   trend charts, 649  
   variance, 651  
   variations in data, causes, 635  
 Database management, 620  
 Dateometer, 427  
 Debt service, 713  
 Dechlorination  
   See Volume I, Chapter 10, “Disinfection and Chlorination”  
 Decibel, 28, 277  
 Deep well injections, 241  
 Dehumidifiers, 446  
 Delegation, 689  
 Denitrification, 73, 90  
 Dependent variable, 655, 657  
 Desiccator, 482  
 Dewatering sludge, 148, 188, 218–228  
 Dial indicators, alignment, 431, 432  
 Dial thermometer, 482  
 Diaphragm bulb, level measurement, 361  
 Diaphragm flowmeter, 451, 452, 456  
 Differential producer flowmeter, 451, 452, 456  
 Diffuser, activated sludge, 23, 25, 33, 37, 38, 40, 42, 47, 60, 77, 78, 80, 83, 84  
 Digested sludge handling  
   Also see *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management”  
   aerobic digester, 219  
   anaerobic digester, 148, 153, 217, 219



## 866 Treatment Plants

Digested sludge handling (continued)  
blacktop drying beds, 222  
centrifuge, 222, 224  
disposal on land, 222  
drying beds, 218–223  
lagoons, 222  
land disposal, 222  
mechanical dewatering, 218, 219, 222–224  
sludge drying beds, 218–223  
sludge lagoons, 222  
unplugging pipelines, 449  
vacuum filters, 224, 225  
withdrawal to land, 222  
Digested sludge, pumps, 339  
Digester cleaning, maintenance, 213  
Digester control tests, 523  
Digester, egg-shaped, 176  
Digester explosion, 160, 162  
Digester heating  
boiler temperatures, 166  
circulation, 166  
heat exchanger, 166, 174, 175, 176, 200, 211, 293  
methods, 166  
steam, 176  
Digester mixing  
draft tube propeller mixers, 176–179  
egg-shaped digesters, 176  
gas mixing, 176  
maintenance, 179  
mechanical mixing, 176–179  
propeller mixers, 176–179  
pumps, 179  
purpose, 148, 176  
scum blanket, 179  
Digestion  
aerobic, 217–219  
anaerobic, 148  
equipment safety, 293  
Digital readout, 376  
Digital receivers, 454  
Dilution, 245  
Dilution water, 552  
Direct current, 375  
Direct reuse, effluent, 241, 242  
Directing, 687  
Discharge permits, 64, 241  
Discharge, pump, 340, 345, 367, 368, 369, 371, 423  
Discharge to receiving waters, 244  
Disciplinary problems, 701  
Disconnect switch, 381  
Discriminatory hiring, 693, 694  
Dish, evaporating, 484  
Dish, Petri, 482  
Disinfection  
See Volume I, Chapter 10, “Disinfection and Chlorination”  
Displacement flowmeter, 451, 452, 456  
Disposal of  
effluent, 241  
records, 741  
sludge, 148, 219, 227  
solids, 148, 194, 227  
supernatant, 194  
Disposition of plant records, 741  
Dissolved air flotation  
Also see *ADVANCED WASTE TREATMENT*, Chapter 3,  
“Residual Solids Management”  
sludge, 186  
Dissolved oxygen (DO)  
activated sludge, 19, 49, 60, 64, 72, 90  
effluent discharge, reclamation, and reuse, 251, 252

measurement, 570  
meter, 484  
test, 502, 570  
test in aerator, 519  
Dissolved solids, in wastewater, test, 601  
Distilling flask, 480  
Documentation, 692  
Dogs, 42  
Domestic wastewater, characteristics  
See Wastewater characteristics  
Dosimeter, 272  
Drag shield, 285  
Draining pumps, 361, 370, 419  
Drinking water, 242, 446  
Drip traps, 159, 166, 167, 200, 295  
Drowning, 39, 40, 295  
Drum tilter, 494  
Drums, traffic control, 279  
Drying beds, 100, 153, 218–223  
Drying, sludge, 218–228  
Dry-labbing, 744  
Dumps, industrial, 21  
Dusts, 265, 277  
Dysentery, 266, 492, 493

## E

Ear protecting devices, 28, 277  
Earthquakes, 676  
Eccentric  
pipe, 342  
pump, 419, 422  
Effective writing, 673  
Efficiency  
process, activated sludge, 19, 20, 53, 60  
pump, 417  
treatment, 243  
Effluent discharge to surface waters  
Also see *ADVANCED WASTE TREATMENT*, Chapter 8,  
“Wastewater Reclamation and Reuse”  
control, 243  
dilution, 245  
discharge to receiving waters, 244  
disposal requirements, 241  
effluent sampling, 245  
emergency procedures, 244, 245  
frequency of sampling, 253  
importance, 241  
labeling of samples, 253  
maintenance, 254  
mixing, 249, 250  
monitoring, 244, 245  
objectives, 239  
operating procedures, 244  
operational strategy, 244  
power outage, 245  
receiving water monitoring, 245  
review of plans and specifications, 254  
safety, 254  
sampling and analysis, 243, 252  
shutdown, 244  
size of sample, 253  
start-up, 244  
stream survey, 245  
temperature, 245, 246, 247  
treatment requirements, 243  
troubleshooting, 245–247  
visual observation, 244  
water quality survey, 245  
Effluent, pumps, 339

- Egg-shaped digesters, 176
  - Ejectors, 356, 358, 423
  - Electric motors, 361, 387–409, 425–427
  - Electric shock, 274, 495
  - Electrical controls, 361
  - Electrical equipment maintenance, 373–387
  - Electrical safety, 40, 274
  - Electrical system
    - control, 380
    - starters, 394–399
    - switch gear, 380
  - Electricity
    - circuit breakers, 380–382, 384–386
    - circuits, 373, 375, 377, 378, 379, 381, 382, 385, 386
    - fuses, 382, 383
    - hazards, 373
    - meters, 376–380
    - starters, 394–399
    - terms, 375
    - testers, 376–380
    - tools, 376–380
  - Electrode switches, 361, 424
  - Electrolysis, 107
  - Electronic calculators, 639
  - Elevated temperature test, 561
  - Elutriation, sludge, 224
  - Emergencies
    - administration, 722–725
    - maintenance, 718
    - planning, 676, 689, 722–725
    - preparation for, 689, 722–725
    - response plan, 689, 722–725
  - Emergency procedures
    - activated sludge, 64
    - CHEMTREC* [(800) 424-9300], 337, 723
    - chlorinators, 337
    - disasters, 337
    - effluent discharge, reclamation, and reuse, 245
    - electric shock, 274, 495
    - planning, 307, 337, 458, 676
    - storage lagoons, 244
  - Emergency team, 337
  - Employee
    - benefits, 694, 697
    - evaluation, 698–700
    - orientation, 697
    - performance evaluations, 748
    - pride, 697
    - problems, 701, 706
  - Employee-management relationship, 706
  - Employees, number, 692
  - Employer policies, 697, 703
  - Endogenous respiration, 69, 218
  - Energy
    - activated sludge, 67
    - aerobic digestion, 217
    - anaerobic sludge digestion, 158, 187, 217
    - general, 158, 187, 217
  - Energy requirements
    - aerobic digestion, 217
    - pumps, 345, 367, 371
  - Entrain, 292
  - Enzymes, 187, 188
  - Equal Employment Opportunity (EEO) Act, 705
  - Equipment
    - maintenance, computers, 623
    - microbiology, 111
    - records, 333, 334, 410, 411, 412, 741
    - repair/replacement fund, 715
    - service card, 333, 334
  - Erlenmeyer flask, 480
  - Errors, sampling, 252, 498
  - Escherichia coli*, test for, 565, 566
  - Estuary, 241
  - Ethical behavior, 745
  - Ethical situations, 744, 745, 748
  - Ethics, 744, 745, 748
  - Evaluation of records, 671
  - Evaluation, performance, 698–700
  - Evaporating dish, 484
  - Excavations, 284
  - Explosion, 158, 160, 162, 166, 267, 493
  - Explosive gases, 158, 160, 162, 166, 267, 268, 272, 298, 299, 493, 505
  - Explosive materials, 493
  - Extended aeration
    - activated sludge, 21, 57, 58, 73, 112, 113
    - aerobic digestion, 218
  - Eye protection, 301, 302
- F**
- F/M (food/microorganism) ratio, 16, 21, 67, 71, 73
  - Face shield, 296, 301, 493
  - Facultative bacteria, 19, 551
  - Failure, motors, 390, 391, 404–409
  - Fall arrest system, 40, 266, 293
  - Family and Medical Leave Act (FMLA), 706
  - Fecal coliform test, 561, 564
  - Feeding anaerobic digesters, 151, 183, 184, 185, 186, 187, 191, 204
  - Feeler gauge, alignment, 400
  - Fees, user, 713, 714
  - Filamentous growth, 19, 60, 61, 63, 71, 72, 73, 90, 116, 117, 120, 121, 122
  - Film badges, 272
  - Filter press
    - See *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management”
  - Filtering flask, 480
  - Financial
    - assistance, 716
    - management, 713–717
    - records, 669
    - stability, 713
  - Fire, 273, 302, 303, 496, 676
  - Fire blanket, 496
  - Fire control, safety, 303
  - Fire drills, 307
  - Fire extinguishers, 290, 302, 303, 307, 446, 496
  - First aid, safety program, 727
  - First-aid kit, 446, 495
  - Fish, 242, 249
  - Fixed sample, 252
  - Fixed-cover digesters, 152, 154, 179
  - Flame polished, 301, 495
  - Flame trap, anaerobic digester, 153, 155, 159, 162, 163–165, 295
  - Flammable materials, 493
  - Flasks, 480, 486
  - Float control, 361, 415, 424
  - Float mechanism, level measurement, 361, 415, 424
  - Float switches, 361, 415, 424
  - Floating cover, anaerobic digester
    - access hatches, 180, 181
    - access ladders, 181
    - advantages, 153
    - annular space, 180, 181
    - ballast blocks, 180, 181
    - corbels, 153, 179, 180, 181

## 868 Treatment Plants

- Floating cover, anaerobic digester (continued)
    - corrosion, 201
    - cover indicators, 180, 181
    - description, 153
    - flotation chamber, 180, 181, 201
    - gas piping, 180, 181
    - parts, 179–181
    - purpose, 179
    - roller guides, 179, 180
    - safety, 181
    - skirts, 180, 181
    - types, 179
  - Floating sludge, aerobic digesters, 219
  - Floc, 19, 20
  - Flocculation, 71
  - Floods, 676
  - Flow diagram
    - activated sludge, 17, 18
    - anaerobic sludge digestion, 149
  - Flow formula, 451
  - Flow measurement, 450–456
  - Flow nozzles, 451, 452, 456
  - Flow proportioning, sampling, 243, 498, 499
  - Flowmeters
    - accuracy, 451
    - calibration, 457
    - chart, recording, 454, 455, 457
    - Cipolletti weir, 451, 456
    - constant differential, 451, 452, 456
    - contract service, 457
    - controllers, 454
    - conversion instruments and controls, 454, 455, 456
    - diaphragm, 451, 452, 456
    - differential producer, 451, 452, 456
    - displacement, 451, 452, 456
    - flow formula, 451
    - flow measurement, 450–456
    - flow nozzles, 451, 452, 456
    - flumes, 451, 452, 453, 456, 636
    - gases, 451, 452, 456
    - general, 244, 450–456
    - good housekeeping, 456
    - head area, 451, 452, 453, 456
    - importance, 451
    - indicating receiver, 454
    - integrators, 454
    - level measurement, 361
    - liquids, 450–456
    - location, 452
    - magnetic, 451, 452, 456
    - magnetic flow transmitter, 454
    - maintenance, 450, 451, 454, 456
    - maintenance contract service, 457
    - manufacturer responsibility, 456
    - mechanical, 454
    - multipurpose receiver, 454
    - nozzles, 451, 452, 456
    - operator responsibility, 451, 457
    - orifice, 451, 452, 456
    - Palmer-Bowlus flume, 451, 453, 456
    - Parshall flume, 451, 452, 456, 636
    - pen, recorder, 454
    - performance, 457
    - piston, 451, 452, 456
    - propeller, 451, 452, 456
    - proportional weir, 451, 456
    - readout instruments and controls, 454, 455, 456
    - receivers, 454, 455, 456
    - recorders, 454, 455, 457
    - recording pen, 454
    - recording receiver, 454, 455, 457
    - rectangular weir, 451, 453, 456
    - responsibility, 451, 456
    - rotameter, 451, 456
    - sensors, 456
    - shuntflow, 451, 452, 456
    - summators, 454
    - totalizers, 454
    - totalizing receiver, 454
    - transmitters, 454
    - troubleshooting, 457
    - types, 451
    - use, 450
    - velocity meter, 451, 452, 456
    - Venturi meters, 451, 452, 456
    - V-notch weir, 451, 456
    - weirs, 451, 453, 456
  - Flumes, 451, 452, 453, 456, 636
  - FmHA loans, 717
  - Foam control
    - activated sludge, 44, 49, 53, 60, 73
    - anaerobic digestion, 187
    - surface-active agents, 299
  - Foaming
    - anaerobic digestion, 184, 187
    - safety hazard, 299
  - Food, activated sludge, 21, 57, 58, 67, 71, 73
  - Food, anaerobic digester, 151, 183, 184, 185, 186, 187, 191, 204
  - Food/microorganism (F/M) ratio, 16, 21, 67, 71, 73
  - Foot valves, 417
  - Forecasting equations, 655, 659
  - Formazin turbidity units, 606
  - Formulas (English system)
    - activated sludge, 781
    - administration, safety, 796
    - chemical, 478
    - data analysis, 784, 795
    - effluent disposal, 783
    - laboratory, 783
    - maintenance, 783
    - sludge digestion, 782
  - Freeboard, 105
  - Frequency of records, 669
  - Fuels, safety, 298
  - Fume hood, 301, 484, 496
  - Fumes, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - Functions of manager, 687
  - Fund, repair/replacement, 715
  - Funnels, 481
  - Fuses, 367, 382, 383
- ### G
- GFCI (ground-fault circuit interrupter), 495
  - GIS (geographic information system), 739, 740
  - Gas
    - detection, 446
    - digester, 158, 187, 191, 195
    - meters, 159, 166, 195, 200, 451, 452, 456
    - piping, 153, 155, 158, 159, 181
    - system, 158–166, 451, 452
    - use, 158, 187
  - Gas analysis, anaerobic digester, 529
  - Gas production, anaerobic digester, 148, 187, 191, 195, 202, 211
  - Gas system, anaerobic digestion
    - condensate traps, 159, 167
    - dome, 158
    - drip traps, 159, 167

Gas system, anaerobic digestion (continued)  
 flame arresters, 159, 162  
 gas meters, 166  
 manometers, 166, 636  
 piping, 181  
 pressure regulators, 159  
 pressure relief valves, 159, 162  
 sediment traps, 159, 167  
 thermal valves, 162  
 traps, 159, 167  
 troubleshooting, 205  
 use of gas, 158  
 vacuum relief valves, 159, 162  
 valves, 159, 162, 201  
 waste gas burner, 159, 166, 171

Gases  
 anaerobic digestion, 158, 184, 187, 191, 195, 217  
 characteristics, 268  
 explosive, 158, 160, 162, 166, 267, 268, 272, 298, 299, 493, 505  
 explosive range, 268  
 permissible exposure limit, 268  
 safe exposure, 268, 271  
 testing methods, 268  
 toxic, 267, 268, 271, 272, 298, 299, 301  
 Gasket, pump, 419  
 Gasoline vapors, 268, 270, 272  
 Gate valves, 434–437  
 Gauge reading, 636  
 Gear reducer, 419  
 General obligation bonds, 716  
 Generators, 458  
 Geographic information system (GIS), 739, 740  
 Geometric mean, 639  
 Geometric mean table, 641–644  
 Gland  
 pump, 344, 367, 369, 371  
 valve, 437  
 Goals, utility, 689  
 Gooch crucible, 484  
 Good housekeeping  
 management responsibilities, 265, 306  
 safety, 290, 291, 292, 298, 493  
 sensors, 456  
 Grab sample, 243, 499  
 Graduated cylinders, 479, 485, 517  
 Grant programs, 716  
 Graph paper, 655  
 Graphs, 647  
 Grease, test, 502, 595  
 Greasing, pump, 423  
 Green sludge, 221, 222  
 Grievances, 701, 706  
 Grit channels, 292  
 Also see Volume I, Chapter 4, “Racks, Screens, Comminutors, and Grit Removal”  
 Grit, pumps, 339  
 Ground, 386  
 Ground-fault circuit interrupter (GFCI), 495  
 Grounds, maintenance, 336  
 Groundwater recharge, wastewater, 241  
 Groups, protected, 694  
 Growth curves, bacteria, 118

## H

Harassing, 744  
 Harassment, 702, 703  
 Harness, safety, 266, 270, 446  
 Hazard communication program, 308–316, 728

Hazardous spills, 676  
 Hazards  
 See Safety hazards  
 Head area, flowmeter, 451, 452, 453, 456  
 Headworks, 290  
 Health, 243  
 Hearing protection devices, 28, 277  
 Heat exchanger, anaerobic digester, 166, 174, 175, 176, 200, 211, 293  
 Heat value of gas, 158  
 Heating, anaerobic digester, 158, 166, 175, 176, 200, 211  
 Heavy metals, test, 580  
 Hepatitis, 266, 492, 493  
 High-rate, activated sludge, 21, 57, 58, 90  
 High-velocity pressure units, 450  
 Hiring procedures, 692–707  
 Hood, fume, 301, 484, 496  
 Housekeeping  
 management responsibilities, 265, 306  
 safety, 290, 291, 292, 298, 493  
 sensors, 456  
 Human factors, safety, 737, 738  
 Hydraulic jump, 299  
 Hydraulics  
 See Volume I, Appendix, “How to Solve Wastewater Treatment Plant Arithmetic Problems”  
 Hydrogen ion (pH), 502, 579  
 Hydrogen peroxide, odor control  
 See *ADVANCED WASTE TREATMENT*, Chapter 1, “Odor Control”  
 Hydrogen sulfide  
 digester gas, 150, 187, 217  
 monitor, 268  
 safety hazard, 215, 267, 268, 271, 290, 299, 493, 505, 605  
 test, 502, 505  
 Hygiene, safety considerations, 266, 493  
 Hypochlorination  
 See Volume I, Chapter 10, “Disinfection and Chlorination”

## I

IDLH (Immediately Dangerous to Life or Health), 297  
 Illegal activities, 744, 748  
 Illegal acts, 744  
 Imbalance, voltage, 393, 394  
 Imhoff cone, 482, 506  
 Imhoff tank, 151  
 Immediately Dangerous to Life or Health (IDLH), 297  
 Immunization shots, 266  
 Impact of discharges, 243, 244, 245  
 Impellers, 339, 340, 345, 347, 348, 349, 350, 352, 367, 368, 370, 417  
 Importance of data analysis and presentation, 635  
 Importance of microbiology, 111  
 Importance of recordkeeping, 668, 738  
 Importance of report writing, 671  
 Improvements, capital, 715  
 Improving system management, 688  
 Incineration, 227  
 Incline screw pumps, 345, 354  
 Incubator, BOD, 485  
 Independent variable, 655, 657  
 Indicating receiver, 454  
 Indicators, chemical, 488  
 Indirect reuse, effluent, 241, 242  
 Industrial spills, 21, 61, 63  
 Industrial waste treatment, activated sludge, 21, 61, 64, 71, 88  
 Industrial waste treatment, safety, 271, 298, 299  
 Industrial wastes, BOD, test, 578  
 Infections, 266, 492, 493

## 870 Treatment Plants

Infectious diseases, 266, 492, 493  
Infiltration–percolation basins, 241  
Inflammable materials, 493  
Inoculation (seed culture), 176, 185  
Inquiries, pre-employment, 695  
Inspecting new facilities  
  activated sludge, 42  
  aeration tank, 42  
  air filters, 45  
  air headers, 46  
  air mains, 46  
  air system, 44  
  blowers, 45, 47  
  compressors, 45  
  control gates, 42  
  corrosion protection, 44  
  diffusers, 47  
  metering devices, 46  
  movable gates, 44  
  orifice plate, 46  
  pumps, 48  
  return sludge pumps, 48  
  rust protection, 44  
  secondary clarifiers, 47  
  waste sludge pumps, 48  
  water sprays, 44  
  weirs, 44  
Inspection of facilities, 335  
Insulation  
  materials, 390, 391, 392  
  motors, 390, 391, 392  
Insulators, 376  
Integrators, 454  
Intercept, 655, 656, 657, 658, 659  
Internet, 621, 711  
Interview  
  job, 694, 695  
  media, 711  
Inventory  
  control, computers, 623  
  records, 669, 741  
Irrigation  
  wastewater, 241  
  water quality criteria, 242

### J

Jackson Turbidity Units, 607  
Jar test, 103  
Job  
  duties, 687, 691  
  interview, 694, 695  
Jogging, 407  
Joule, 158

### K

Kjeldahl flask, 480  
Kjeldahl nitrogen, 580  
Kraus process, activated sludge, 21, 71, 87, 88

### L

LAS (linear alkyl sulfonate), 605  
Labels  
  chemicals, 309, 310, 315, 316  
  samples, 253  
Laboratory apparatus, for test  
  acidity, 539  
  activated sludge control tests, 517

alkalinity, total, 527, 540  
ammonia, 580, 583  
biochemical oxygen demand (BOD), 573  
carbon dioxide, 529  
chemical oxygen demand (COD), 541  
chloride, 543  
chlorine residual, total, 545  
clarity, 504  
coliform group bacteria, 551  
digester control tests, 523  
dissolved oxygen (DO), 570  
dissolved oxygen in aerator, 520  
grease, 595  
hydrogen ion (pH), 579  
hydrogen sulfide, 505  
lime analysis, 535  
MPN method, 551, 561  
mean cell residence time, 522  
membrane filter method, 551, 561  
metals, 580  
nitrogen  
  ammonia, 580, 583  
  general discussion, 580  
  nitrate, 590  
  nitrate and nitrite, 590  
  nitrite, 588  
  organic nitrogen, 588  
  total Kjeldahl nitrogen (TKN), 586  
oil and grease, 595  
pH, 579  
phosphorus, 597  
plant control tests, 504  
settleability, 517  
settleable solids, 506  
sludge age, 519  
sludge density index (SDI), 518  
sludge (digested) dewatering characteristics, 531  
sludge solids (volatile and fixed), 513  
sludge volume index (SVI), 517  
solids, total (residue), 601  
specific conductance, 603  
sulfate, 605  
supernatant, 534  
surfactants, 605  
suspended solids, 508  
suspended solids, aerator, 521  
temperature, 535, 605  
total organic carbon (TOC), 606  
turbidity, 607  
volatile acids, 523, 525  
Laboratory equipment  
  analytical balance, 485, 595  
  BOD bottle, 481  
  BOD incubator, 485  
  balance, analytical, 485, 595  
  beakers, 479, 486  
  boiling flask, 480  
  bottle, BOD, 481  
  bottle, reagent, 481  
  breathing apparatus, self-contained, 267, 307  
  Buchner funnel, 481  
  Bunsen burner, 483  
  burets, 480, 485  
  burner, Bunsen, 483  
  carbon analyzer, 606  
  clamps, 480, 483  
  condenser, 482  
  cone, Imhoff, 482, 506  
  crucible, Gooch, 484  
  crucible, porcelain, 484

- Laboratory equipment (continued)
- cuvette, 487
  - cylinders, graduated, 479, 485, 517
  - DO meter, 484
  - desiccator, 482
  - dial thermometer, 482
  - dish, evaporating, 484
  - dish, Petri, 482
  - dissolved oxygen meter, 484
  - distilling flask, 480
  - drum tilter, 494
  - Erlenmeyer flask, 480
  - evaporating dish, 484
  - face shield, 296, 301, 493
  - filtering flask, 480
  - fire blanket, 496
  - fire extinguisher, 496
  - first-aid kit, 495
  - flasks, 480, 486
  - fume hood, 484, 496
  - funnels, 481
  - gloves, 493
  - Gooch crucible, 484
  - graduated cylinders, 479, 485, 517
  - hood, fume, 484, 496
  - hot plate, 482
  - Imhoff cone, 482, 506
  - incubator, BOD, 485
  - Kjeldahl flask, 480
  - lab coat, 493
  - Mallory settlometer, 49, 517
  - Mohr pipets, 486
  - muffle furnace, electric, 482
  - Nessler tubes, 481
  - oven, mechanical convection, 482
  - Petri dish, 482
  - pH meter, 484
  - pH paper, 484
  - pipets, 479, 486
  - porcelain crucible, 484
  - protective clothing, 494
  - pump, air pressure and vacuum, 484
  - reagent bottle, 481
  - safety glasses, 493
  - safety tongs, 483
  - self-contained breathing apparatus, 267, 307
  - separatory funnel, 481
  - serological pipets, 479, 486
  - settlometer, Mallory, 49, 517
  - test tubes, 481
  - thermometer, 482
  - tongs, safety, 483
  - triangle, lab, 483
  - tripod, lab, 483
  - use of lab glassware, 485
  - vacuum pump, 484
  - volumetric flask, 480, 486
  - volumetric pipets, 479, 486
- Laboratory, general
- absorbance, 487
  - Beer's Law, 487
  - bench sheets, 489
  - blank, 488, 542
  - calibration curves, 488
  - chemical formulas, 478
  - chemical names, 478
  - collecting data, 489
  - importance, 471
  - laboratory work sheets, 489
  - metric system, 478
  - normality, 487
  - notebooks, 489
  - objectives, 470
  - quality control, 502, 635, 651
  - recording data, 489
  - safety rules, 493
  - sampling, 498
  - solutions, 487
  - spectrophotometer, 487
  - standard solution, 487, 488
  - storage, 494
  - techniques, 495
  - titrations, 480, 487
  - transmittance, percent, 487
  - use of lab glassware, 485
  - words, 472
  - work sheets, 489
- Laboratory glassware
- BOD bottle, 481
  - beakers, 479, 486
  - boiling flask, 480
  - bottle, BOD, 481
  - bottle, reagent, 481
  - Buchner funnel, 481
  - condenser, 482
  - cone, Imhoff, 482, 506
  - crucible, porcelain, 484
  - cylinders, graduated, 479, 485
  - desiccator, 482
  - dish, evaporating, 484
  - dish, Petri, 482
  - distilling flask, 480
  - Erlenmeyer flask, 480
  - evaporating dish, 484
  - filtering flask, 480
  - flasks, 480, 486
  - funnels, 481
  - Gooch crucible, 484
  - graduated cylinders, 479, 485
  - Imhoff cone, 482, 506
  - Kjeldahl flask, 480
  - Mohr pipets, 486
  - Nessler tubes, 481
  - Petri dish, 482
  - pipets, 479, 486
  - porcelain crucible, 484
  - reagent bottle, 481
  - separatory funnel, 481
  - serological pipets, 479, 486
  - test tubes, 481
  - use of lab glassware, 485
  - volumetric flask, 480, 486
  - volumetric pipets, 479, 486
- Laboratory hazards
- acids, 492
  - bases, 492
  - burns, 495
  - carbon tetrachloride, 493
  - chemicals, 492
  - corrosive chemicals, 492
  - cuts, 495
  - dysentery, 492, 493
  - electric shock, 495
  - explosive materials, 493
  - fire, 496
  - flammable materials, 493
  - hepatitis, 492, 493
  - hydrogen sulfide, 215, 267, 268, 271, 290, 299, 493
  - infectious materials, 492, 493
  - mercury, 495

## 872 Treatment Plants

- Laboratory hazards (continued)
  - tetanus, 266, 492, 493
  - toxic fumes, 493, 496
  - toxic materials, 493
  - typhoid, 492, 493
  - waste disposal, 496
- Laboratory precautions, running tests
  - alkalinity, 541
  - ammonia, 583
  - biochemical oxygen demand (BOD), 574, 576
  - carbon dioxide, 530
  - chemical oxygen demand (COD), 543
  - chloride, 544
  - dissolved oxygen (DO), 570, 573
  - hydrogen ion (pH), 579
  - lime analysis, 537
  - membrane filter, 564
  - nitrogen, ammonia, 583
  - pH, 579
  - sludge solids (volatile and fixed), 514
  - suspended solids, 508
  - suspended solids, centrifuge, 522
  - turbidity, 607
  - volatile acids, 525
- Laboratory procedures
  - acidity, 502, 539
  - activated sludge control tests, 517
  - alkalinity, total, 502, 528, 540
  - ammonia, 502, 580
  - biochemical oxygen demand (BOD), 502, 574, 575
  - biochemical oxygen demand, chlorinated samples, 576, 577
  - biochemical oxygen demand, industrial wastes, 578
  - carbon dioxide, 530
  - chemical oxygen demand (COD), 502, 542
  - chloride, 502, 544
  - chlorine residual, total, 502, 546–548
  - clarity, 504
  - coliform group bacteria, 553–568
  - digester control tests, 524, 526
  - dissolved oxygen (DO), 502, 571, 572
  - dissolved oxygen in aerator, 520
  - fecal coliform bacteria, 561, 564
  - grease, 502, 595, 596
  - hydrogen ion (pH), 502, 579
  - hydrogen sulfide, 502, 505, 506
  - lime analysis, 536, 537
  - MPN method, 553–561
  - mean cell residence time, 522
  - membrane filter method, 561–565
  - metals, 502
  - most probable number (MPN), 553, 554
  - multiple tube fermentation, 553, 554
  - nitrogen
    - ammonia, 502, 580–586
    - general discussion, 580
    - nitrate, 502, 580, 590, 593
    - nitrate and nitrite, 502, 580, 590, 593
    - nitrite, 502, 580, 588, 589
    - organic nitrogen, 588, 589
    - outline of procedure, 582
    - total Kjeldahl nitrogen (TKN), 502, 587
  - oil and grease, 502, 595, 596
  - pH, 502, 579
  - phosphorus, 502, 597–599
  - plant control tests, 504
  - settleability, 517
  - settleable solids, 507
  - sludge age, 519
  - sludge density index (SDI), 518
  - sludge (digested) dewatering characteristics, 531–533
  - sludge solids (volatile and fixed), 513, 514
  - sludge volume index (SVI), 518
  - solids, total (residue), 502, 601–603, 604
  - specific conductance, 502, 603
  - sulfate, 502, 605
  - supernatant, 534
  - surfactants, 605
  - suspended solids, 508
  - suspended solids in aerator, 521
  - temperature, 502, 535, 606
  - total organic carbon (TOC), 502, 606
  - turbidity, 502, 607
  - volatile acids, 524, 526
- Laboratory reagents
  - acidity, 539
  - activated sludge control tests, 517
  - alkalinity, total, 527, 540
  - ammonia, 581, 583
  - biochemical oxygen demand (BOD), 573
  - carbon dioxide, 529
  - chemical oxygen demand (COD), 541
  - chloride, 544
  - chlorine residual, total, 545
  - coliform group bacteria, 551
  - digester control tests, 523
  - dissolved oxygen (DO), 570
  - dissolved oxygen in aerator, 520
  - grease, 595
  - hydrogen ion (pH), 579
  - hydrogen sulfide, 506
  - lime analysis, 535
  - MPN method, 551, 561
  - mean cell residence time, 522
  - membrane filter method, 551, 561
  - metals, 580
  - nitrogen
    - ammonia, 581, 583
    - nitrate, 590
    - nitrate and nitrite, 590
    - nitrite, 588
    - organic nitrogen, 588
    - total Kjeldahl nitrogen (TKN), 586
  - oil and grease, 595
  - pH, 579
  - phosphorus, 597
  - plant control tests, 504
  - sulfate, 605
  - total organic carbon (TOC), 606
  - turbidity, 607
  - volatile acids, 523
- Laboratory records, 489
- Laboratory results
  - activated sludge, 21, 53
  - anaerobic digestion, 152, 191, 211
  - supernatant, 194
- Laboratory safety
  - accident prevention, 494, 495
  - burns, 495
  - chemical storage, 494
  - chemicals, 492
  - corrosive chemicals, 492
  - cuts, 495
  - dysentery, 492, 493
  - electric shock, 495
  - explosive materials, 493
  - face shield, 296, 301, 493
  - fire, 496
  - flammable materials, 493

- Laboratory safety (continued)  
 gloves, 493  
 good housekeeping, 493  
 hazards, 492  
 hepatitis, 492, 493  
 infectious materials, 492  
 movement of chemicals, 494  
 personal hygiene, 493  
 rules, 493  
 safety glasses, 493  
 storage, 481, 494  
 techniques, 495  
 tetanus, 266, 492, 493  
 toxic fumes, 496  
 toxic materials, 493  
 typhoid, 492, 493  
 waste disposal, 496
- Lagoons  
 Also see Volume I, Chapter 9, "Wastewater Stabilization Ponds"  
 safety, 296  
 sludge, 194, 222
- Land disposal  
 precautions, 222  
 sludge, 222
- Landfill, sludge disposal, 222
- Landscaping, 336
- Lantern ring, 415, 417
- Le Système International d'Unités (SI)*  
 See Metric conversion factors
- Lead acetate, 505
- Least-squares method, 655, 657
- Legal action, 668, 669
- Let's Build a Pump, 339
- Library, plant, 337
- Lifeline, 266
- Lift stations, 290, 457
- Lifting, safe practices, 284
- Lime, 186, 221
- Lime analysis, 535
- Limits, Summary of Sludge Regulations, 228, 229
- Line of best fit, 655, 656, 657, 658
- Linear alkyl sulfonate (LAS), 605
- Liquid flow measurement, 450–456
- Listening skills, 708
- Living filter, 241
- Loadings, anaerobic sludge digestion, 191, 192, 194, 195, 197, 202, 204, 211
- Loan funding programs, 716
- Location of sampling, 112, 248, 250, 251, 252, 499
- Lockout tag, 274–277, 291, 373, 374, 415, 416
- Lockout/tagout procedures, 274–277
- Log book, records, 669
- Log probability paper, 639
- Long-term capital improvements, 715
- Lower explosive limit, 272, 273, 290, 298
- Lubrication, 342, 356, 360, 361, 368, 400, 404, 415, 423, 425, 427, 428, 431, 437
- Lysimeter, 227
- M**
- MCRT (mean cell residence time), 58, 59, 67, 74, 522
- MLSS (mixed liquor suspended solids), 50, 58, 60, 69, 70, 71, 72, 87, 90
- MLVSS (mixed liquor volatile suspended solids), 58, 60, 70, 87
- MPN (Most Probable Number) test, 551, 552, 553, 561
- MSDS (Material Safety Data Sheet), 271, 298, 299, 309–314, 366, 449, 495, 728–730
- Magnetic flow transmitter, 454
- Magnetic flowmeters, 451, 452, 456
- Magnetic starters, 394
- Maintenance  
 activated sludge, 73, 74, 77, 78, 79–84  
 administration, 718–722  
 aerobic digestion, 219  
 air distribution system, 84  
 air filters, 78, 82  
 air headers, 77, 78, 82, 84  
 anaerobic digesters, 152, 162, 166, 179, 199–201  
 blacktop drying beds, 222  
 blowers, 28, 33, 78, 80, 83  
 computers, use of, 623  
 corrective, 718  
 diffusers, 77, 78, 83, 84  
 effluent discharge, reclamation, and reuse, 254  
 electric motors, 361, 387–409, 425–427  
 electrical equipment, 373–387  
 emergency, 718  
 equipment, computers, 623  
 flowmeters, 450, 454  
 mechanical seals, 356, 359, 415  
 motors, 387–409, 425–427  
 predictive, 718  
 preventive, 718  
 pumps, 413  
 records, 669, 741  
 seizing, 81, 83  
 shutdown procedures, 77  
 sludge drying beds, 222  
 surface aerators, 40, 77, 78, 79  
 types, 718  
 valves, 81, 83, 200, 417, 419, 422, 423, 434, 437, 439–443
- Maintenance contracts, flowmeters, 457
- Maintenance program, pump, 414
- Maintenance reports, 669
- Maintenance, sensors, 456
- Mallory settlometer, 49, 517
- Management questions, 688
- Management, utility, 687  
 Also see Administration
- Manager's responsibilities, 687, 692, 718
- Manholes, 278, 284
- Manometer, 45, 166, 636
- Maps, 738
- Mass media, 711
- Material Safety Data Sheet (MSDS), 271, 298, 299, 309–314, 366, 449, 495, 728–730
- Mean, 637
- Mean cell residence time (MCRT), 58, 59, 67, 74, 522
- Mean cell residence time (MCRT), test, 522
- Measurement of gases, 267, 268, 269, 270, 271, 272, 273, 291
- Measurement, safety, 736
- Measurements  
 in-plant, 243  
 process control, 243  
 receiving water, 243
- Mechanical aeration, 23, 24, 26, 33, 40, 77, 78
- Mechanical dewatering, 218, 219, 222–224
- Mechanical equipment  
 Also see Mechanical maintenance, Meter maintenance, and *INDUSTRIAL WASTE TREATMENT*, Volume I, Chapter 12, "Instrumentation," and Volume II, Chapter 8, "Maintenance"  
 axial flow pumps, 345, 352  
 centrifugal pumps, 339, 345, 347–353, 368, 414  
 chlorinators, 336  
 electric motors, 361, 387–409, 425–427



## 874 Treatment Plants

### Mechanical equipment (continued)

- electrical controls, 361
- incline screw pumps, 345, 354
- lubrication, 342, 431
- multistage pumps, 345
- operation, 360, 368
- piston pumps, 345, 371, 419, 422
- pneumatic ejectors, 356, 358, 423
- positive displacement pump, 345, 371, 419, 422
- progressive cavity pumps, 345, 355, 357, 371, 423
- propeller pumps, 345, 351, 352, 423
- pump-driving equipment, 361
- radial flow pumps, 345, 352
- reciprocating pumps, 345, 371, 419, 422
- repair shop, 339
- screw-flow pumps, 345, 355, 357, 371
- shutdown, 361, 368, 369, 371
- single-stage pumps, 345, 353
- sludge pump, 345, 371, 419, 422
- start-up, 345, 360, 367, 368, 370
- submersible pump, 345, 350
- troubleshooting, 362–368, 429
- turbine pumps, 345, 353
- vertical wet well pump, 345, 353
- wet well pump, 345, 350, 353, 368, 369

### Mechanical maintenance

- air chamber, 419, 422
- air gap separation systems, 446, 447
- alignment, 342, 368, 399, 400, 401, 415, 431, 432
- ball valves, 419, 422
- bearings, 415, 423, 425, 427
- belt drives, 427–428, 429, 430
- capacity, pump, 345, 417
- centrifugal pumps, 368, 414
- chain drives, 428
- change oil, 419, 428
- check valves, 369, 417, 423, 437, 438
- cleaning pump, 415
- connecting rods, 419, 422, 423
- controls, 415
- conversion instruments, 456
- couplings, 342, 354, 367, 429, 431, 432
- dehumidifiers, 446
- draining pump, 361, 370, 419
- eccentric, 419, 422
- efficiency, pump, 417
- ejectors, 356, 358, 423
- electric motors, 361, 387–409, 425–427
- electrode switches, 424
- equipment service card, 333, 334
- float switches, 415, 424
- flowmeters, 450, 454
- frequency of service, 333
- gaskets, 419
- gate valves, 434–437
- gear, reducer, 419
- greasing, 423
- impeller, 417
- lantern ring, 415, 417
- lubrication, 342, 356, 360, 361, 368, 400, 404, 415, 423, 425, 427, 428, 431, 437
- mechanical seals, 415
- noises, 368, 419, 425, 429, 431
- oil change, 419, 428
- packing, 355, 367, 368, 371, 414, 415, 417, 418, 419, 420–421, 422, 423, 434, 435
- piston pumps, 419, 422
- plug valves, 437, 439–443

- plunger pumps, 419, 422
- pneumatic ejectors, 356, 358, 423
- positive displacement pumps, 419, 422
- preventive maintenance, 414, 449
- progressive cavity pumps, 423
- propeller pumps, 423
- pumps, general, 414
- readout instruments, 456
- reciprocating pumps, 419, 422
- reducer, gear, 419
- rings, pump, 343, 347, 367, 368, 370, 415, 417
- rods, 419, 422, 423
- safety equipment, 446
- seals, 356, 359, 367, 369, 371, 414, 415, 417
- sensors, 456
- service record card, 333, 334
- shear pins, 419, 431
- sludge pump, 419, 422
- sluice gates, 437, 444, 445
- stuffing box, 344, 347, 415, 434, 435, 436
- switches, 361, 415, 424
- total dynamic head (TDH), 417
- troubleshooting, 362–368, 429
- valve chamber gasket, 419
- valves, 417, 419, 422, 423, 434, 437, 439–443
- variable speed belt drives, 429
- vibrations, 368, 370, 400, 425, 431
- water seal, 415, 417
- wearing rings, 343, 347, 367, 370, 417

### Mechanical mixing, 176–179

### Mechanical seals, 356, 359, 415

### Mechanics of writing, 672

### Media, news, 711

### Median, 638

### Meetings, conducting, 710

### Megger, 379

### Megohm, 379

### Membrane filter, *E. coli*, 565

### Membrane filter test, 551, 552, 561, 564, 565

### Meniscus, 485, 636

### Mercury, 495

### Mesophilic bacteria, 151, 191

### Metabolism, 100

### Metals, test, 502, 580

### Meter maintenance, 450, 451, 454, 456

### Metering devices, 243, 244

### Meters, electrical, 376–380

### Methane fermenters, 148, 150, 184, 187

### Methane gas, 148, 158, 184, 187, 193, 217, 221, 267, 268, 293, 523

### Metric conversion factors

- chemistry, 478
- laboratory, 478
- units, 478, 796

### Metric problem solutions

- activated sludge, 797–800
- anaerobic digestion, 800–804
- calculations, 660
- effluent disposal, 804
- laboratory, 805–807
- maintenance, 804–805

### Microbiology

- activated sludge, 111–128
- bacteria, 116
- bulking sludge, 116
- collection of samples, 111, 252
- counting techniques, 120–122
- equipment needed, 111

- Microbiology (continued)  
 filamentous growths, 116, 117, 120, 121, 122  
 importance, 111  
 location of samples, 112  
 microorganisms, 111–124  
 microscope, 114–116  
 monitoring, 128  
*Nocardia*, 117, 118, 124, 127  
 observations, 114, 128  
 procedures, 112  
 process change, 125–128  
 process control, 111, 124–128  
 protozoa, 116, 117, 119  
 recording observations, 120  
 results, 120, 124  
 rotifers, 119, 121, 123  
 sampling, 111–114  
*Sphaerotilus*, 117  
 trends, 124, 125, 127, 128  
 Microorganisms, activated sludge, 16, 19, 48, 53, 57, 58, 69, 70, 71, 86, 111–124  
 Microscope, 114–116  
 Mixing  
   aerobic digestion, 218  
   anaerobic digestion, 148, 176–179, 187, 208, 211  
 Mode, 638  
 Modified aeration, activated sludge, 87, 88, 89, 90, 91  
 Mohr pipets, 486  
 Monitoring programs  
   activated sludge, 128  
   computers, use of, 620, 624  
   effluent sampling, 244  
   stream survey, 245  
   water quality survey, 245  
 Monthly records, 670  
 Monthly reports, 673, 675  
 Most probable number (MPN) test, 551, 552, 553, 561  
 Motor control center, 386  
 Motor protection devices, 381, 385, 386  
 Motor, pump, 370  
 Motors  
   alignment, 399, 400, 401  
   contacts, 394–399  
   electric, 361, 387–409, 425–427  
   failure, 390, 391, 404–409  
   humming, 425  
   induction, 409  
   insulation, 390, 391, 392  
   lubrication, 400, 404  
   performance, 402–403  
   pump, 370  
   records, 410, 412  
   rotation, 400  
   safety, 399  
   starters, 394–399  
   temperature limits, 370, 391  
   troubleshooting, 404–409  
   types, 387  
   vibrations, 400, 425, 431  
 Movement of chemicals, 494  
 Moving averages, 644  
 Muffle furnace, electric, 482  
 Multimeter, 376, 377  
 Multiple hearth furnace  
   Also see *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management”  
   sludge, 188  
 Multipurpose receiver, 454  
 Multistage pumps, 345
- N**
- NFPA 820 (National Fire Protection Association Standard 820), 273, 293  
 NPDES (National Pollutant Discharge Elimination System)  
   permits, 20, 64, 244, 624, 668, 670  
   reports, 668, 670  
 Nameplate, 373, 389  
 Nanometer, 588  
 Nap, 224  
 Naphtha, 299  
 National Fire Protection Association Standard 820 (NFPA 820), 273, 293  
 National Labor Relations Act, 707  
 National Pollutant Discharge Elimination System (NPDES)  
   permits, 20, 64, 244, 624, 668, 670  
   reports, 668, 670  
 National Safety Council, 735  
 Natural disasters, emergency response, 722  
 Natural gas, 184  
 Negotiations, contract, 706  
 Nephelometry, 606  
 Nessler tubes, 481  
 Neutralizing, 186, 204  
 Neutralizing a sour digester, 186  
 New employee orientation, 697  
 News media, 711  
 Nitrification, 126  
 Nitrogen  
   fertilizer, 241  
   requirements, 87  
   test in wastewater, 502, 580  
   value, 241  
 Nitrogen removal, 217  
 Nitrogen test  
   ammonia, 502, 580  
   nitrate, 502, 580, 590  
   nitrate and nitrite, 502, 580, 590  
   total Kjeldahl nitrogen (TKN), 502, 586  
*Nocardia*, 117, 118, 124, 127  
 Noise, safety, 28, 277  
 Noisy chain drive, 429  
 Noisy electric motor, 425  
 Noisy pump, 368, 419  
 Nonsparking tools, 293  
 Normal distribution of data, 647, 648  
 Normality, 487  
 Notebooks, laboratory, 489  
 Nozzles, flow measurement, 451, 452, 456  
 Nuclear accidents or attacks, 676  
 Number of employees needed, 692  
 Nutrient removal  
   See *ADVANCED WASTE TREATMENT*, Chapter 6, “Nitrogen Removal,” and Chapter 7, “Enhanced Biological (Nutrient) Control”  
 Nutrients, 71, 86, 87, 241
- O**
- O & M (Operation and Maintenance) manual, 337, 669  
 O & M (Operations and Maintenance), 711, 718–722  
 OSHA (Occupational Safety and Health Act), 266, 277, 278, 492, 725, 728  
 OUCH principle, 696  
 Objectives  
   activated sludge, 7  
   anaerobic digestion, 144, 148, 153  
   analysis of data, 634  
   chemistry, 470

## 876 Treatment Plants

- Objectives (continued)
    - data analysis and presentation, 634
    - effluent discharge, reclamation, and reuse, 239
    - laboratory, 470
    - maintenance, 330
    - presentation of data, 634
    - receiving water monitoring, 245
    - records, 667
    - report writing, 667
    - safety, 261
    - sampling, 498
  - Occupational Safety and Health Act (OSHA), 266, 277, 278, 492, 725, 728
  - Odor control
    - See *ADVANCED WASTE TREATMENT*, Chapter 1, "Odor Control"
  - Odors
    - activated sludge, 19, 67, 72
    - aerobic digestion, 217, 218, 219
    - anaerobic digestion, 187, 199, 200, 213
    - effluent discharge, reclamation, and reuse, 242
    - hydrogen sulfide, 505
    - odorous air, 28
    - receiving waters, 242, 243, 244
    - sludge drying beds, 221
    - sulfate, 605
  - Off-site chemical releases, emergency response, 724
  - Ohmmeter, 379
  - Ohm's Law, 375
  - Oil and grease test, 502, 595
  - Oil change, pump, 419
  - Olfactory fatigue, 271
  - On-site chemical releases, emergency response, 723
  - Open impeller, 349
  - Operating ratio, 713, 714, 715
  - Operation
    - activated sludge, 16, 20, 53, 54, 58, 59, 60, 64
    - aerobic digestion, 218
    - anaerobic digestion, 148, 151, 183, 191, 199, 204, 211
    - blacktop drying beds, 222
    - digesters, 148, 151, 183, 191, 199, 204, 211
    - effluent discharge, reclamation, and reuse, 244
    - pumps, 360, 368
    - records, 668
    - sludge drying beds, 219, 221, 222
    - temperature effect, 54, 70
  - Operation and maintenance (O & M) manuals, 337, 669
  - Operational problems
    - See Troubleshooting
  - Operational strategy
    - activated sludge, 20, 53, 60, 61, 64
    - anaerobic digestion, 199
    - effluent discharge, reclamation, and reuse, 244
  - Operations and maintenance (O & M), 711, 718–722
  - Operator
    - certification, 697
    - training, 308, 311, 697
  - Operator protection
    - first-aid equipment, 727
    - safety program, 725–738
  - Operators' reports, 675
  - Oral communication, 708
  - Organizational plan, 689, 690
  - Organizing, 687, 689, 690
  - Organizing for writing reports, 672
  - Orientation, new employee, 697
  - Orifice, 451, 452, 456
  - Outfall, 244
  - Oven, mechanical convection, 482
  - Overload protection, 381
  - Oxidation, 16
  - Oxidation ditch
    - See Volume I, Chapter 8, "Activated Sludge"
  - Oxygen activated sludge
    - See *ADVANCED WASTE TREATMENT*, Chapter 5, "Phosphorus Removal," Chapter 6, "Nitrogen Removal," and Chapter 7, "Enhanced Biological (Nutrient) Control"
  - Oxygen deficiency/enrichment, 265, 266, 267, 268, 270
  - Oxygen profile, 251
  - Ozone
    - See *ADVANCED WASTE TREATMENT*, Chapter 1, "Odor Control"
- P**
- PEL (permissible exposure limit), 268
  - PLC (programmable logic controller), 396
  - Package aeration plants
    - See Volume I, Chapter 8, "Activated Sludge"
  - Packing, 355, 367, 368, 371, 414, 415, 417, 418, 419, 420–421, 422, 423, 434, 435
  - Paint, building and equipment, 335
  - Palmer-Bowlus flume, 451, 453, 456
  - Paper screening, 694
  - Parshall flume, 451, 452, 456, 636
  - Part 503 Sewage Sludge Regulations, 228, 229
  - Pascal, 796
  - Payback time, 714, 715
  - Pen, recorder, 454
  - Performance evaluation, 698–700, 748
  - Permissible exposure limit (PEL), 268
  - Permit, confined space entry, 267, 269, 731, 732
  - Personal hygiene, 266, 493
  - Personnel records, 669, 692, 706
  - Petri dish, 482
  - pH
    - meter, 484
    - paper, 484
    - safety, 299
    - test, 502, 579
  - pH control, anaerobic digester, 191
  - pH measurement, 579
  - Phosgene, 299
  - Phosphorus
    - Also see *ADVANCED WASTE TREATMENT*, Chapter 5, "Phosphorus Removal," and Chapter 7, "Enhanced Biological (Nutrient) Control"
    - concentration in wastewater, 597
    - fertilizer, 241
    - preservation of sample, 502
    - test in wastewater, 597
    - value, 241
  - Physical injuries, 265
  - Physical plant records, 669
  - Physical–chemical treatment
    - See *ADVANCED WASTE TREATMENT*, Chapter 4, "Solids Removal from Secondary Effluents," and *INDUSTRIAL WASTE TREATMENT*, Volume I, Chapter 8, "Physical–Chemical Treatment Processes"
  - Pillows (reagent containers), 574
  - Pipets, 479, 486
  - Piping
    - gas collection and storage, 158
    - maintenance, 449
    - sludge, 152
  - Piston flowmeter, 451, 452, 456

- Piston pumps, 345, 371, 419, 422
- Plan, organizational, 689, 690
- Planning  
 administration, 687, 689  
 emergencies, 689, 722
- Plans and specifications  
 anaerobic digestion, 228  
 effluent discharge, reclamation, and reuse, 254  
 electrical systems, 458  
 equipment, 457  
 lift stations, 457  
 pump stations, 457  
 safety, 307
- Plant  
 appearance, 336  
 control tests, 504  
 log book, 669  
 operations data, 739  
 records, 738–743  
 tours, 712
- Plot on graph paper, 655
- Plug flow, 104, 500
- Plug valves, 437, 439–443
- Plunger pumps, 419, 422
- Pneumatic ejectors, 356, 358, 423
- Pocket dosimeter, 272
- Pole shader, 407
- Policies and procedures, administration, 697
- Policy  
 safety, 307, 726  
 statement, safety, 726
- Polio virus, 493
- Polyelectrolyte, 71
- Polymers, 297
- Ponds  
 Also see Volume I, Chapter 9, “Wastewater Stabilization Ponds”  
 safety, 296
- Population decline, 689
- Porcelain crucible, 484
- Portable generators, 458
- Positive displacement pumps  
 sludge, 345, 371, 419, 422  
 wastewater, 345, 371, 419, 422
- Potable water, 304, 446
- Potential ethical situations, 744
- Power  
 outage, 245, 458  
 pump, 345, 367, 371  
 requirements, 376  
 supply, 402–403
- Precautions, running lab tests  
 See Laboratory precautions, running tests
- Predict BOD value, 655
- Prediction equations, 655, 659
- Predictive maintenance, 718
- Pre-employment inquiries, 695
- Preparation of charts, 647
- Present worth, 716
- Presentation of data  
 See Data analysis and presentation
- Preserving samples, 252, 253, 500
- Pressure cleaning pipelines, 449, 450
- Pressure filters, sludge, 188  
 Also see *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management,” and Chapter 4, “Solids Removal from Secondary Effluents”
- Pressure, positive, 158
- Pressure regulators, 159, 166, 169, 170
- Pressure relief valves, 153, 155, 159, 161–163
- Pressure swing system, oxygen activated sludge  
 See *ADVANCED WASTE TREATMENT*, Chapter 2, “Activated Sludge”
- Pretreatment  
 See Volume I, Chapter 4, “Racks, Screens, Comminutors, and Grit Removal,” and *INDUSTRIAL WASTE TREATMENT*, Volume I, Chapter 7, “Preliminary Treatment”
- Pretreatment monitoring, 624
- Preventive maintenance  
 description, 718  
 program, 333, 414, 449  
 records, 333, 669  
 sensors, 456  
 variable speed AC motors, 365
- Pride, employee, 697
- Primary sedimentation  
 See Volume I, Chapter 5, “Sedimentation and Flotation”
- Primary treatment  
 See Volume I, Chapter 5, “Sedimentation and Flotation”
- Prime, centrifugal pump, 343, 344, 360, 367, 368, 371
- Principles of writing, 672
- Probationary period, 697
- Problem employees, 701
- Problem solving, 779  
 Also see Volume I, Appendix, “How to Solve Wastewater Treatment Plant Arithmetic Problems”
- Process control  
 Also see Operation and Operational strategy  
 activated sludge, 19, 20, 111, 120–128  
 computers, use of, 624  
 tests, 191
- Procurement of materials, 741, 742
- Procurement records, 741
- Productive meetings, 710
- Profile, qualifications, 693
- Programmable logic controller (PLC), 396
- Progressive cavity pumps, 345, 355, 357, 371, 423
- Propeller flowmeter, 451, 452, 456
- Propeller pumps, 345, 351, 352, 423
- Property taxes, 716
- Proportional sample, 243, 498, 499
- Proportional weir, 451, 456
- Protected groups, 694
- Protection devices, motor, 381, 385, 386
- Protective clothing, 39, 40, 266, 270, 272, 277, 296, 298, 301, 302, 307, 446, 494
- Protective coating, 298
- Protozoa, 116, 117, 119
- Prussian blue, 434
- Psychrophilic bacteria, 151
- Public  
 health, 243  
 relations, 711–713  
 relations, appearance of plant, 335, 336  
 relations, operator responsibility, 335, 336  
 speaking, 712
- Pump capacity, 345, 417
- Pump parts  
 air chamber, 419, 422  
 ball valves, 419, 422  
 bearings, 339, 342, 345, 347, 348, 350, 351, 353, 354, 356, 360, 361, 370, 415, 419, 423  
 belts, 367, 427–428, 429, 430  
 casing, 339, 343, 347, 348  
 connecting rods, 419, 422, 423

## 878 Treatment Plants

### Pump parts (continued)

coupling, 342, 354, 367, 429, 431, 432  
discharge, 340, 345, 367, 368, 369, 371, 423  
drain, 361, 370, 419  
eccentric, 419, 422  
gasket, 419  
gear reducer, 419  
gland, 344, 367, 369, 371  
impeller, 339, 340, 345, 347, 348, 349, 350, 352, 367, 368, 370, 417  
lantern ring, 415, 417  
motor, 370  
packing, 355, 367, 368, 371, 414, 415, 417, 418, 419, 420–421, 422, 423  
reducer, gear, 419  
rings, 343, 347, 367, 368, 370, 415, 417  
rods, 419, 422, 423  
rotor, 355, 356, 361  
seal cage, 344  
seals, 356, 359, 367, 369, 371, 414, 415, 417  
shaft, 339, 340, 347, 348, 367, 368  
shear pin, 419, 431  
sleeves, 340  
stator, 355, 356, 371  
stuffing boxes, 344, 347, 415  
suction, 340, 342, 345, 367, 368, 369, 371  
valve chamber gaskets, 419  
vanes, 339, 340  
volute, 340, 368, 369, 370, 371  
wearing rings, 343, 347, 367, 370, 417

Pumping stations, 290, 457

Pumps

air chamber, 419, 422  
air pressure, 484  
alignment, 342, 368, 415, 431, 432  
axial flow, 345, 352  
ball valves, 419, 422  
bearings, 339, 342, 345, 347, 348, 350, 351, 353, 354, 356, 360, 361, 370, 415, 419, 423  
belts, 367, 427–428, 429, 430  
capacity, 345, 417  
casing, 339, 343, 347, 348  
cavitation, 346  
centrifugal, 339, 345, 347–353, 368, 414  
circuit breakers, 380–382, 384–386  
cleaning pump, 415  
connecting rods, 419, 422, 423  
coupling, 342, 354, 367, 429, 431, 432  
cross connections, 304, 414  
description, 339  
discharge, 340, 345, 367, 368, 369, 371, 423  
drain, 361, 370, 419  
draining pumps, 361, 370, 419  
driving equipment, 361  
eccentric, 419, 422  
electric motors, 361, 387–409  
energy, 345, 367, 371  
friction, 345  
fuses, 367  
gasket, 419  
gear reducer, 419  
general, 339, 414  
greasing, 423  
head, 344  
impeller, 339, 340, 345, 347, 348, 349, 350, 352, 367, 368, 370, 417  
incline screw, 345, 354

lantern ring, 415, 417

Let's Build a Pump, 339

lubrication, 342, 356, 361, 368, 415, 423, 437

maintenance, 413

motor, 370

multistage, 345

noisy, 368, 419

oil change, 419

operation, 360, 368

packing, 355, 367, 368, 371, 414, 415, 417, 418, 419, 420–421, 422, 423

plunger, 419, 422

pneumatic ejectors, 356, 358, 423

positive displacement, 345, 371, 419, 422

power, 345, 367, 371

prime, 343, 344, 360, 367, 368, 371

progressive cavity, 345, 355, 357, 371, 423

propeller, 345, 351, 352, 423

pump-driving equipment, 361

radial flow, 345, 352

reciprocating, 345, 371, 419, 422

records, 410, 411

reducer, gear, 419

repair shop, 339

rings, 343, 347, 367, 368, 370, 415, 417

rods, 419, 422, 423

rotation, 360, 367

rotor, 355, 356, 361

screw-flow, 345, 355, 357, 371

seal cage, 344

seals, 356, 359, 367, 369, 371, 414, 415, 417

shaft, 339, 340, 347, 348, 367, 368

shear pin, 419, 431

shutdown, 361, 368, 369, 371

single-stage, 345, 353

sleeves, 340

sludge pump, 192, 345, 371, 419, 422

start-up, 345, 360, 367, 368, 370

stator, 355, 356, 371

stuffing boxes, 344, 347, 415

submersible pump, 345, 350

suction, 340, 342, 345, 367, 368, 369, 371

troubleshooting, 367

turbine pumps, 345, 353

vacuum, 484

valve chamber gasket, 419

vanes, 339, 340

vertical wet well, 345, 353

vibrations, 368, 370

volute, 340, 368, 369, 370, 371

wearing rings, 343, 347, 367, 370, 417

wet well pumps, 345, 350, 353, 368, 369

Purchase order, 669, 714, 741, 742

Purchasing equipment and supplies, 669

Pure oxygen activated sludge

See *ADVANCED WASTE TREATMENT*, Chapter 5, "Phosphorus Removal," Chapter 6, "Nitrogen Removal," and Chapter 7, "Enhanced Biological (Nutrient) Control"

Purpose of treatment process

activated sludge, 16, 86

aeration, 23

aerobic sludge digestion, 217

anaerobic digestion, 144, 148, 153

blacktop drying beds, 222

effluent discharge, reclamation, and reuse, 241

sludge drying beds, 219

Putrefaction, 217

## Q

Qualifications profile, 693  
 Qualitative analysis, 488  
 Quality control, laboratory, 502, 635, 651  
 Quantitative colorimetric analysis, 489  
 Quantitative titration, 488  
 Questions  
   management, 688  
   pre-employment, 695

## R

Racks  
   See Volume I, Chapter 4, "Racks, Screens, Comminutors,  
   and Grit Removal"  
 Radial flow pumps, 345, 352  
 Radio, 711  
 Radiological hazards, 272  
 Range of values, 638  
 Rates, wastewater treatment, 715  
 Raw sludge, 148, 152, 153, 183, 191, 200, 202, 211, 218  
 Raw sludge piping, 152  
 Raw sludge, pumps, 339  
 Raw wastewater, pumps, 339  
 Reading manometers and gauges, 636  
 Readout instruments, 454, 455, 456  
 Reagent bottle, 481  
 Receiver mechanisms, 454, 455, 456  
 Receiving waters, 241, 244, 245, 254  
 Recharge basins, 241  
 Reciprocating pumps, 345, 371, 419, 422  
 Recirculation, anaerobic sludge digester, 191, 192  
 Reclamation, wastewater, 241  
 Recognition, employee, 697  
 Record drawings (as-built plans), 105, 110, 669, 738  
 Recorders, 454, 455, 457  
 Recording pen, 454  
 Recording receiver, 454, 455, 457  
 Recordkeeping  
   accident reports, 731, 733, 734  
   activated sludge, 20, 42, 48, 53, 64, 69  
   aerobic digestion, 218  
   anaerobic digestion, 152, 191, 199–203, 211  
   as-built plans (record drawings), 738  
   computers, use of, 620  
   cost records, 669  
   daily records, 204, 669  
   disposition of records, 741  
   effluent discharge, reclamation, and reuse, 252  
   electrical equipment, 410, 411, 412  
   equipment, 741  
   evaluation of records, 671  
   financial records, 669  
   frequency, 669  
   importance, 668, 738  
   inventory, 669, 741  
   laboratory, 489  
   legal action, 668, 669  
   log, 669  
   MPN test, 556  
   maintenance, 669, 741  
   maps, 738  
   monthly records, 670  
   motors, 410, 412  
   need, 668  
   observations, 64, 120  
   operation, 668  
   operations data, 739  
   personnel, 669, 692, 706  
   physical plant, 669, 739–743  
   plant log book, 669  
   preventive maintenance, 333, 669  
   procurement, 741  
   pumps, 48, 410, 411  
   purchase order, 714, 741, 742  
   purpose, 738  
   record drawings (as-built plans), 738  
   reports, accident, 731, 733, 734  
   requisition, 714, 741, 742  
   retention of records, 741  
   safety, 731  
   stock inventory, 669  
   types of records, 668, 739  
 Records of plant performance  
   See Recordkeeping  
 Recreation, 242  
 Rectangular weir, 451, 453, 456  
 Reducer, gear, 419  
 Reflux, 542  
 Regression analysis, 655  
 Regression coefficient, 655, 656, 657, 658, 659  
 Regulatory agencies, safety, 725  
 Repair/replacement fund, 715  
 Replacement cost, 715  
 Report forms, accident, 307, 308, 733, 734  
 Report writing  
   administration, 708–710  
   annual reports, 674  
   computers, use of, 620, 624  
   effective writing, 673  
   importance of reports, 671  
   mechanics of writing, 672  
   monthly reports, 673, 675  
   NPDES, 668, 670  
   operators' reports, 675  
   organization, 672  
   principles of writing, 672  
   reports by other operators, 675  
   types of reports, 673  
   typical monthly report, 675  
 Reporting, safety, 731  
 Reports  
   See Report writing  
 Reports by other operators, 675  
 Representative sample, 249, 498, 635  
 Requisition system, 714, 741, 742  
 Respiration, 251  
 Responsibilities, manager, 687, 692  
 Responsibilities, safety, 725  
 Retaliation, 705  
 Reuse on land, effluent, 241  
 Reuse, wastewater, 241  
 Revenue bonds, 716  
 Review of plans and specifications  
   anaerobic digestion, 228  
   effluent discharge, reclamation, and reuse, 254  
   electrical systems, 458  
   equipment, 457  
   lift stations, 457  
   pump stations, 457  
   safety, 307  
 Right-To-Know (RTK) Laws, 308–316, 728  
 Rings, pump, 343, 347, 367, 368, 370, 415, 417

## 880 Treatment Plants

Rising sludge, 73, 90, 126  
Rods, pump, 419, 422, 423  
Rotameter, 451, 456  
Rotating biological contactors  
  See Volume I, Chapter 7, "Rotating Biological Contactors"  
Rotation, motors, 400  
Rotation, pump, 360, 367  
Rotifers, 119, 121, 123  
Rotor, 355, 356, 361, 427  
Running average, 622, 623

### S

SBR (sequencing batch reactor), 93–110  
SCADA (Supervisory Control And Data Acquisition) systems  
  applications, 627, 720  
  communications, 627, 719  
  description, 627, 719  
  wastewater treatment systems, 628  
SDI (sludge density index), test, 518  
*SI (Le Système International d'Unités)*  
  See Metric conversion factors  
SRF (state revolving fund), 716  
SVI (sludge volume index)  
  activated sludge, 60, 61, 63, 103  
  test, 517  
Safety  
  accident reports, 731, 733, 734  
  confined spaces, 293, 731, 732  
  costs, 736  
  education, 735  
  electricity, 373  
  emergencies, 727  
  first aid, 727  
  hazard communication program, 728  
  human factors, 737, 738  
  injury frequency rate, 737  
  injury severity rate, 737  
  Material Safety Data Sheet (MSDS), 728–730  
  measuring, 736  
  motors, 399  
  National Safety Council, 735  
  OSHA, 266, 277, 278, 492, 725, 728  
  OSHA standards, 322–324  
  officer, 735  
  operator, 727  
  permit, confined space, 731, 732  
  policy statement, 307, 726  
  program, 725–738  
  regulatory agencies, 725  
  reporting, 731, 733, 734  
  responsibilities, 725  
  standard operating procedures (SOPs), 728  
  statistics, 736  
  supervisors, 725, 726, 727, 733, 735  
  tailgate training, 735  
  training, 697, 735  
  unsafe acts, 727  
  warning tag, 274–277, 291, 373, 374, 415, 416  
  Worker Right-To-Know (RTK) Laws, 728  
Safety equipment  
  air gap device, 304, 305, 446, 447, 722  
  air supply, 296  
  blowers, 28, 40, 267, 270, 446  
  breathing apparatus, self-contained, 40, 267, 277, 307  
  chlorine monitor, 268  
  combustible gas monitor, 268, 272, 298  
  cones, traffic, 279  
  dosimeter, 272  
  drums, traffic control, 279  
  ear protecting devices, 28, 277  
  eye protection, 40, 301, 302, 493  
  face shield, 296, 301, 493  
  fall arrest system, 40, 266, 292, 293, 317  
  fans, 267, 270, 446  
  film badges, 272  
  fire extinguishers, 290, 302, 303, 307, 446, 496  
  fire-fighting equipment, 273, 290, 303, 307, 446, 496  
  first-aid kit, 304, 446, 495  
  fume hood, 301, 484, 496  
  gas testing, 267, 268, 269, 270, 271, 272, 273  
  gloves, 266, 301, 493  
  hard hat, 307  
  harness, 266, 270, 446  
  hearing protection devices, 28, 277  
  hydrogen sulfide monitor, 268  
  lifeline, 266  
  lockout tag, 274–277, 291, 373, 374, 415, 416  
  measurement of gases, 267, 268, 269, 270, 271, 272, 273, 291  
  nonsparking tools, 293  
  operator protection, 727  
  oxygen deficiency/enrichment indicator, 267, 268  
  pocket dosimeter, 272  
  protective clothing, 39, 40, 266, 270, 272, 277, 296, 298, 301, 302, 307, 446, 494  
  purchase, 307  
  respirators, 277  
  safety glasses and goggles, 40, 301, 302, 493  
  safety harness, 266, 270, 446  
  safety tongs, 483  
  self-contained breathing apparatus, 267, 277, 307  
  storage containers, 296, 298  
  tag, 274–277, 291, 373, 374, 415, 416  
  tongs, 483  
  traffic cones, 279  
  traffic control devices, 278, 279–283  
  tubular markers, traffic control, 279  
  ventilation, 267, 270, 273, 291, 293, 296, 298  
  vertical panels, traffic control, 279  
Safety harness, 266, 270, 446  
Safety hazards  
  acids, 271, 492  
  activated sludge, 39, 40, 48, 76  
  aeration tanks, 40, 46, 295  
  air distribution system, 40  
  air filters, 40  
  air headers and diffusers, 40  
  amines, 299  
  anaerobic digesters, 152, 158, 162, 166, 181, 185, 188, 213  
  applying protective coatings, 298  
  back strains, 284  
  bar screens, 290  
  biocides, 299  
  blowers, 28, 40, 267, 270, 446  
  burns, 495  
  carbon tetrachloride, 493  
  carcinogens, 297, 299  
  chemical storage, 481, 494  
  chemicals, 271, 296, 301, 492  
  chlorine, 268, 292, 296, 317, 337  
  clarifiers, 39, 292  
  collection systems, 278, 298  
  comminutors, 291  
  confined spaces, 265, 266–270, 278, 292, 295, 446, 505  
  corrosive chemicals, 492  
  cross connections, 304, 414  
  cuts, 495  
  digesters, 215, 293  
  digestion equipment, 215, 293

- Safety hazards (continued)
- drowning, 39, 40, 295
  - dysentery, 266
  - effluent discharge, reclamation, and reuse, 254
  - electrical, 40, 274, 373, 495
  - emergencies, 39, 307
  - empty digesters, 335, 336
  - excavations, 284
  - explosion, 158, 160, 162, 166, 267, 493
  - explosive gas mixtures, 158, 160, 162, 166, 267, 268, 272, 298, 493, 505
  - falls, 265
  - fire, 273, 302, 303, 496, 676
  - flammable atmospheric condition, 270
  - foam, 299
  - fuels, 298
  - gasoline vapors, 268, 270, 272
  - grit channels, 292
  - hepatitis, 266, 492, 493
  - hoists, 40, 46
  - hydrogen sulfide, 215, 267, 268, 271, 290, 299, 493, 505, 605
  - ice, 39, 44, 47, 292, 296, 298
  - industrial waste treatment, 271, 298, 299
  - infections, 266, 492, 493
  - infectious diseases, 266, 492, 493
  - laboratory, 301, 492
  - lift station, 290
  - lighting, 39, 47
  - manholes, 278, 284
  - mercury, 495
  - methane, 158, 221, 267, 268, 293
  - movement of chemicals, 494
  - natural gas, 272
  - noise, 28, 277
  - oil and grease soaked rags, 83, 298
  - oil and grease spills, 39, 46, 76, 83, 298
  - oxygen deficiency/enrichment, 265, 266, 267, 268, 270
  - pH, 299
  - physical injuries, 265
  - polymers, 297
  - ponds, 296
  - protective coatings, 298
  - pumping stations, 290
  - radiological, 272
  - sampling, 301
  - sedimentation basins, 292
  - sewer cleaning, 285
  - sharp objects, 48
  - slippery surfaces, 39, 44, 46, 76, 290, 292, 293, 295
  - sludge drying beds, 221
  - spills, 46, 293, 298
  - start-up, 290
  - stored energy, 274
  - suffocating gases or vapors, 265, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - sulfur dioxide, 268, 296, 317, 337
  - surface aerators, 40
  - surface-active agents, 299
  - tetanus, 266, 492, 493
  - toxic chemicals, 271, 493
  - toxic gases or vapors, 265, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - traffic, 278
  - treatment plants, 290
  - trickling filters, 295
  - typhoid fever, 266, 492, 493
  - vapors, 265, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - waste disposal, 496
  - wet wells, 290, 291
- Safety program
- accident prevention, 495
  - accident report form, 307, 308
  - accidents, 306, 307, 308
  - backflow prevention, 304
  - CHEMTREC [(800) 424-9300], 337, 723
  - conditions for program, 306
  - confined spaces, 266–270
  - cross connections, 304
  - development, 306
  - drills, 307
  - effectiveness, 306
  - emergencies, 307, 337
  - emergency team, 337
  - entry of confined spaces, 266–270
  - equipment use, 301, 304, 307
  - fire control methods, 303
  - fire drills, 307
  - fire prevention, 302, 303, 304
  - forms, accident, 307, 308
  - hazard communication program, 308–316
  - hearing protection program, 277
  - housekeeping, 290, 291, 292, 298, 493
  - immunization shots, 266
  - importance of program, 306, 307
  - information, 304–308
  - inoculations (immunizations), 266, 492
  - laboratory, 301, 492
  - laundry service, 266
  - library, 337
  - locker room, 266
  - management responsibility, 265, 306
  - manhole entry, 278, 284
  - material safety data sheets, 271, 298, 299, 309–314, 366, 449, 495, 728–730
  - meetings, 305, 306
  - need, 265
  - OSHA, 492
  - operator responsibility, 265
  - paperwork, 307
  - personal hygiene, 266, 493
  - planning, 307
  - policy, 307, 726
  - procedures, 301, 302
  - promotion, 307
  - protective clothing, 39, 40, 266, 270, 272, 277, 296, 298, 301, 302, 307, 446, 494
  - purchase of equipment, 307
  - purpose, 265
  - report form, 307, 308
  - respiratory protection, 267, 270
  - review of plans and specifications, 307
  - rules, 493
  - safety policy, 307, 726
  - safety rules, 307, 493
  - sampling techniques, 301
  - sewer-use ordinance, 298
  - starting program, 306, 307
  - storage of chemicals, 301, 494
  - supervisor's role, 306
  - tailgate safety meetings, 305, 735
  - testing procedures, 301
  - training programs, 304–308, 337
  - uniforms, 266
  - water supply protection, 304
  - work clothes, 266
- Safety rules, 307, 493



## 882 Treatment Plants

- Salmonella*, 493
- Samplers, 500
- Sampling
  - access, 251
  - activated sludge, 49, 53, 64, 70, 71, 111–114
  - anaerobic digestion, 191, 199, 202
  - analysis, 243, 252
  - blacktop drying beds, 222
  - composite, 243, 498, 499
  - devices, 500
  - dissolved oxygen, 251, 252
  - effluent discharge, reclamation, and reuse, 243, 252
  - equipment, 243, 500
  - errors, 252, 498
  - frequency, 253
  - grab, 243, 499
  - importance, 498
  - labeling, 253
  - location, 112, 248, 250, 251, 252, 499
  - monitoring, 244, 245
  - plug flow sampling, 500
  - preservation, 252, 253, 500, 502
  - purpose, 498
  - quality control, 502
  - receiving water, 245
  - representative sample, 249, 498
  - review of results, 252
  - safety, 301
  - samplers, 500
  - size of sample, 253
  - sludge, 500
  - sludge drying beds, 221, 222
  - storage, 252, 253, 500, 502
  - supernatant, 194
  - techniques, 301, 498
  - temperature, 245–251
  - thief hole, 166, 173, 523
  - time, of sampling, 247, 499
  - types, 499
  - well, sampling, 166, 173, 523
  - what to measure, 253
- Saprophytic organisms, 148, 150
- Screens
  - See Volume I, Chapter 4, “Racks, Screens, Comminutors, and Grit Removal”
- Screw-flow pumps, 345, 355, 357, 371
- Screw-lift pumps, 345, 355, 357, 371
- Scum, 148, 179, 183, 201, 219
  - problem, 361
  - unplugging pipes, 449
- Scum and foam control, anaerobic digester, 179, 183, 187, 201
- Seal cage, pump, 344
- Seals, pump, 356, 359, 367, 369, 371, 414, 415, 417
- Secchi disk, 64, 504
- Secondary sedimentation, 16, 19, 47, 53, 64, 67, 72, 90
  - Also see Volume I, Chapter 5, “Sedimentation and Flotation”
- Security measures, 743
- Sediment traps, 153, 155, 159, 162, 166, 167, 200
- Sedimentation
  - Also see Volume I, Chapter 5, “Sedimentation and Flotation”
  - aerobic digestion, 217
  - operation, 16
  - safety, 292
  - secondary, 16, 19, 47, 53, 64, 67, 72, 90
- Seed sludge
  - activated sludge, 48, 49
  - aerobic digestion, 218
  - anaerobic digestion, 151, 184, 185, 188, 194
- Seizing, 81, 83
- Selection, employees, 694
- Selective electrode method, ammonia, 583, 584
- Self-contained breathing apparatus (SCBA), 267, 307
- Sensors, 456
- Separatory funnel, 481
- Septic sludge, 51, 72
- Septicity, 73
- Sequencing batch reactor (SBR)
  - aeration/mixing, 97
  - components, 97
  - continuous versus batch processes, 94
  - control, sequencing, 99
  - cycle, typical, 102
  - decanter, 97, 98
  - description of process, 93
  - diffusers, air, 107
  - dip net, 108
  - flow diagram, 95
  - maintenance, 107
  - operating strategy, 104
  - plans and specifications, 109
  - post treatment, 99
  - preliminary treatment, 97
  - primary treatment, 97
  - process control, 106
  - process description, 93
  - programmable logic controller, 93, 101
  - reactors, 97
  - sequencing control, 99
  - stages, 99–103
  - start-up, 105
  - types, 104
  - wasting, sludge, 97, 103
- Serological pipets, 479, 486
- Service record card, 333, 334
- Settleability test, 19, 49, 50, 53, 73, 517
- Settleable solids test, 506
- Settometer, 49, 517
- Sewage Sludge Regulations, Part 503, 228, 229
- Sewer cleaning, 285
- Sewer gases, characteristics, 272
- Sewer-use ordinance, 298
- Sexual harassment, 702, 703
- Shaft, pump, 339, 340, 347, 348, 367, 368
- Shear pins, 419, 431
- Sheaves, 428
- Sheeting, 285
- Shielding, 285
- Shock loads
  - activated sludge, 21, 69, 88
  - aerobic digestion, 219
  - anaerobic digestion, 191
- Shop steward, 706
- Shoring, 285, 286
- Shoring, excavations, 285, 286
- Short-circuiting, 44
- Shuntflow meter, 451, 452, 456
- Shutdown
  - activated sludge, 77
  - anaerobic digesters, 213
  - blowers, 40
  - draining pump, 419
  - effluent discharge, reclamation, and reuse, 244
  - pumps, 361, 368, 369, 371
  - surface aerators, 40, 77, 78, 79
- Signal transmitters, 719
- Single-stage pumps, 345, 353
- Size of sample, 253

- Skewed distribution of data, 647, 648
- Sleeves, 340
- Slope, 655, 656, 658
- Sloping, excavations, 285, 288
- Sludge
  - digester, 148
  - raw, 148, 152, 153, 183, 191, 200, 202, 211, 218
  - unplugging pipelines, 450
- Sludge age, activated sludge, 21, 54, 58, 67, 70, 71, 72
- Sludge age, test, 519
- Sludge blanket, secondary sedimentation, 19, 60, 69
- Sludge bulking, 71, 90, 116, 117
- Sludge density index (SDI), test, 518
- Sludge dewatering
  - Also see *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
  - tests, 531
- Sludge digestion, anaerobic
  - See Anaerobic sludge digestion
- Sludge disposal, 148, 219, 227, 228
  - Also see Digested sludge handling and *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
- Sludge drying beds
  - application of sludge, 221, 222
  - blacktop drying beds, 222, 223
  - depth of sludge, 221
  - description, 219–222
  - drain system, 219–222
  - drying time, 221, 222
  - fertilizer, 221
  - flies, 221
  - gravel, 219, 220
  - green sludge, 221
  - health regulations, 221
  - lime application, 221
  - maintenance, 222
  - odors, 221
  - operation, 219, 221, 222
  - partially digested sludge, 221
  - process description, 219, 221
  - purpose, 219
  - removal of sludge, 221
  - safety, 221
  - sampling, 221, 222
  - sand, 219, 220, 221
  - soil conditioner, 221
  - solids, 221
  - time for drying, 221, 222
  - underdrain system, 219–222
  - volatile solids, 221
  - withdrawal from digester, 219
- Sludge handling
  - See Digested sludge handling and *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
- Sludge lagoons, 194, 222
- Sludge piping, anaerobic digestion, 152
- Sludge pumping
  - anaerobic digester, 185, 191, 199, 200, 211, 219
  - primary sedimentation
    - See Volume I, Chapter 5, "Sedimentation and Flotation"
- Sludge pumps, 192, 345, 371, 419, 422
- Sludge reaeration, activated sludge, 86–89
- Sludge removal rate, pumping, 188
- Sludge residence time
  - See Sludge age, activated sludge
- Sludge sampling, 498
- Sludge solids tests, 512
- Sludge thickening and conditioning
  - See *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
- Sludge treatment
  - See Anaerobic sludge digestion
- Sludge volume index (SVI)
  - activated sludge, 60, 61, 63, 103
  - test, 517
- Sludge withdrawal, anaerobic digester, 188, 191, 204, 223
- Sluice gates, 437, 444, 445
- Sodium azide modification of DO test, 570
- Sodium sulfide, 204, 299
- Software, 99, 620, 625, 626
- Solids
  - balance, 195, 202
  - concentration, 16
  - disposal, 148, 194, 227
    - Also see Digested sludge handling and *ADVANCED WASTE TREATMENT*, Chapter 3, "Residual Solids Management"
    - total (residue) test, 502, 601
- Solutions, chemical, 487
- Solving problems
  - See Problem solving
- Sour digester, 183, 184, 186, 191, 523
- Special assessment bonds, 716
- Specific conductance, 502, 603
- Specific gravity, 508
- Spectrophotometer, 487
- Sphaerotilus*, 117
- Spoil, 285
- Square root, 654
- Squirrel-cage induction motor (SCIM), 361, 387, 388
- Stabilized waste, 16
- Staffing
  - advertising positions, 694
  - applications, job, 694
  - certification, 697
  - compensation, 694, 697
  - disciplinary problems, 701
  - discriminatory hiring, 693, 694
  - employee orientation, 697
  - employee problems, 701, 706
  - employee-management relationship, 706
  - employees, 692
  - employer policies, 697, 703
  - evaluation, performance, 698–700
  - grievances, 701, 706
  - groups, protected, 694
  - harassment, 702, 703
  - hiring procedures, 692–707
  - interview questions, 695
  - interviewing, 694, 695
  - manager's responsibilities, 687, 692
  - National Labor Relations Act, 707
  - new employee orientation, 697
  - number of employees, 692
  - orientation, new employees, 697
  - paper screening, 694
  - performance evaluation, 698–700
  - personnel records, 706
  - policies, employer, 697, 703
  - probationary period, 697
  - problem employees, 701
  - profile, qualifications, 693
  - protected groups, 694
  - qualifications profile, 693
  - retaliation, 705

## 884 Treatment Plants

- Staffing (continued)
    - selection process, 694
    - sexual harassment, 702, 703
    - training, 697
    - unions, 706
  - Standard deviation, 651
  - Standard operating procedures (SOPs), 728
  - Standard rate, anaerobic digester, 148
  - Standard solution, 487, 488
  - Standardization of equipment, 479
  - Standards
    - effluent quality, 241
    - treatment efficiency, 243
  - Starters, 394–399
  - Start-up
    - activated sludge, 48
    - aeration tanks, 48
    - aerobic digestion, 218
    - anaerobic digestion, 183
    - assistance, 48
    - blowers, 40, 45, 47, 48
    - chemical addition, 49
    - compressors, 45
    - digester, 183
    - digester foaming, 187
    - effluent discharge, reclamation, and reuse, 244
    - help, 48
    - inspecting new facilities, 42
    - pumps, 345, 360, 367, 368, 370
    - safety hazards, 290
    - water level controls, 424
  - State revolving fund (SRF), 716
  - Stator, 355, 356, 371, 427
  - Step-feed aeration, activated sludge, 44, 53, 88, 89, 112, 113
  - Sterilization, 552
  - Stethoscope, 425
  - Steward, shop, 706
  - Stock inventory, 669
  - Stopcock, buret, 485
  - Storage
    - bins, 266
    - chemicals, 301, 481, 494
    - containers, 296, 298
    - samples, 252, 253, 500, 502
  - Storage of chemicals, 301, 481, 494
  - Stored energy, 274
  - Storm flows, 21, 61, 62, 70, 88
  - Storms, 676
  - Straightedge, alignment, 431
  - Strikes, 676
  - Struvite control, 188
  - Stuck digester, 183, 184, 186, 191, 523
  - Stuffing box, valve, 434, 435, 436
  - Stuffing boxes, pump, 344, 347, 415
  - Submersible pump, 345, 350
  - Suction, pump, 340, 342, 345, 367, 368, 369, 371
  - Suffocating gases or vapors, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - Sulfate test, 502, 605
  - Sulfur dioxide, 268, 296, 317, 337
  - Summaters, 454
  - Supernatant
    - activated sludge, 22, 70, 87, 188
    - control, 188
    - definition, 22
    - disposal, 194
    - operation, 188
    - quality, 194, 202
    - return, 22, 70, 87
    - solids, 194, 202
    - tests, 194, 534
    - tubes, 153–156, 194, 200, 201
  - Supernatant test, 194, 534
  - Supervision, 698
  - Supervisors, safety, 306, 725, 726, 727, 733, 735
  - Supervisory Control And Data Acquisition (SCADA) systems
    - applications, 627, 720
    - communications, 627, 719
    - description, 627, 719
    - wastewater treatment systems, 628
  - Supervisory controls, 386
  - Surface aerators, 23, 24, 26, 40, 77, 78, 79
  - Surface-active agents, safety, 299
  - Surfactants, 299, 499
  - Surfactants, test, 605
  - Suspended solids
    - in aerator, test, 520
    - test, 507
  - Switch gear, electrical, 380
  - Switches, level control, 361, 415, 424
  - Systems monitoring, 620, 624
- T**
- TDH (total dynamic head), 417
  - TOC (total organic carbon), 64
  - TOC (total organic carbon) test, 502, 606
  - TWA (time weighted average), 277
  - Tailgate safety meetings, 305, 735
  - Tanks, maintenance, 335
  - Tare weight, 508
  - Target audience, 708, 709, 711
  - Techniques, laboratory, 495
  - Telephone contacts, 712
  - Television, 711
  - Temperature
    - anaerobic digester, 148, 151, 191, 199, 202, 204, 211
    - test in digester, 535
    - test in wastewater, 605
    - wastewater characteristics, 605
  - Temperature effect
    - activated sludge, 21, 54, 64, 70
    - aerobic digestion, 218
    - anaerobic digestion, 148, 151, 191, 199, 202, 204, 211
    - effluent discharge, reclamation, and reuse, 245, 246, 247
    - monitoring, 245
    - plugging pipelines, 449
    - receiving water, 245–251
    - sludge drying beds, 221
  - Temperature limits, motors, 391
  - Tertiary treatment
    - See *ADVANCED WASTE TREATMENT*
  - Test tubes, 481
  - Testers, electrical, 376–380
  - Tetanus, 266, 492, 493
  - Thermal valve, 162, 164
  - Thermometer, 482
  - Thermophilic bacteria, 151
  - Thick foam, activated sludge, 53
  - Thickness gauge, alignment, 431
  - Thief hole, 166, 173, 523
  - Thirty-minute settleability test, activated sludge, 49, 50
  - Thrust block, 105
  - Time weighted average (TWA), 277
  - Titration, laboratory, 480, 487, 488
  - Tongs, safety, 483
  - Total coliform, test, 551, 553, 561, 566
  - Total dynamic head (TDH), 417

- Total organic carbon (TOC), 64
  - Total organic carbon (TOC) test, 502, 606
  - Totalizers, 454, 637
  - Totalizing receiver, 454
  - Tours, plant, 712
  - Toxic chemicals, 271, 493
  - Toxic gases or vapors, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - Toxic wastes
    - activated sludge, 20, 70, 72, 87
    - anaerobic digestion, 204, 205
    - effluent discharge, reclamation, and reuse, 245, 246
    - gases, 299, 302, 336
    - materials, 299, 302, 493
  - Traffic control devices, 278, 279–283
  - Traffic hazards, 278
  - Training
    - administration, 697, 698, 735
    - courses, 307
    - hazard communication, 308–316
    - management planning, 306
    - safety, 304–308, 337, 735
  - Transmittance, light, 487
  - Transmitters, 454
  - Traps
    - condensate, 166, 167, 168
    - drip, 166, 167, 168
    - sediment, 162, 167, 168
  - Treatment efficiency, 243
  - Treatment plant maintenance
    - Also see Mechanical equipment, Mechanical maintenance, Meter maintenance, and *INDUSTRIAL WASTE TREATMENT*, Volume I, Chapter 12, “Instrumentation,” and Volume II, Chapter 8, “Maintenance”
    - buildings, 335
    - channels, 335
    - costs, 333
    - general program, 333
    - grounds, 336
    - inspection, 335
    - landscaping, 336
    - library, 337
    - paint, 335
    - preventive maintenance program, 333, 414, 449
    - preventive maintenance records, 333, 669
    - public relations, 335, 336
    - records, 333, 669
    - safety, 290, 335
    - tanks, 335
  - Treatment plant problems (English System)
    - activated sludge, 785–787
    - effluent disposal, 791–792
    - laboratory, 793–795
    - maintenance, 792–793
    - sludge digestion, 787–791
  - Treatment plant problems (Metric System)
    - activated sludge, 797–800
    - effluent disposal, 804
    - laboratory, 805–807
    - maintenance, 804–805
    - sludge digestion, 797–800
  - Treatment plants, safety, 290
  - Trenching, 285, 286, 287, 288
  - Trend analysis, 622, 623
  - Trend chart
    - activated sludge, 53, 124, 125, 127, 128
    - data, 191, 199, 202, 203, 649
  - Trends, 655, 657, 658, 659
  - Triangle, lab, 483
  - Trickling filters
    - Also see Volume I, Chapter 6, “Trickling Filters”
    - safety, 295
  - Tripod, lab, 483
  - Troubleshooting
    - activated sludge, 70, 74–76, 77
    - aerobic digestion, 219
    - anaerobic digestion, 204
    - blowers, 80
    - chain drive, 429
    - effluent discharge, reclamation, and reuse, 245–247
    - flowmeters, 457
    - gas system, 205
    - meters, 457
    - motors, 404–409
    - pumps, 367
    - surface aerators, 40, 78, 79
    - variable speed AC motors, 362–368
    - water level controls, 424
  - Tubular markers, traffic control, 279
  - Turbidity
    - measurement, 502, 606
    - meter, 53, 64
    - units, 128, 606, 607
  - Turbine aerators, 23
  - Turbine pumps, 345, 353
  - Types of records, 668, 739
  - Types of reports, 673
  - Typhoid fever, 266, 492, 493
  - Typical monthly report, 675
- U**
- Unbalance, voltage, 393, 394
  - Underground discharge, 241
  - Uniforms, 266
  - Unions, 706
  - Unity of command, 689
  - Unplugging pipes, pumps, and valves
    - costs, 449
    - cutting tools, 450
    - digested sludge lines, 449
    - equipment, 449, 450
    - high-velocity pressure units, 450
    - methods of unplugging, 449, 450
    - pipes, 449
    - pressure clearing methods, 449, 450
    - pumps, 450
    - scum lines, 449
    - sludge lines, 449
    - valves, 449, 450
  - Unsafe acts, 727
  - Upper explosive limit (UEL), 272, 273
  - Upset digester, 183, 184, 186, 191, 523
  - Use of digester gas, 158, 187
  - Use of lab glassware, 485
  - User fees, 713, 714
  - Utility management, 687
- V**
- Vacuum filtration
    - Also see *ADVANCED WASTE TREATMENT*, Chapter 3, “Residual Solids Management”
    - blankets, 224
    - cake, 224
    - cycle, 224
    - description, 224
    - elutriation, 224

## 886 Treatment Plants

- Vacuum filtration (continued)
    - odor, 224
    - operation, 224
    - sludge conditioning, 224
    - sludge dewatering, 224
  - Vacuum pump, 484
  - Vacuum relief valves, 153, 155, 159, 162
  - Valve chamber gaskets, 419
  - Valve parts
    - bonnet, 439, 441
    - gear, 434, 439
    - gland, 437
    - packing, 434, 435
    - plug, 439, 441
    - rising stem, 434
    - seal, 439
    - seats, 434, 437, 439, 441
    - stuffing box, 434, 435, 436
    - threads, 434
  - Valves
    - ball valves, 419, 422
    - check valves, 159, 369, 417, 423, 437, 438
    - description, 434, 437
    - foot valves, 417
    - gate valves, 434–437
    - location, 369
    - maintenance, 81, 83, 200, 417, 419, 422, 423, 434, 437, 439–443
    - plug valves, 437, 439–443
    - unplugging, 449, 450
  - Vanes, pump, 339, 340
  - Vapors, toxic or suffocating, 267, 268, 271, 272, 298, 299, 301, 336, 493, 496, 505
  - Variable speed AC motors
    - description, 361
    - preventive maintenance, 365
    - troubleshooting, 362–368
  - Variable speed belt drives, 429
  - Variance, 651
  - Variations in data, causes, 635
  - Velocity head, 452
  - Velocity meter, 451, 452, 456
  - Vendor, 669
  - Ventilation, safety, 267, 270, 273, 291, 293, 296, 298
  - Venturi meters, 451, 452, 456
  - Venturi tube, 451, 452, 456
  - Vertical panels, traffic control, 279
  - Vertical wet well pumps, 345, 353
  - Vibrations
    - electric motor, 400, 425, 431
    - pump, 368, 370
  - Violence, 701
  - Viscosity, 297
  - Visual inspection
    - activated sludge, 60, 67
    - anaerobic digestion, 199, 200
    - blacktop drying beds, 222
    - chain drive, 428
    - effluent discharge, reclamation, and reuse, 244
    - primary clarifier, 67
    - sludge drying beds, 221, 222
  - V-notch weir, 451, 456
  - Volatile acid/alkalinity, 148, 186, 191, 195, 199, 202, 206, 211
  - Volatile acids, test, 211, 523
  - Volatile liquids, 494
  - Voltage
    - fluctuations, 636
    - imbalance, 393, 394
  - Volts, 375
  - Volumetric flask, 480, 486
  - Volumetric pipets, 479, 486
  - Volute, 28, 340, 368, 369, 370, 371
  - Vulnerability assessment, 722
- ### W
- WAS (waste activated sludge), 19, 22, 48, 54, 55, 56, 57, 60, 183
  - Warning tag, 274–277, 291, 373, 374, 415, 416
  - Waste activated sludge (WAS), 19, 22, 48, 54, 55, 56, 57, 60, 183
  - Waste gas burner, 159, 166, 171, 172, 201
  - Wastewater
    - flows, 498
    - pumps, 339, 345
  - Wastewater characteristics
    - acidity, 539
    - alkalinity, 527, 540
    - ammonia, 580
    - biochemical oxygen demand (BOD), 573
    - carbon dioxide, 529
    - chloride, 543
    - chlorine residual, 545
    - clarity, 504
    - coliform group bacteria, 551
    - dissolved oxygen (DO), 570
    - dissolved oxygen in aerator, 519
    - grease, 595
    - hydrogen ion (pH), 579
    - hydrogen sulfide, 505
    - lime analysis, 535
    - mean cell residence time, 522
    - nitrogen
      - ammonia, 580
      - nitrate, 590
      - nitrate and nitrite, 590
      - total Kjeldahl nitrogen, 586
    - oil and grease, 595
    - pH, 579
    - phosphorus, 597
    - settleable solids, 506
    - sludge age, 519
    - sludge density index (SDI), 518
    - sludge (digested) dewatering characteristics, 531
    - sludge solids, 512
    - sludge volume index (SVI), 517
    - solids, total (residue), 601
    - specific conductance, 603
    - sulfate, 605
    - supernatant, 534
    - surfactants, 605
    - suspended solids, 507
    - suspended solids in aerator, 520
    - temperature, 605
    - total organic carbon, 606
    - turbidity, 606
    - volatile acids, 523
  - Wastewater treatment rates, 715
  - Wastewater words, 809
  - Wasting activated sludge (WAS), 19, 22, 48, 54, 55, 56, 57, 60, 183
  - Water
    - conservation, 711
    - level controls, 361, 424
    - quality criteria, 242
    - quality indicator, 242

Water (continued)  
 seal, digester covers, 153, 155, 187, 201  
 supply protection, 304  
 uses, 242  
 Water column height, 162  
 Water hammer, 419  
 Watts, 376  
 Wearing rings, pump, 343, 347, 367, 370, 417  
 Weirs, 451, 453, 456  
 Wet well pumps, 345, 350, 353, 368, 369  
 Wet wells, 290, 291, 368, 369  
 Whistleblower situations, 748  
 White foam, activated sludge, 44, 49, 53  
 Wildlife, 242  
 Winkler method of DO test, 570  
 Withdrawal of sludge, digester, 188, 191, 204, 223  
 Word processing, 620  
 Words, wastewater, 809  
 Work clothes, 266

Work sheets, laboratory, 489  
 Work stoppages, 676  
 Worker Right-To-Know (RTK) Laws, 308–316, 728  
 Working conditions, 694  
 Writing reports  
     See Report writing  
 Written communication, 708–710

**X**

(NO LISTINGS)

**Y**

Y-wall, 34, 46

**Z**

Zoogleal bacteria, 16