

# Table of Contents

## Chapter 1

### Introduction to Wastewater Treatment I

#### 1.1 Wastewater as a Resource 2

##### 1.1.1 Urban Water Cycle 3

#### 1.2 Wastewater Components 5

##### 1.2.1 Effects of Untreated Waste Discharges 5

##### 1.2.2 Types of Solids in Wastewater 8

#### 1.3 Clean Water Act 10

##### 1.3.1 NPDES Programs 10

#### 1.4 Collection, Treatment, and Reuse Facilities 12

##### 1.4.1 Wastewater Collection and Conveyance Systems 12

###### 1.4.1.1 Types of Collection Systems 14

##### 1.4.2 Wastewater Treatment 16

###### 1.4.2.1 Preliminary Treatment 18

###### 1.4.2.2 Flow Measuring Devices 20

###### 1.4.2.3 Primary Treatment 22

###### 1.4.2.4 Secondary Treatment 24

###### 1.4.2.5 Disinfection 28

###### 1.4.2.6 Tertiary Treatment 31

###### 1.4.2.7 Lagoon Systems 35

##### 1.4.3 Effluent Discharge, Reclamation, and Reuse 36

###### 1.4.3.1 Solids Handling, Disposal, and Reuse 37

###### 1.4.3.2 Odor Control 40

#### 1.5 Sampling and Laboratory Analysis 41

#### 1.6 Electrical Power and Instrumentation Control 42

#### 1.7 Maintenance Program 42

##### 1.7.1 Asset Management Program 43

#### 1.8 Safety Program 43

##### 1.8.1 Accident Prevention 44

##### 1.8.2 Types of Safety Hazards 45

#### 1.9 Wastewater Treatment Plant Operators 46

#### 1.10 Math Assignment 50

#### 1.11 Additional Resources 50

#### Chapter Review 51

## Chapter 2

### Safety 55

#### 2.1 Creating a Safe Workplace 56

#### 2.2 Safety Program 57

##### 2.2.1 Types of Hazards 58

##### 2.2.2 Reporting Incidents 60

#### 2.3 Prevention 62

##### 2.3.1 Operator Safety 62

###### 2.3.1.1 Respiratory Protection 63

###### 2.3.1.2 Personal Protective Equipment 64

###### 2.3.1.3 Noise Exposure 67

##### 2.3.2 Training Program 70

###### 2.3.2.1 Tailgate Safety Meetings 71

##### 2.3.3 Emergency Preparedness and Response 72

#### 2.4 Water Safety 73

##### 2.4.1 Infections and Diseases 74

##### 2.4.2 Radiological Hazards 74

#### 2.5 Facility Maintenance Safety 75

##### 2.5.1 Cleaning 75

- 2.5.2 Painting 76
- 2.5.3 Crane Operation 77
- 2.5.4 Explosive Gas Mixtures 77
- 2.5.5 Confined Spaces 78
- 2.5.6 Power Tools 82
- 2.5.7 Welding 84
- 2.5.8 Safety Valves 85

## 2.6 Vehicle Operation and Maintenance Safety 86

- 2.6.1 Vehicle Operation 86
  - 2.6.1.1 Forklifts 87
- 2.6.2 Vehicle Maintenance 87

## 2.7 Electrical Equipment Safety 89

- 2.7.1 Current and Voltage 89
- 2.7.2 Avoiding Electric Shock 90
- 2.7.3 Emergency Procedures 92
- 2.7.4 Transformers 92
- 2.7.5 Electric Starters 93
- 2.7.6 Electric Motors 93
- 2.7.7 Instrumentation 94
- 2.7.8 Control Panels 95
- 2.7.9 Lockout/Tagout Procedure 95

## 2.8 Fire Prevention and Protection 97

- 2.8.1 Classification of Fires and Extinguishers 98
  - 2.8.1.1 Fire Extinguisher Operation and Maintenance 99
  - 2.8.1.2 Fire Hoses 100
- 2.8.2 Storage of Flammables 100
- 2.8.3 Fire Exits 100

## 2.9 Chemical Handling 101

- 2.9.1 Acids 105
  - 2.9.1.1 Acetic Acid (Glacial) 107
  - 2.9.1.2 Hydrochloric Acid 108
  - 2.9.1.3 Nitric Acid 108
  - 2.9.1.4 Sulfuric Acid 110
- 2.9.2 Bases 111
  - 2.9.2.1 Calcium Hydroxide and Calcium Oxide 111
  - 2.9.2.2 Sodium Hydroxide 111
  - 2.9.2.3 Hypochlorite 112
  - 2.9.2.4 Sodium Carbonate 113

- 2.9.3 Gases and Vapors 113
  - 2.9.3.1 Chlorine 115
  - 2.9.3.2 Carbon Dioxide 117
  - 2.9.3.3 Sulfur Dioxide 118
  - 2.9.3.4 Oxygen 118
  - 2.9.3.5 Gasoline Vapor 119
  - 2.9.3.6 Carbon Monoxide 119
  - 2.9.3.7 Hydrogen 119
  - 2.9.3.8 Methane 119
  - 2.9.3.9 Hydrogen Sulfide 120
  - 2.9.3.10 Ethane 120
- 2.9.4 Salts 120
  - 2.9.4.1 Aluminum Sulfate 121
  - 2.9.4.2 Ferric Chloride 121
  - 2.9.4.3 Ferric Sulfate 121
  - 2.9.4.4 Ferrous Sulfate 122
  - 2.9.4.5 Sodium Aluminate 122

- 2.9.5 Powders 122
  - 2.9.5.1 Activated Carbon 123

- 2.9.6 Chemical Storage Drains 124

## 2.10 Collection System Safety 124

- 2.10.1 Traffic Hazards 124
- 2.10.2 Manholes 125
- 2.10.3 Excavations 126
- 2.10.4 Cleaning Tools and Equipment 129
- 2.10.5 Pumping Stations 129

## 2.11 Additional Resources 131

## Chapter Review 132

# Chapter 3 Preliminary Treatment 135

## 3.1 Purpose of Preliminary Treatment 136

## 3.2 Safety Hazards 137

## 3.3 Flow Measurements 140

- 3.3.1 Flow Measuring Devices 142
- 3.3.2 Location of Measuring Devices 146
- 3.3.3 Conversion and Readout Instruments and Controllers 147

3.3.3.1	Mechanical Meters	147
3.3.3.2	Transmitters	147
3.3.3.3	Receivers	148
3.3.3.4	Controllers	150
3.3.4	Maintenance	150
3.3.4.1	Sensors	151
3.3.4.2	Conversion and Readout Instruments	152
3.3.5	Calibration and Cross-Checking Meter Performance	152
3.3.6	Troubleshooting Meters	153
<b>3.4 Screening and Shredding 153</b>		
3.4.1	Bar Screens and Racks	154
3.4.1.1	Operating Bar Screens and Racks	155
3.4.1.2	Safety Around Bar Screens and Racks	156
3.4.2	Mechanical Cleaning Equipment	157
3.4.3	Disposal of Screenings	157
3.4.4	Operating Grinders and Comminutors	161
3.4.5	Safety Around Grinders	164
<b>3.5 Grit Removal 165</b>		
3.5.1	Grit Channels	165
3.5.2	Aerated Grit Chambers	172
3.5.3	Vortex-Type Grit Chambers	174
3.5.4	Cyclone Grit Separators	174
3.5.5	Grit Washing	177
3.5.6	Quantities of Grit Received	179
3.5.7	Disposal of Grit	180
3.5.8	Operational Strategy for Abnormal Operations	180
3.5.9	Grit Channel Safety	181
<b>3.6 Preaeration 182</b>		
3.6.1	Startup Procedures	182
3.6.2	Operation and Maintenance	182
3.6.3	Shutdown Procedures	183
<b>3.7 Emergency Storage Basins 183</b>		
3.7.1	Operation and Maintenance and Safety	184
<b>3.8 Reviewing Plans and Specifications 184</b>		
3.8.1	Flowmeter Systems	184

3.8.2	Screens and Shredders	185
3.8.3	Grit Removal Facilities	185
3.8.4	Preaeration Equipment	186
3.8.5	Emergency Storage Basins	186

### **3.9 Math Assignment 187**

### **Chapter Review 188**

## **Chapter 4 Primary Treatment 191**

### **4.1 Clarifiers 192**

4.1.1	Sedimentation and Flotation	194
-------	-----------------------------	-----

### **4.2 Safety 205**

4.2.1	Avoiding Atmospheric Hazards	205
4.2.2	Avoiding Falls	206
4.2.3	Preventing Drowning	206
4.2.4	Avoiding Strains and Overexertion	206
4.2.5	Preventing Electric Shock	207

### **4.3 Startup Procedures 207**

4.3.1	Circular Clarifiers	207
4.3.2	Rectangular Clarifiers	209

### **4.4 Normal Operations 209**

4.4.1	Cleaning Weirs and Troughs	211
4.4.2	Sludge and Scum Pumping	211

### **4.5 Abnormal Operations and Troubleshooting 212**

### **4.6 Shutdown Procedures 221**

### **4.7 Clarifier Efficiency 221**

### **4.8 Reviewing Plans and Specifications 224**

4.8.1	Safety Considerations	225
4.8.2	Operation and Maintenance	225

### **4.9 Flow Equalization 226**

4.9.1	Flow Equalization Tanks	228
4.9.1.1	Volume	228

- 4.9.1.2 Construction 229
- 4.9.1.3 Solids Handling 229
- 4.9.2 Pumps and Flow Controls 229
- 4.9.3 Operating Equalization Tanks 230
- 4.9.4 Evaluating Equalization 231

## 4.10 Math Assignment 232

## Chapter Review 233

# Chapter 5

## Activated Sludge Systems (Secondary Treatment) 237

### 5.1 Introduction to Secondary Treatment 238

### 5.2 The Activated Sludge Process 240

- 5.2.1 Process Description 240
  - 5.2.1.1 Aeration Tanks 242
  - 5.2.1.2 Secondary Clarifiers 244
- 5.2.2 Safety 245
  - 5.2.2.1 Aeration Tanks and Clarifiers 247
  - 5.2.2.2 Pump Rooms 248
  - 5.2.2.3 Surface Aerators 249
  - 5.2.2.4 Blowers 250
  - 5.2.2.5 Blower Air Filters 250
  - 5.2.2.6 Air Distribution System 250
  - 5.2.2.7 Air Headers and Diffusers 250
- 5.2.3 Activated Sludge Process Control 252
- 5.2.4 Collection System Variables 254
- 5.2.5 Treatment Plant Operational Variables 257
  - 5.2.5.1 Influent Characteristics 257
  - 5.2.5.2 Activated Sludge Process Variables 258
  - 5.2.5.3 Waste Activated Sludge 278
- 5.2.6 Primary Control Points 279
  - 5.2.6.1 Maintaining the Microorganism Population 280
  - 5.2.6.2 Controlling Dissolved Oxygen 281
  - 5.2.6.3 Managing Solids Separation in Secondary Clarifiers 282
- 5.2.7 Process Monitoring, Control, and Data Collection 285
  - 5.2.7.1 Monitoring Tools 285
  - 5.2.7.2 Automated Control Systems 290

### 5.2.7.3 Measurements, Testing, and Inspections 292

### 5.2.7.4 Process Inspection 294

### 5.2.7.5 Laboratory Testing 296

### 5.2.8 Recordkeeping 298

## 5.3 Process Modifications 301

- 5.3.1 Conventional BOD Removal Processes 301
- 5.3.2 Biological Nutrient Removal Processes 303
- 5.3.3 Low-Rate or Extended Aeration ASPs 304
- 5.3.4 High-Rate ASPs 305
- 5.3.5 Complete Mix ASPs 305
- 5.3.6 Plug Flow ASPs 307
- 5.3.7 Step-Feed ASPs 307
- 5.3.8 Tapered Aeration ASPs 309
- 5.3.9 Sequencing Batch Reactors 309
- 5.3.10 Oxidation Ditches 312
- 5.3.11 Contact Stabilization ASPs 314
- 5.3.12 Kraus Process 315
- 5.3.13 Selectors 316
- 5.3.14 High-Purity Oxygen ASPs 316
- 5.3.15 Membrane Bioreactors 318
- 5.3.16 Package Plants 320

## 5.4 Normal Operation 322

- 5.4.1 Operational Strategy 323
- 5.4.2 Routine Operator Tasks 326
- 5.4.3 Process Performance Monitoring 327
- 5.4.4 Process Data Analysis and Review 329
- 5.4.5 Controlling the Process 332
- 5.4.6 Process Adjustment and Operator Response 333
  - 5.4.6.1 Process Adjustment Example 336

## 5.5 Abnormal Operation 340

- 5.5.1 Major Causes of Abnormal Operations 341
  - 5.5.1.1 Hydraulics 342
  - 5.5.1.2 Water Quality 342
  - 5.5.1.3 Equipment Malfunction 344
  - 5.5.1.4 Plant Changes 344
  - 5.5.1.5 Process Control 344
  - 5.5.1.6 Environmental Changes 345
  - 5.5.1.7 Design Deficiency 345

<b>5.5.2</b>	Typical Operational Problems and Solutions	346
<b>5.5.3</b>	Problems in Aeration Tanks	347
5.5.3.1	Toxicity to Organisms	347
5.5.3.2	Aeration System Problems	347
5.5.3.3	Aeration Tank Foaming	350
5.5.3.4	Stiff White Foam	351
5.5.3.5	Brown Foam	352
5.5.3.6	Very Dark or Black Foam	354
<b>5.5.4</b>	Problems in Secondary Clarifiers	355
5.5.4.1	Sludge Bulking	356
5.5.4.2	Septic Sludge	359
5.5.4.3	Clumping/Rising Sludge	360
5.5.4.4	Ashing	361
5.5.4.5	Pinpoint Floc	361
5.5.4.6	Straggler Floc	362
5.5.4.7	Cloudy Secondary Effluent	362
<b>5.5.5</b>	Troubleshooting	365
<b>5.5.6</b>	Equipment Operation Under Abnormal Conditions	368

## **5.6 Microbiology for Activated Sludge 381**

<b>5.6.1</b>	Microorganisms in Activated Sludge	382
5.6.1.1	Bacteria	383
5.6.1.2	Protozoa	385
5.6.1.3	Rotifers	388
5.6.1.4	Viruses, Fungi, and Algae	388
<b>5.6.2</b>	Microscopic Examination of Activated Sludge	389
5.6.2.1	Sample Collection	389
5.6.2.2	Sample Preparation	390
5.6.2.3	Using Microscopes	391
5.6.2.4	Microscopic Observations	394
5.6.2.5	Frequency of Microscopic Observation	400
<b>5.6.3</b>	Interpretation of Results	400
5.6.3.1	Desirable and Undesirable Microorganisms	401
5.6.3.2	Comparing Microscopic Results	403
5.6.3.3	Changes in Numbers or Types of Microorganisms	403
<b>5.6.4</b>	Response to Results	404
5.6.4.1	Making a Process Change	405

## **5.7 Startup and Shutdown 407**

<b>5.7.1</b>	Hydraulics	408
<b>5.7.2</b>	Electrical	408

<b>5.7.3</b>	Instrumentation and Control	409
<b>5.7.4</b>	Startup After Initial Construction	415
5.7.4.1	Inspecting New Equipment	415
5.7.4.2	Process Startup Procedures	422
<b>5.7.5</b>	Long-Term Shutdown and Startup Procedures	426
5.7.5.1	Shutdown Procedures	426
5.7.5.2	Startup Procedures	427
<b>5.7.6</b>	Short-Term Shutdown and Startup Procedures	429
<b>5.7.7</b>	Equipment Startup and Shutdown	430
5.7.7.1	ASP Influent and Effluent Flow Control Equipment	431
5.7.7.2	Surface Aerators and Mixers	432
5.7.7.3	Positive Displacement Blowers	432
5.7.7.4	Centrifugal Blowers	433
5.7.7.5	Turbo Blowers	433
5.7.7.6	Air Distribution System	433
5.7.7.7	Air Headers and Diffusers	433
5.7.7.8	RAS/WAS Pumping System	434
5.7.7.9	Secondary Clarifier Sludge and Scum Collector	434

## **5.8 Maintenance 436**

<b>5.8.1</b>	Influent/Effluent Flow Control Equipment	436
<b>5.8.2</b>	Tank Mixers	437
<b>5.8.3</b>	Surface Aerators	437
<b>5.8.4</b>	Diffused Aeration System	438
5.8.4.1	Centrifugal Blowers	439
5.8.4.2	Positive Displacement Blowers	442
5.8.4.3	Air Distribution System	442
5.8.4.4	Air Headers	442
5.8.4.5	Diffusers	443
<b>5.8.5</b>	Secondary Clarifiers	444
<b>5.8.6</b>	RAS/WAS Pumping Systems	446
5.8.6.1	Centrifugal Pumps	446
5.8.6.2	Positive Displacement Pumps	447
<b>5.8.7</b>	Instruments	447

## **5.9 Reviewing Plans and Specifications 449**

<b>5.9.1</b>	Review of Drawings	450
5.9.1.1	General	450
5.9.1.2	Civil	450
5.9.1.3	Architecture and Structure	451
5.9.1.4	Process and Mechanical	451
5.9.1.5	Electrical, Instrumentation, and Control	452

- 5.9.2 Review of Specifications 453
  - 5.9.2.1 General 454
  - 5.9.2.2 Civil 454
  - 5.9.2.3 Architecture and Structure 455
  - 5.9.2.4 Process and Mechanical 455
  - 5.9.2.5 Electrical, Instrumentation, and Control 456

## 5.10 Math Assignment 457

## 5.11 Additional Resources 457

## Chapter Review 458

# Chapter 6

## Fixed Film Processes (Secondary Treatment) 465

### 6.1 First Biological Treatment 466

### 6.2 Trickling Filters 466

- 6.2.1 Media 469
  - 6.2.1.1 Rock Media 471
  - 6.2.1.2 Plastic Media 472
- 6.2.2 Distribution System 474
  - 6.2.2.1 Containment Structure 479
  - 6.2.2.2 Underdrain System 481
  - 6.2.2.3 Filter Pump Station 483
  - 6.2.2.4 Secondary Clarifier 483
  - 6.2.2.5 Solids Processing Equipment 485
- 6.2.3 Safety 485
- 6.2.4 Process Monitoring and Control 486
  - 6.2.4.1 Organic Loading Rate 487
  - 6.2.4.2 Hydraulic Loading Rate 490
  - 6.2.4.3 Dosing Rate 492
  - 6.2.4.4 Recirculation Ratio 495
  - 6.2.4.5 Removal Efficiencies 497
  - 6.2.4.6 Oxygen Supply 498
  - 6.2.4.7 Sampling and Laboratory Analysis 501
  - 6.2.4.8 Daily Plant Monitoring 502
- 6.2.5 Filter Classification 506
  - 6.2.5.1 Low-Rate 508
  - 6.2.5.2 Intermediate-Rate 509
  - 6.2.5.3 High-Rate 510
  - 6.2.5.4 Roughing 510
  - 6.2.5.5 Nitrifying Trickling Filters 510

- 6.2.6 Modes of Operation 511
- 6.2.7 Reviewing Plans and Specifications 513
- 6.2.8 Construction, Startup, and Shutdown 515
  - 6.2.8.1 During Construction 515
  - 6.2.8.2 Startup Procedures 516
  - 6.2.8.3 Shutdown Procedures 516
- 6.2.9 Operation and Maintenance 518
  - 6.2.9.1 Equipment Inspection and Preventive Maintenance 518
- 6.2.10 Troubleshooting 521
  - 6.2.10.1 Trickling Filter Process 521
  - 6.2.10.2 Upstream and Downstream Treatment Processes 527

### 6.3 Rotating Biological Contactors 529

- 6.3.1 Components 530
    - 6.3.1.1 Media 530
    - 6.3.1.2 Drive Mechanism 534
    - 6.3.1.3 Tank 535
    - 6.3.1.4 Baffles 535
    - 6.3.1.5 Covers 536
    - 6.3.1.6 Influent/Effluent Piping 536
    - 6.3.1.7 Auxiliary Instrumentation 536
  - 6.3.2 Process Monitoring and Control 537
    - 6.3.2.1 Organic Loading Rate 538
    - 6.3.2.2 Hydraulic Loading Rate 539
    - 6.3.2.3 Oxygen Supply/Transfer 539
    - 6.3.2.4 Rotational Speed 540
    - 6.3.2.5 Disc Submergence 540
    - 6.3.2.6 Biofilm Thickness 540
    - 6.3.2.7 Recirculation Rate 541
    - 6.3.2.8 Water and Ambient Temperature 541
  - 6.3.3 Modes of Operation 541
  - 6.3.4 Reviewing Plans and Specifications 542
  - 6.3.5 Startup Procedures 544
  - 6.3.6 Shutdown Procedures 545
  - 6.3.7 Equipment Inspection and Preventive Maintenance 546
- ### 6.4 Submerged Fixed Film 547
- 6.4.1 Moving and Fixed Bed Biological Reactor Processes 548
  - 6.4.2 Integrated Fixed Film Activated Sludge Process 550
  - 6.4.3 Selecting a Process 551
  - 6.4.4 Components 551

- 6.4.4.1 Media 551
- 6.4.4.2 Media Retention Sieve 554
- 6.4.4.3 Aeration System 554
- 6.4.4.4 Mixers 554

- 6.4.5 Process Monitoring and Control 554
- 6.4.6 Modes of Operation 561
- 6.4.7 Reviewing Plans and Specifications 565
- 6.4.8 Startup and Shutdown Procedures 567
- 6.4.9 Troubleshooting 567

## 6.5 Math Assignment 568

## Chapter Review 569

# Chapter 7 Disinfection 575

## 7.1 Destroying Pathogens in Wastewater 576

## 7.2 Disinfection Processes 578

- 7.2.1 Chlorination 578
  - 7.2.1.1 Gas Chlorination 579
  - 7.2.1.2 Hypochlorination 579
- 7.2.2 Ultraviolet Radiation 579
- 7.2.3 Ozonation 579

## 7.3 Chlorination 579

- 7.3.1 Chlorine Safety Program 580
  - 7.3.1.1 Chlorine Hazards 580
  - 7.3.1.2 Operator Safety 581
  - 7.3.1.3 First-Aid Measures 583
- 7.3.2 Chlorine Reactions in Wastewater 584
  - 7.3.2.1 Free Chlorine 584
  - 7.3.2.2 Hypochlorite 584
  - 7.3.2.3 Chlorine Dioxide 585
- 7.3.3 Impurities in Wastewater 585
  - 7.3.3.1 Inorganic Reducing Agents 586
  - 7.3.3.2 Ammonia 587
- 7.3.4 Factors Influencing Chlorine Disinfection 589
- 7.3.5 Chlorine Requirements 589
- 7.3.6 Chlorination Process Calculations 590

## 7.4 Chlorination Equipment 593

- 7.4.1 Chlorinators 594

- 7.4.2 Evaporators 596
- 7.4.3 Chlorine Solution Discharge Lines and Diffusers 598
- 7.4.4 Reviewing Plans and Specifications 599
  - 7.4.4.1 Piping, Connections, and Valves 600
  - 7.4.4.2 Chlorinator Injector Water Supply 601
- 7.4.5 Chlorinator Startup Procedures 602
  - 7.4.5.1 Gas Chlorinators 602
  - 7.4.5.2 Liquid Chlorinators 603

## 7.5 Chlorination Process Control 605

- 7.5.1 Measuring Chlorine Residual 606
- 7.5.2 Chlorinator Feed Rate and Control 608

## 7.6 Normal and Abnormal Chlorination Operation 610

- 7.6.1 Container Storage Area 611
- 7.6.2 Evaporators 611
  - 7.6.2.1 Abnormal Conditions 612
- 7.6.3 Chlorinators 614
  - 7.6.3.1 Abnormal Conditions 616
- 7.6.4 Operational Strategy 618
- 7.6.5 Troubleshooting 620
- 7.6.6 Shutdown Procedures 620

## 7.7 Chlorine Containers 622

- 7.7.1 Cylinders 622
- 7.7.2 Ton Tanks 623
- 7.7.3 Chlorine Tank Cars 624
- 7.7.4 Connecting Containers to Chlorine Systems 625
  - 7.7.4.1 Connections 625
  - 7.7.4.2 Valves 626
  - 7.7.4.3 Ton Tanks 626
  - 7.7.4.4 Railroad Tank Cars 626
- 7.7.5 Chlorine Leaks 628

## 7.8 Hypochlorinators 632

- 7.8.1 Safety 634
- 7.8.2 Feed Rate and Control 634
- 7.8.3 Startup Procedures 635
- 7.8.4 Normal Operation 635
- 7.8.5 Abnormal Operation 639
- 7.8.6 Repair and Shutdown 640

- 7.9 Dechlorination 640**
  - 7.9.1 Sodium Sulfite 641
    - 7.9.1.1 Storage and Safety 642
    - 7.9.1.2 Insufficient Dose or Incomplete Removal of Chlorine 643
    - 7.9.1.3 Overdose 643
  - 7.9.2 Sulfur Dioxide 643
    - 7.9.2.1 Safety 644
    - 7.9.2.2 Hazards 645
    - 7.9.2.3 Reactions with Wastewater 647
    - 7.9.2.4 Application Point 648
    - 7.9.2.5 Supply System 649
  - 7.9.3 Sulfonation System 649
    - 7.9.3.1 Sulfonator Controls 650
    - 7.9.3.2 Determining Residual Sulfur Dioxide 652
    - 7.9.3.3 Operation 653
    - 7.9.3.4 Maintenance 659
  - 7.9.4 Reviewing Plans and Specifications 661
- 7.10 Ultraviolet Radiation 662**
  - 7.10.1 Safety 665
  - 7.10.2 Equipment Configuration 665
    - 7.10.2.1 Lamps and Sleeves 668
    - 7.10.2.2 Cleaning Equipment 669
    - 7.10.2.3 Critical Sensors 670
  - 7.10.3 Normal and Abnormal Operation 672
    - 7.10.3.1 Equipment Startup/Shutdown Procedures 672
    - 7.10.3.2 Monitoring Water Flows and Levels 673
    - 7.10.3.3 Monitoring and Managing UV Dose 673
    - 7.10.3.4 Monitoring Influent and Effluent Characteristics 675
    - 7.10.3.5 Cleaning Quartz Sleeves 676
    - 7.10.3.6 Monitoring Lamp Output Intensity 676
    - 7.10.3.7 Correcting Performance Issues 677
    - 7.10.3.8 Recordkeeping 678
  - 7.10.4 Maintenance 679
    - 7.10.4.1 Reactor Cleaning 679
    - 7.10.4.2 Quartz Sleeve Cleaning and Replacement 681
    - 7.10.4.3 Lamp Maintenance 682
    - 7.10.4.4 Ballast Maintenance 682
    - 7.10.4.5 Sensor Maintenance 683

- 7.10.5 Reviewing Plans and Specifications 684

- 7.11 Ozonation 685**

- 7.12 Math Assignment 688**

- 7.13 Additional Resources 688**

- Chapter Review 689**

## Chapter 8 Lagoon Systems (Secondary Treatment) 693

- 8.1 Why Lagoons Are Used 694**

- 8.2 Safety 696**

- 8.3 Lagoon Classifications and Applications 696**

- 8.4 Treatment Process 701**

- 8.5 Typical Lagoon Performance 703**

- 8.6 Starting a Lagoon 704**

- 8.7 Operation and Maintenance 706**

- 8.7.1 Observe and Test Lagoon Conditions 706

- 8.7.2 Maintain Appropriate Water Elevations 707

- 8.7.3 Manage Loading 707

- 8.7.4 Recirculation 718

- 8.7.5 Headworks and Screening 718

- 8.7.6 Scum Control 719

- 8.7.7 Odor Control 720

- 8.7.8 Weed and Insect Control 721

- 8.7.8.1 Emergent Weeds 721

- 8.7.8.2 Suspended Vegetation 722

- 8.7.8.3 Dike Vegetation 723

- 8.7.8.4 Herbicides 723

- 8.7.8.5 Insects 724

- 8.7.9 Sludge Management 725

- 8.7.10 Algae Control 726

- 8.7.11 Levee Maintenance 726

- 8.7.12 Liners 728

- 8.7.13 Batch and Controlled Discharge Operations 730

## 8.8 Abnormal Operation and Troubleshooting 731

- 8.8.1 Overloading 731
- 8.8.2 Winter Conditions 732
- 8.8.3 Eliminating Algae from Lagoon Effluents 732
- 8.8.4 Troubleshooting 735

## 8.9 Sampling and Analysis 738

- 8.9.1 Sampling Frequency and Location 740
- 8.9.2 Expected Treatment Efficiencies 742

## 8.10 Aeration 743

- 8.10.1 Surface Aerators 743
- 8.10.2 Submerged Diffusers 745
- 8.10.3 Operation and Maintenance of Aerated Lagoons 746

## 8.11 Shutdown Procedures 747

## 8.12 Reviewing Plans and Specifications 747

## 8.13 Enhanced Lagoon Designs 753

## 8.14 Math Assignment 755

## 8.15 Additional Resources 755

## Chapter Review 756

# Chapter 9

## Laboratory Procedures 759

### 9.1 Determining Water Quality 760

- 9.1.1 NPDES Permit Compliance 760
- 9.1.2 Process Control and Troubleshooting 761

### 9.2 Laboratory Safety 762

- 9.2.1 Laboratory Hazards 762
  - 9.2.1.1 Glassware 763
  - 9.2.1.2 Hazardous Materials 763
  - 9.2.1.3 Infectious Materials 764
  - 9.2.1.4 Radioactivity 765
  - 9.2.1.5 Other Hazards 765
- 9.2.2 Preventing Laboratory Accidents 766
  - 9.2.2.1 General Rules 766

### 9.2.2.2 Personal Hygiene 766

### 9.2.2.3 Toxic Fumes 767

### 9.2.2.4 Electric Shock 768

### 9.2.2.5 Fire 769

### 9.2.2.6 Burns 769

### 9.2.2.7 Cuts 770

### 9.2.2.8 Using Proper Laboratory Techniques 771

### 9.2.3 Chemical Handling 772

#### 9.2.3.1 Storage 773

#### 9.2.3.2 Moving Chemicals 774

#### 9.2.3.3 Waste Disposal 774

## 9.3 Basic Laboratory Equipment and Techniques 775

### 9.3.1 Laboratory Units: Metric System 775

### 9.3.2 Laboratory Glassware and Equipment 778

#### 9.3.2.1 Reading Volumes 782

#### 9.3.2.2 Using Pipets 783

### 9.3.3 Chemical Names and Formulas 785

### 9.3.4 Chemical Solutions 788

#### 9.3.4.1 Mass Concentration 788

#### 9.3.4.2 Molar Concentration 790

#### 9.3.4.3 Normality 792

#### 9.3.4.4 Liquid Solutions—Dilution Ratio 794

#### 9.3.4.5 Mixing 795

### 9.3.5 Common Laboratory Procedures and Instruments 798

#### 9.3.5.1 Gravimetric Analysis—Measurements Based on Mass 798

#### 9.3.5.2 Titrations and Indicators 799

#### 9.3.5.3 Colorimetric Analysis 802

#### 9.3.5.4 Light Scattering—Turbidity 805

#### 9.3.5.5 Microscopy 805

#### 9.3.5.6 Probe-Based Electronic Instruments 805

#### 9.3.5.7 Calibrating Instruments—Calibration Curves 807

### 9.3.6 Data Recording and Recordkeeping 810

### 9.3.7 Laboratory Quality Control 812

## 9.4 Sampling 814

### 9.4.1 Sampling with a Purpose 814

### 9.4.2 Representative Samples 815

### 9.4.3 Collecting Samples 817

#### 9.4.3.1 Grab Samples 817

- 9.4.3.2 Composite Samples 817
- 9.4.3.3 Sampling Devices 821
- 9.4.4 Handling Samples 825
  - 9.4.4.1 Preservation, Storage, and Transport of Samples 825
  - 9.4.4.2 Chain-of-Custody Procedures 825
- 9.4.5 Sludge Sampling 827
- 9.5 Common Laboratory Methods 828**
- 9.5.1 Importance of Standardized Procedures 829
- 9.5.2 Solids 830
  - 9.5.2.1 Total Solids 831
  - 9.5.2.2 Settleable Solids 833
  - 9.5.2.3 Suspended Solids 835
  - 9.5.2.4 Total Dissolved Solids 838
  - 9.5.2.5 Volatile and Fixed Solids 841
  - 9.5.2.6 Electroconductivity 845
  - 9.5.2.7 Turbidity 846
- 9.5.3 Chemical Parameters 848
  - 9.5.3.1 Acidity and Alkalinity 848
  - 9.5.3.2 Chloride 854
  - 9.5.3.3 Chlorine Residual 856
  - 9.5.3.4 pH (Hydrogen Ion) 862
  - 9.5.3.5 Hydrogen Sulfide (Dissolved in Water) 865
  - 9.5.3.6 Metals 867
  - 9.5.3.7 Nitrogen 867
  - 9.5.3.8 Ammonia 870
  - 9.5.3.9 Total Kjeldahl Nitrogen 874
  - 9.5.3.10 Nitrogen (Organic) 877
  - 9.5.3.11 Nitrite 877
  - 9.5.3.12 Nitrate 877
  - 9.5.3.13 Oil and Grease 879
  - 9.5.3.14 Oxygen (Dissolved Gas) 880
  - 9.5.3.15 Oxygen Demand 885
  - 9.5.3.16 Biochemical Oxygen Demand 886
  - 9.5.3.17 Chemical Oxygen Demand 890
  - 9.5.3.18 Phosphorus 896
  - 9.5.3.19 Ortho-P 896
  - 9.5.3.20 Total Phosphorus 898
  - 9.5.3.21 Sulfate 898
  - 9.5.3.22 Surfactants 899
- 9.5.4 Biological Parameters 900
  - 9.5.4.1 Microbial Testing 900
  - 9.5.4.2 Coliform Bacteria 902

- 9.5.4.3 Multiple Tube Fermentation for Total Coliform 903
- 9.5.4.4 Enzyme Substrate Tests for Coliform 906
- 9.5.4.5 Membrane Filtration for Total Coliform 906
- 9.5.4.6 Fecal Coliform 909
- 9.5.4.7 *Escherichia coli* 910
- 9.5.4.8 Calculating the Most Probable Number from Multiple Tube Fermentation Results 911
- 9.5.5 Gases 917
  - 9.5.5.1 Carbon Dioxide in Anaerobic Digester Gas 918
  - 9.5.5.2 Hydrogen Sulfide (Atmosphere) 920
- 9.5.6 Tests for Process Control and Sludge 922
  - 9.5.6.1 Clarity (Secchi Disk) 922
  - 9.5.6.2 Sludge Settleability, Sludge Volume Index, and Sludge Density Index 924
  - 9.5.6.3 Mixed Liquor and Sludge Suspended Solids (Centrifuge Method) 927
  - 9.5.6.4 Digester Supernatant Solids 929
  - 9.5.6.5 Digested Sludge Dewatering Characteristics 929
  - 9.5.6.6 Volatile Acids 932

**9.6 Math Assignment 935**

**Chapter Review 936**

**Appendix A  
Introduction to Basic Math  
for Operators 943**

**Introduction 944**

**Basic Concepts (Sections A.1–A.4) 945**

**A.1 Numbers and Operations 945**

- A.1.1 Addition 945
- A.1.2 Subtraction 945
- A.1.3 Multiplication 946
- A.1.4 Division 946

**A.2 Order of Operations 946**

- A.2.1 More on Exponents 950

**A.3 Basic Algebra (Solving Equations) 950**

**A.4 Percentages 953****Intermediate Concepts (Sections A.5–A.6) 956****A.5 Units 956**

- A.5.1** Distance or Length 956
- A.5.2** Area 957
  - A.5.2.1** Surface Area of a Rectangle 957
  - A.5.2.2** Surface Area of a Triangle 958
  - A.5.2.3** Surface Area of a Trapezoid 959
  - A.5.2.4** Surface Area of a Circle 959
  - A.5.2.5** Surface Area of a Cylinder 960
  - A.5.2.6** Surface Area of a Cone 961
  - A.5.2.7** Surface Area of a Sphere 962
- A.5.3** Volume 962
  - A.5.3.1** Cube 963
  - A.5.3.2** Rectangular Prism 963
  - A.5.3.3** Triangular Prism 964
  - A.5.3.4** Cylinder 964
  - A.5.3.5** Cone 965
  - A.5.3.6** Sphere 965
- A.5.4** Mass and Weight 965
- A.5.5** Density, Specific Weight, and Specific Gravity 966
- A.5.6** Concentration 966
- A.5.7** Velocity and Flow Rate 968
- A.5.8** Force and Pressure 970
- A.5.9** Work, Head, and Power 975

**A.6 Metric System 978**

- A.6.1** SI Base Units 978
- A.6.2** Measures of Length 980
- A.6.3** Measures of Capacity or Volume 980
- A.6.4** Measures of Weight 980
- A.6.5** Temperature 981

**Advanced Concepts (Sections A.7–A.8) 982****A.7 Pumps 982**

- A.7.1** Pressure 982
- A.7.2** Work 983
- A.7.3** Power 984
- A.7.4** Horsepower 984
- A.7.5** Head 988
- A.7.6** Pump Characteristics 990
- A.7.7** Evaluation of Pump Performance 992
  - A.7.7.1** Capacity 992
  - A.7.7.2** Efficiency 993
- A.7.8** Pump Speed–Performance Relationships 996
- A.7.9** Friction or Energy Losses 997

**A.8 Analysis and Presentation of Data 1001**

- A.8.1** Causes of Variations in Results 1001
  - A.8.1.1** Water or Material Being Examined 1002
  - A.8.1.2** Sampling 1002
  - A.8.1.3** Testing 1002
- A.8.2** Controlling Variation 1002
  - A.8.2.1** Reading Charts 1004
- A.8.3** Describing Data or Results 1004
  - A.8.3.1** Graphs and Charts 1005
  - A.8.3.2** Numerical Representation of Data 1010
- A.8.4** Moving Averages 1017
- A.8.5** More Applications of Graphs 1019
  - A.8.5.1** Volume of Sludge in a Digester 1019
  - A.8.5.2** Tracking BOD Loading 1022
- A.8.6** Regression Analysis (Prediction Equations, Trends, and Correlations) 1024
  - A.8.6.1** Correlations 1029

Answer Key 1031

Glossary 1035

Index 1059



## A

- Abnormal operation, activated sludge process
  - aeration tanks, problems in
    - aeration tank foaming, 350–351
    - brown foam, 352–354
    - diffused aeration system, 347–349
    - mechanical aeration system, 349–350
    - stiff white foam, 351–352
    - toxicity to organisms, 347
    - very dark or black foam, 354–355
  - design deficiency, 345
  - environmental changes, 345
  - equipment malfunction, 344
  - hydraulics, 342
  - plant changes, 344
  - process control, 344–345
  - secondary clarifiers, problems in
    - ashing, 361
    - cloudy secondary effluent, 362–364
    - clumping/rising sludge, 360–361
    - pinpoint floc, 361–362
    - septic sludge, 359
    - sludge bulking, 356–359
    - straggler floc, 362
  - troubleshooting, 366–368
    - air diffusers, 376
    - air distribution system, 373–374
    - air filter, 373
    - air headers, 375
    - blower operation, 369, 371–373
    - gates and valves, 379–381
    - principles of, 365
    - pumps, 376–380
    - sludge collector, 379–380
    - surface aerators, 369–370
    - water quality, 342–343
- Accidents, 58
- Acetic acid (glacial), 107–108
- Acid formers, 38
- Acidic, 792
- Acidity, 848–854
- Acids
  - acetic acid (glacial), 107–108
  - HCl, 108
  - HNO<sub>3</sub>, 108–110
  - H<sub>2</sub>SO<sub>4</sub>, 110
  - hydrochloric acid, 105
- Activated carbon, 123–124
- Activated sludge process (ASP)
  - abnormal operation
    - design deficiency, 345
    - environmental changes, 345
    - equipment malfunction, 344
    - hydraulics, 342
    - plant changes, 344
    - problems and solutions, 346–364
    - process control, 344–345
    - water quality, 342–343
  - aeration system, 272–277
  - aeration tanks, 242–243, 247–248, 271–272
  - air distribution system, 250
  - air headers and diffusers, 250–251
  - ASP variables
    - biological solids/active biomass, 260–261
    - F/M ratio, 261
    - HLR, 259–260
    - HRT, 260
    - solids in aeration tank, 260
    - substrate, 261
    - volume of reactors, 259
    - volumetric organic loading, 260
  - automated control systems
    - DCS, 291
    - SCADA system, 291
  - blower air filters, 250
  - blowers, 250
  - complete mix, 305–306
  - contact stabilization, 314–315
  - control strategy, 332–333
  - conventional BOD removal process, 301–303
  - definition, 239
  - high-purity oxygen, 316–318
  - high-rate ASP, 305
  - influent flow and quality, 270–271
  - Kraus process, 315–316
  - laboratory testing, 296–297
  - low-rate extended aeration, 304–305
  - maintenance
    - diffused aeration system, 438–444
    - influent/effluent flow control
      - equipment, 436–437
      - instrument, 447–448
    - RAS/WAS pumping systems, 446–447
    - secondary clarifiers, 444–446
    - surface aerators, 437–438
    - tank mixers, 437
  - MCRT, 263
  - membrane bioreactor process, 318–320
  - microorganisms
    - bacteria, 383–385
    - changes in numbers/types of, 403–404
    - desirable and undesirable
      - microorganisms, 401–403
    - microscopic examination, 394–400
    - microscopic results, 403
    - process change, 405–407
    - protozoa, 385–388
    - rotifers, 388
    - viruses, fungi, and algae, 388
  - microscopic evaluation, 294
  - mixed liquor, 272
  - monitoring tools, 285–290
  - operational strategy, 323–326
  - oxidation ditches, 312–314
  - package plants, 320–322
  - plug flow ASPs, 307
  - process adjustment and operator response, 333–340
  - process configuration, 242
  - process data analysis and review, 329–331
  - process inspection, 294–296
    - BNR systems, 303–304
    - complete mix ASPs, 305–306
    - conventional BOD removal processes, 301–303
    - high rate ASPs, 305
    - low-rate extended aeration ASPs, 304–305
    - oxidation ditches, 312–314
    - plug flow ASPs, 306
    - SBR process, 309–312
    - step-feed and conventional operations, 307–309
    - tapered aeration ASPs, 309
  - process performance monitoring, 327–329
  - pump rooms, 248–249
  - recordkeeping, 298–300
  - return activated sludge, 278–279
  - review of drawings
    - architecture and structure, 451
    - civil drawing plans, 450
    - electrical, instrumentation, and control, 452–453
    - general drawing section, 450
    - process and mechanical drawing, 451–452
  - review of specifications
    - architecture and structure, 455
    - civil, 454

- Activated sludge process (ASP) (*continued*)
- electrical, instrumentation, and control, 456
  - general reviews, 454
  - process and mechanical, 455–456
  - routine operator tasks, 326–327
  - safety aspects
    - equipment hazards, 246–247
    - safety guidelines, 246
    - typical hazards, 246
  - secondary clarifiers, 243–245, 277
  - selectors, 316
  - sequencing batch reactors, 309–312
  - settlemeter test, 292–293
  - sludge age, 263
  - sludge blanket depth, 293
  - solids loading rate, 268–269
  - solids retention time, 264–267
  - startup and shutdown
    - air diffusers, 433–434
    - air distribution system, 433
    - air filters, 417–418
    - air headers, 418, 433–434
    - blowers and compressors, 419–421
    - centrifugal blowers, 433
    - diffusers, 418–419
    - electrical, 408–409
    - flow control gates, valves, and weirs, 415–416
    - hydraulics, 408
    - influent and effluent flow control equipment, 431
    - instrumentation and control, 409–414
    - long-term shutdown and startup procedures, 426–429
    - positive displacement blowers, 432–433
    - process startup procedures, 422–436
    - RAS/WAS pumping system, 434
    - return and waste activated sludge pumps, 422
    - secondary clarifiers, 421
    - secondary clarifier sludge and scum collector, 434–435
    - short-term shutdown and startup procedures, 429–430
    - surface aerators and mixers, 432
    - turbo blowers, 433
    - water sprayers, 417
  - step-feed and conventional operations, 307–309
  - supernatant, 240
  - surface aerators, 249–250
  - surface overflow rate, 268
  - SVI, 269–270
  - tapered aeration ASP, 309
  - treatment plant operational variables. *See* Treatment plant operational variables
  - turbidity clarity, 293–294
  - waste activated sludge, 240
- Activated sludge systems, 24–26
- Addition, 945
- Advanced Integrated Wastewater Pond Systems® (AIWPS®), 753
- Aerated grit chambers, 172–174
- Aerated lagoons, operation and maintenance of, 746–747
- Aeration system, 554–555
- centrifugal blowers, 273
  - diffused-air aeration system, 273
  - endogenous respiration, 272
  - high-purity oxygen systems, 275
  - high-speed turbo blowers, 274
  - horizontal axis surface aerators, 276
  - mechanical aeration systems, 275
  - nonporous diffusers, 274, 276
  - operation and maintenance of aerated lagoons, 746–747
  - pipng network system, 274
  - porous diffusers, 274
  - positive displacement blowers, 273
  - submerged diffusers, 745–746
  - surface aerators, 743–745
  - vertical axis surface aerators, 276
- Aeration tanks, 25, 136, 242–243
- abnormal operation, ASP
    - aeration tank foaming, 350–351
    - brown foam, 352–354
    - diffused aeration system, 347–349
    - mechanical aeration system, 349–350
    - stiff white foam, 351–352
    - toxicity to organisms, 347
    - very dark or black foam, 354–355
  - foaming, 350–351
- Aerobic bacteria, 6, 25, 467
- Aerobic lagoons, 35, 698
- Aerobic reactor, 240
- Air diffusers, 374–376, 433–434
- Air distribution system, 373–374, 433
- Air filters, 373, 417–418
- Air gap, 603
- Air headers, 374, 418, 433–434
- Air padding, 625
- Algae, 7, 694
- Algae control, 726
- Algae elimination from lagoon effluents, 732–735
- Algal blooms, 704
- Algebra, 950–953
- Aliquots, 817
- Alkalinity, 701, 848–854
- Alkalinity lab test, 810, 811
- Aluminum sulfate, 121
- Ammonia, 587–588, 868
- Amperometric analyzer recorder, 606
- Anaerobic bacteria, 6
- Anaerobic condition, 278
- Anaerobic digester gas, 918–920
- Anaerobic lagoons, 698
- Anaerobic selector, 562
- Analytical balances, 782
- Anoxic process, 303
- Ashing, 361
- ASP. *See* Activated sludge process (ASP)
- Asset management program, 43
- Autoclaves, 782
- Automated control systems, 291
- Automated sampling device, 821–824
- Automatic equipment hazards, 246
- Autotrophs, 547
- ## B
- Back-spray orifices, 476
- Bacteria, 760
- Baking soda, 107
- Barley straw, 734–735
- Bar screens and racks
  - debris caught on, 154
  - operation of, 155
  - safety around, 156–157
- Bases
  - calcium hydroxide and calcium oxide, 111
  - hypochlorite compounds, 112–113
  - sodium carbonate, 113
  - sodium hydroxide, 111–113
- Beakers, 778
- Biochemical oxygen demand (BOD), 9, 24, 137, 194, 223, 238, 466, 886–890
- Biofilm thickness, 560
- Biofilters/biotowers. *See* Trickling filters
- Bioflocculation, 704
- Biolac® process, 753
- Biological hazards, 247
- Biological nutrient removal (BNR) systems, 303–304
- Biological treatment systems, 238
- Biomass, 239
- Biosolids, 2, 11
- Blanks, 807, 812
- Blower air filters, 250
- Blower operation, 369, 371–373
- Blowers and compressors, 419–421
- BOD. *See* Biochemical oxygen demand (BOD)
- BOD bottle, 780
- Breakpoint chlorination, 586
- Brown foam, 352–354
- Buffering capacity, 848
- Bulking, 211, 284
- Bunsen burners, 782
- Burets, 779
- ## C
- Calcium carbonate, 123
- Calcium hydroxide, 111
- Calcium oxide, 111
- Calibrating instruments—calibration curves, 807

- Carbon dioxide (CO<sub>2</sub>), 117, 205
- Carbon dioxide extinguishers, 99
- Carbon monoxide (CO), 119, 206
- Carbon-oxidizing MBBRs, 557
- Cathodic protection, 598
- Caustic soda, 111–113
- Central tendency, 1010–1014
- Centrifugal blowers, 273, 433
- Chain-driven scrapers, 171, 172
- Chart recorder, 148
- Chemical handling
  - acids
    - acetic acid (glacial), 107–108
    - HCl, 108, 109
    - HNO<sub>3</sub>, 108–110
    - H<sub>2</sub>SO<sub>4</sub>, 110
    - hydrochloric acid, 105
  - bases
    - calcium hydroxide and calcium oxide, 111
    - hypochlorite compounds, 112–113
    - sodium carbonate, 113
    - sodium hydroxide, 111–113
  - chemical storage drains, 124
  - chlorine, 101
  - gases and vapors
    - carbon monoxide, 119
    - chlorine, 115–117
    - CO<sub>2</sub>, 117
    - ethane, 120
    - gasoline vapor, 119
    - H<sub>2</sub>S, 120
    - hydrogen, 119
    - methane, 119–120
    - oxygen, 118
    - sulfur dioxide, 118
  - hazard communication program, 104, 106
  - labeling on sulfuric acid container, 104, 105
  - powders
    - activated carbon, 123–124
    - organic coagulant aids, 122
  - salts
    - aluminum sulfate, 121
    - ferric chloride, 121
    - ferric sulfate, 121–122
    - ferrous sulfate, 122
    - sodium aluminate, 122
  - safety data sheet, 102–104
  - toxic, 101
  - training program for, 102
- Chemical hazards, 247
- Chemical oxygen demand (COD), 9, 223, 257, 504, 890–895
- Chemical solutions
  - dilution ratio, 794–795
  - mass concentration, 788–790
  - mixing, 795–797
  - molar concentration, 790–792
  - normality, 792–794
- Chemical storage drains, 124
- Chemical titration, 800
- Chloride, 854–856
- Chlorination, 336, 578–579
  - chlorination process calculations, 590–593
  - chlorine reactions in wastewater, 584–585
  - chlorine requirements, 589–590
  - chlorine safety program
    - chlorine hazards, 580–581
    - first-aid measures, 583
    - operator safety, 581–583
  - description, 579
  - factors influencing chlorine disinfection, 589
  - impurities in wastewater, 585
    - ammonia, 587–588
    - inorganic reducing agents, 586–587
  - normal and abnormal operation, 610
    - chlorinators, 614–618
    - container storage area, 611
    - evaporators, 611–613
    - operational strategy, 618–620
    - shutdown procedures, 620–622
    - troubleshooting, 620
- Chlorination equipment, 593
  - chlorinators, 594–596
  - chlorinator startup procedures
    - gas chlorinators, 602–603
    - liquid chlorinators, 604–605
  - chlorine solution discharge lines and diffusers, 598–599
  - evaporators, 596–598
  - reviewing plans and specifications
    - chlorinator injector water supply, 601–602
    - operation and maintenance, 599–600
    - pipng, connections, and valves, 600–601
- Chlorination process control, 605–606
  - chlorinator feed rate and control, 608–610
  - chlorine residual measurement, 606–608
- Chlorinators
  - gas, 602–603
  - liquid, 604–605
  - normal and abnormal operation, 614–618
  - vacuum gas feed, 594
- Chlorine (Cl<sub>2</sub>), 18, 115–117, 205
- Chlorine contact basin, 29
- Chlorine containers
  - chlorine leaks, 628–632
  - chlorine tank cars, 624–625
  - connecting containers to chlorine systems
    - connections, 625–626
    - railroad tank cars, 626–628
    - ton tanks, 626
    - valves, 626
  - cylinders, 622–623
  - ton tanks, 623–624
- Chlorine demand, 297, 505, 584
- Chlorine dioxide, 585
- Chlorine gas, 28
- Chlorine gas piping, 600
- Chlorine leaks, 628–632
- Chlorine reactions in wastewater, 584–585
- Chlorine requirements, 589–590, 608
- Chlorine residual, 586
  - amperometric titration, 860–861
  - DPD method, 859–860
  - electrode method, 860
  - forms of, 857
  - interferences and method choices, 859
  - iodometric methods, 860
  - parameter description, 856–857
  - units, 858–859
- Chlorine safety program
  - chlorine hazards, 580–581
  - first-aid measures, 583
  - operator safety, 581–583
- Chlorine tank cars, 624–625
- Chlororganic compounds, 586
- Circular clarifiers, 22, 23, 194–197, 207–208
- Clamps, 781
- Clarification, 253
- Clarifiers, 22, 136
  - definition, 192
  - plan diagram of, 192, 194
  - primary clarifier, 22, 24, 192, 208, 214–221
  - sedimentation and flotation
    - detention time, 199–200
    - examples, 202–204
    - rectangular and circular clarifiers, 194–196
    - short-circuiting, 198–199
    - surface loading rate, 200
    - temperature, 198
    - weir loading rate, 200
  - secondary clarifiers. *See* Secondary clarifiers
  - treatment processes flow diagram, 192, 193
- Clarity, 505, 922–923
- Clay liner, 729
- Cleaning, 75–76
- Cleaning pipets, 785
- Clean Water Act (CWA), 10–12, 24, 760
- Cloudy secondary effluent, 362–364
- Clumping/rising sludge, 360–361
- Coagulation, 358
- COD. *See* Chemical oxygen demand (COD)
- Coliform, 590
  - enzyme substrate tests, 906
  - fecal and non-fecal groups, 902
- Coliform bacteria, 902
- Coliform counts, 506
- Collection system, 5
- Collection system safety
  - cleaning tools and equipment, 129
  - excavation, 126–129
  - manholes, 125–126
  - pumping stations, 129–130
  - traffic hazards, 124–125
- Colorimetric measurement, 802

- Combined available chlorine, 606
  - Combined sewer, 11
  - Combined Sewer Overflows (CSOs), 11
  - Comminutors, 161, 163, 164
  - Complete mix activated sludge process, 305–306
  - Composite samples, 224, 501, 738, 814, 817–820
  - Computer-based instruments, 148
  - Computer maintenance management system (CMMS), 43, 300
  - Concentration, 966–967
  - Concrete containment structure, 479
  - Confined spaces, 78–82
  - Confirmed test, 903, 906
  - Constituent, 788
  - Constructed wetlands, 734
  - Contact stabilization, 314–315
  - Contagious diseases, 6–7
  - Container storage area, 611
  - Containment structure, 479–481
  - Controlled-discharge lagoons, 700, 704
  - Controllers, 150
  - Control panels, 95
  - Conventional activated sludge process
    - for BOD removal, 301–303
    - complete mix, 305–306
    - contact stabilization, 314–315
    - high-purity oxygen ASPs, 316–318
    - high-rate ASP, 305
    - Kraus process, 315–316
    - low-rate extended aeration, 304–305
    - MBR process, 318–320
    - oxidation ditches, 312–314
    - plug flow ASPs, 307
    - selectors, 316
    - sequencing batch reactors, 309–312
    - step-feed and conventional operations, 307–309
    - tapered aeration ASP, 309
  - Correlations, 1029–1030
  - Crane operation, 77
  - Cross-flow filtration, 33
  - Cross-flow media, 474–475
  - Cryptosporidiosis, 6–7
  - Cyclone grit separators, 174–177
  - Cylinder-mounted gas chlorinator, 596
  - Cylinders, 622–623
- D**
- Daily plant monitoring, 502–506
  - Daltons, 34
  - Dangerous air contamination, 79
  - Data analysis and presentation
    - causes of variations in results, 1001–1002
    - controlling variation, 1002–1004
    - graphs and charts, 1005–1010
    - numerical representation of data, 1010–1017
  - Data recording, 810–811
  - Decant water, 228
  - Dechlorination, 577, 640–641
    - reviewing plans and specifications, 661–662
    - sodium sulfite
      - DPD method, 642
      - flow through a tablet feeder, 641
      - insufficient dose or incomplete removal of chlorine, 643
      - overdose, 643
      - storage and safety, 642–643
    - tablet dechlorination unit, 641
  - sulfonation systems, 649–650
    - maintenance, 659–661
    - operation, 653–659
    - residual sulfur dioxide, 652–653
  - sulfonator controls, 650–652
  - sulfur dioxide, 643–644
    - application point, 648–649
    - hazards, 645–647
    - reactions with wastewater, 647–648
    - safety, 644–645
    - supply system, 649
  - Defensive driving, 86
  - Denitrification, 31, 239, 868
  - Density, 192, 966
  - Design deficiency, 345
  - Destroying pathogens in wastewater, 576–577
  - Detention time, 199–200, 708
  - Detritus, 177
  - Dewatering, 37, 39
  - Dew point, 604
  - Diammonium phosphate, 896
  - Differential-producing flow measuring device, 143, 146
  - Diffused aeration system, 347–349, 438–444
  - Diffused-air aeration system, 273
  - Diffusers, 172, 418–419
  - Digested sludge dewatering, 929–931
  - Digesters, 136
  - Digestion, 38–40
  - Dike vegetation, 723
  - Direct potable reuse, 4
  - Disease transmission, 6–7
  - Disinfection, 28–30
    - chlorination, 578–579
      - chlorination process calculations, 590–593
      - chlorine reactions in wastewater, 584–585
      - chlorine requirements, 589–590
      - chlorine safety program, 580–583
      - factors influencing chlorine disinfection, 589
      - impurities in wastewater, 585–588
    - chlorination equipment, 593
    - chlorinators, 594–596
    - chlorinator startup procedures, 602–605
    - chlorine solution discharge lines and diffusers, 598–599
    - evaporators, 596–598
    - reviewing plans and specifications, 599–602
  - chlorination process control, 605–606
  - chlorinator feed rate and control, 608–610
  - chlorine residual measurement, 606–608
  - chlorine containers
    - chlorine leaks, 628–632
    - chlorine tank cars, 624–625
    - connecting containers to chlorine systems, 625–628
    - cylinders, 622–623
    - ton tanks, 623–624
  - dechlorination, 640–641
    - reviewing plans and specifications, 661–662
    - sodium sulfite, 641–643
    - sulfonation systems, 649–661
    - sulfur dioxide, 643–649
  - destroying pathogens in wastewater, 576–577
  - hypochlorinators, 632–634
    - abnormal operation, 639–640
    - feed rate and control, 634–635
    - normal operation, 635–639
    - repair and shutdown, 640
    - safety, 634
    - startup procedures, 635
  - normal and abnormal chlorination operation, 610
    - chlorinators, 614–618
    - container storage area, 611
    - evaporators, 611–613
    - operational strategy, 618–620
    - shutdown procedures, 620–622
    - troubleshooting, 620
  - ozonation, 579, 685–687
  - ultraviolet radiation, 579, 662–665
    - equipment configuration, 665–671
    - maintenance, 679–684
    - normal and abnormal operation, 672–679
    - reviewing plans and specifications, 684–685
    - safety, 665
  - Disinfection process, 7
  - Dispersion, 1014–1017
  - Dissolved air flotation (DAF), 32
  - Dissolved air flotation thickeners (DAFTs), 211
  - Dissolved oxygen (DO), 238, 263, 504–505
    - optical probes, 885
    - parameter description, 880, 882–883
    - Polarographic probe method, 884–885
    - Winkler method, 885
  - Dissolved solids, 8
  - Distributed control system (DCS), 291

- Distribution system, trickling filters, 474  
 containment structure, 479–481  
 filter pump station, 483  
 fixed nozzle, 476  
 hydraulically propelled rotary distributor, 477  
 motorized column assembly, 477–478  
 motorized rotary distributor, 477–479  
 rotary-type, 476  
 secondary clarifier, 483–485  
 solids processing equipment, 485  
 speed-retarder orifices, 476  
 underdrain system, 481–482
- Division, 946
- Domestic contribution, 5
- DO meters, 287
- Dosing rate, 492–495
- Dot diagrams and stem-and-leaf plots, 1008
- DPD method. *See* N,N-diethyl-p-phenylenediamine (DPD) method
- Dry chemical extinguishers, 100
- Dry weight, media, 470
- Duckweed systems, 733–734
- Dust, 123
- E**
- Ear protection devices, 69
- Eductor, 627
- Effluent, 3
- Electrical equipment hazards, 246–247
- Electrical equipment safety  
 avoiding electric shock, 90–92  
 control panels, 95  
 current and voltage, 89–90  
 electric motors, 93–94  
 electric starters, 93  
 emergency procedures, 92  
 instrumentation, 94–95  
 lockout/tagout procedure, 95–97  
 safe practices, 89  
 transformers, 92–93
- Electrical fires, 123
- Electrical power, 42
- Electrical tools, 82, 84
- Electric motors, 93–94
- Electric shock, 90–92
- Electric starters, 93
- Electroconductivity, 845–846
- Electroconductivity instrument, 805, 806
- Electromagnetic flowmeter, 286
- Element, 785
- Elutriation, 929
- Emergency preparedness and response, 72–73
- Emergency storage basins, 137, 183–184, 186
- Emergency switch, 411
- Emergent weeds, 721–722
- Endogenous respiration, 272, 505
- Endpoint, 799
- Environmental changes, 345
- Enzymes, 586
- Equipment malfunction, 344
- Escherichia coli*, 910–911
- Ethane, 120
- Eutrophication, 896
- Evaporators, 596–598, 611–613
- Explosive atmosphere monitoring, 118, 119
- Exponents, 950
- Exposures, 58
- External reference, 812
- Eye protection, 65–66
- F**
- Facility maintenance safety  
 cleaning, 75–76  
 confined spaces, 78–82  
 crane operation, 77  
 explosive gas mixtures, 77–78  
 painting, 76  
 power tools, 82–84  
 safety valves, 85  
 welding, 84–85
- Facultative bacteria, 467, 902
- Facultative lagoons, 36, 699
- Fecal coliform, 902, 909–910
- Feed, 177
- Ferrous sulfate, 122
- Fiberglass containment structure, 479–480
- Filamentous organisms, 243
- Filter flasks, 780
- Filter pump station, 483
- Filtration processes, 32
- Fire extinguisher  
 classifications, 98–99  
 operation and maintenance, 99–100
- Fire hoses, 100
- Fire prevention and protection  
 fire exits, 100–101  
 fire extinguisher  
 classifications, 98–99  
 operation and maintenance, 99–100  
 fire hoses, 100  
 plan, 97–98  
 storage of flammables, 100
- Fire Protection in Wastewater Treatment and Collection Facilities, 78
- First-aid method, 123
- First biological treatment, 466
- Five-day biochemical oxygen demand (5-day BOD), 504
- Fixed bed biological reactor (FBBR), 548–549
- Fixed film media, 754
- Fixed film processes, 26–27  
 first biological treatment, 466  
 rotating biological contactors, 529–530  
 components, 530–537
- equipment inspection and preventive maintenance, 546–547  
 modes of operation, 541–542  
 process monitoring and control, 537–541  
 reviewing plans and specifications, 542–544  
 shutdown procedures, 545  
 startup procedures, 544–545  
 submerged fixed film, 547–548  
 components, 551–560  
 integrated fixed film activated sludge process, 550–551  
 modes of operation, 561–565  
 moving and fixed bed biological reactor processes, 548–549  
 process selection, 551  
 reviewing plans and specifications, 565–567  
 startup and shutdown procedures, 567  
 troubleshooting, 567–568
- trickling filters, 466–468  
 construction, startup, and shutdown, 515–518  
 distribution system, 474, 476–485  
 filter classification, 506–511  
 media characteristics, 470–471  
 modes of operation, 511–513  
 operation and maintenance, 518–521  
 plastic media, 469, 472–475  
 process monitoring and control, 486–506  
 reviewing plans and specifications, 513–514  
 rock media, 469, 471–472  
 safety, 485–486  
 troubleshooting, 521–528
- Fixed media, 552–553
- Fixed nozzle, 476
- Fixed solids, 841–845
- Flame polished, 771
- Flasks, 778
- Flexible membrane liners (FML), 729
- Flights, 171, 172, 209
- Floatable solids, 9–10
- Floc, 243
- Flocculate, 239
- Flocculation, 32, 239
- Floc-forming bacteria, 243
- Flotation, 192
- Flow control gates, valves, and weirs, 415–416
- Flow equalization  
 disadvantage of, 227  
 evaluation of, 231  
 in-line equalization, 227  
 operating equalization tanks, 230  
 pumps and flow controls, 229–230  
 side-line equalization, 227  
 tanks  
 construction, 229  
 solids handling, 229

Flow equalization (*continued*)  
 volume, 228–229

Flow measurement, 136, 184  
 calibration and cross-checking meter  
 performance, 152–153  
 controllers, 150  
 conversion and readout instruments  
 controllers, 150  
 mechanical meters, 147  
 receivers, 148–149  
 transmitters, 147  
 determining flow rate, 140  
 example, 141–142  
 location of measuring devices, 146–147  
 maintenance, 151–152  
 metering device  
 constant differential, 142–144  
 differential producers, 143, 146  
 head area, 142–145  
 velocity meters, 142–143, 147  
 troubleshooting meters, 153  
 Flow measuring devices, 20–22

Flowmeters, 147

Flume-type flowmeter, 286

F/M ratio, 261

Foam extinguishers, 99

Food/microorganism (F/M) ratio,  
 243, 541

Foot protection, 65–66

Force and pressure, 970–975

Forklifts, 87

Free available chlorine, 586

Free chlorine, 584

Free-floating media, 553

Free oxygen, 701

Fueling vehicles, 87

Fume hood, 767, 768

## G

Gas chlorination, 579

Gas chlorinators, 602–603

Gas formers, 38

Gasification, 210

Gasoline, 206

Gasoline vapor, 119

Gates and valves, 379–381

Gauges and sensors, 290

Giardiasis, 6–7

Glassware and equipment  
 analytical balances, 782  
 autoclaves, 782  
 beakers, 778  
 BOD bottle, 780  
 bottles, 779  
 bunsen burners, 782  
 burets, 779  
 filter flasks, 780  
 flasks, 778  
 graduated cylinders, 779  
 magnetic stirrers, 781

membrane filter holder, 781

membrane filtration apparatus, 781

petri (culture) dish, 781

pipets, 779

reading volumes, 782, 783

test tubes, 778

tongs and clamps, 781

using pipets, 783–785

volumetric flasks, 780

volumetric pipet, 780

Grab samples, 501, 739, 817

Graduated cylinders, 779

Graduated (Mohr) pipet, 783, 784

Graphs  
 tracking BOD loading,  
 1022–1024  
 volume of sludge in a digester,  
 1019–1021

Gravimetric analysis, 798

Gravity collection system, 14

Grit, 5

Grit channels, 18–20, 165–172

Grit channel safety, 181–182

Grit removal, 136–137, 186–187  
 aerated grit chambers, 172–174  
 cyclone grit separators,  
 174–177  
 disposal of grit, 180  
 grit channels, 165–172  
 grit channel safety, 181–182  
 grit received quantities, 179–180  
 grit washing, 177–179  
 operation and maintenance,  
 180–181  
 vortex-type grit chambers, 174

Grit washing, 177–179

Ground-fault circuit interrupter  
 (GFCI), 84

## H

Hach colorimetric method, 875, 878–879

Hand protection, 66–67

Hardware/field interlock, 412

Hazards  
 laboratory  
 corrosive chemicals, 763–764  
 electrical systems, 765  
 explosive or flammable chemicals, 764  
 glassware, 763  
 infectious materials, 764–765  
 ovens and open flames, 765  
 radioactivity, 765  
 toxic materials (poisons), 764  
 noise, 246

Head, 975–977

Head loss, 155, 229, 549

Head protection, 66–67

Headworks, 20, 718–719

Heated (thermal) wastes, 5

Herbicides, 723–724

Heterotrophs, 547

High-performance aerated pond systems  
 (HPAPS), 753

High-purity oxygen activated sludge  
 process, 316–318

High-purity oxygen systems, 275

High-rate activated sludge process, 305

High-rate filters, 510

High-rate media, 470

High-resolution redox (HRR) chlorine  
 controller, 608

High-speed turbo blowers, 274

Histograms, 1005–1006

Horizontal axis surface aerators, 276

Human machine interface (HMI), 410, 412

Hydraulically propelled rotary distributor,  
 477

Hydraulic jump, 598

Hydraulic loading rate, 490–492, 708

Hydraulic retention time (HRT), 555

Hydraulics, 342

Hydrochloric acid, 105, 108

Hydrogen sulfide, 205, 865–867

Hydrogen sulfide gas, 120

Hydrogen sulfide gas detectors, 114

Hydrograph controlled-release lagoon  
 (HCRL), 700, 730

Hydroxides, 111

Hypochlorination, 578, 579

Hypochlorinators, 579, 632–634  
 abnormal operation, 639–640  
 feed rate and control, 634–635  
 normal operation, 635–639  
 repair and shutdown, 640  
 safety, 634  
 startup procedures, 635

Hypochlorite, 579, 584–585

Hypochlorite compounds, 112–113

## I

Icing, 526

Imhoff cone, 833

Immediately dangerous to life or health  
 (IDLH), 599

Immobilized rotating distributor, 526–527

Impurities in wastewater, 585  
 ammonia, 587–588  
 inorganic reducing agents, 586–587

In-channel solids grinders, 161, 162

Indicating meters, 148

Indicator, 799

Indicator lights, 411

Indirect potable reuse, 3

Indole, 41

Infiltration, 14

Infiltration/inflow (I/I), 256

Inflow, 14

Influent, 12, 136

Influent/effluent flow control equipment,  
 436–437

Inorganic chemicals, 788  
 Inorganic reducing agents, 586–587  
 Inorganic solids, 9  
 Inorganic wastes, 5, 136  
 Insects, 724–725  
 In-service solids grinders, 161, 162  
 Instrumentation, 94–95  
 Instrumentation and control (I/C) system, 409–414  
 Instrumentation control, 42  
 Integrated fixed film activated sludge process, 550–551  
 Intermediate-rate filters, 509–510  
 Ionizable hydrogen, 793  
 Ions, 786  
 Ion-selective electrode method, 877

## J

Job safety analysis (JSA), 770

## K

Kraus process, 315–316

## L

Laboratory control sample (LCS), 812  
 Laboratory control sample duplicate (LCSD), 813  
 Laboratory procedures  
   biological parameters  
     coliform bacteria, 902  
     enzyme substrate tests for coliform, 906  
     *Escherichia coli*, 910–911  
     fecal coliform, 909–910  
     membrane filtration technique, 906–909  
     microbial testing, 900–902  
     multiple tube fermentation for total coliform, 903–906, 911–917  
   chemical parameters  
     acidity and alkalinity, 848–854  
     ammonia, 870–874  
     biochemical oxygen demand (BOD), 886–890  
     chemical oxygen demand (COD), 890–895  
     chloride, 854–856  
     chlorine residual, 856–861  
     hydrogen sulfide (dissolved in water), 865–867  
     metals, 867  
     nitrate, 877–878  
     nitrite, 877  
     nitrogen (organic), 877  
     nitrogen compounds, 867–870  
     oil and grease, 879–881  
     ortho-P, 896–898

oxygen (dissolved gas), 880–885  
 oxygen demand, 885–886  
 pH (hydrogen ion), 862–865  
 phosphorus, 896  
 sulfate, 898–899  
 surfactants, 899–900  
 TKN, 874–877  
 total phosphorus, 898  
 equipment and techniques  
   calibration curve exercise, 807–810  
   chemical names and formulas, 785–788  
   chemical solutions (*see* Chemical solutions)  
   colorimetric analysis, 802–805  
   data recording and recordkeeping, 810–811  
   glassware and equipment, 778–785  
   gravimetric analysis, 798  
   light scattering, 805, 806  
   metric system, 775–777  
   microscopy, 805  
   probe-based electronic instruments, 805–807  
   quality control, 812–813  
   titrations and indicators, 799–802  
   turbidity, 805, 806  
 gases  
   carbon dioxide in anaerobic digester gas, 918–920  
   hydrogen sulfide (atmosphere), 920–922  
 laboratory safety  
   hazards, 762–765  
   preventing laboratory accidents, 766  
 process control and sludge clarity (Secchi disk), 922–923  
 digested sludge dewatering characteristics, 929–931  
 digester supernatant solids, 929  
 mixed liquor and sludge suspended solids, 927–929  
 sludge settleability, 924–927  
 SVI and SDI, 924–927  
 volatile acids, 932–935  
 sampling  
   collecting samples, 817–820  
   devices, 821–824  
   elements of, 814  
   goals and procedures, 814–815  
   handling samples, 825–827  
   representative samples, 815–817  
   sludge, 827–828  
 solids  
   classifications of, 830, 831  
   electroconductivity, 845–846  
   settleable solids, 833–835  
   suspended solids, 835–838  
   total solids, 831–833  
   turbidity, 846–847  
   volatile and fixed solids, 841–845

standardized procedures, 829–830  
 water quality determination  
   NPDES permit compliance, 760  
   process control and troubleshooting, 761

Laboratory safety  
 chemical handling  
   mixing chemicals, 772, 773  
   moving chemicals, 774  
   storage, 773–774  
   waste disposal, 774  
 laboratory hazards  
   corrosive chemicals, 763–764  
   electrical systems, 765  
   explosive or flammable chemicals, 764  
   glassware, 763  
   infectious materials, 764–765  
   ovens and open flames, 765  
   radioactivity, 765  
   toxic materials (poisons), 764  
 preventing laboratory accidents  
   burns, 769–770  
   cuts, 770–771  
   electric shock, 768–769  
   faulty technique, 771  
   general rules, 766  
   labeling, 772  
   mercury, 771  
   personal hygiene, 766–767  
   toxic fumes, 767–768  
 Lagoon systems, 35–36  
 abnormal operation and troubleshooting  
   algae elimination from lagoon effluents, 732–735  
   overloading, 731–732  
   troubleshooting, 735–738  
   winter conditions, 732  
 aeration  
   operation and maintenance of aerated lagoons, 746–747  
   submerged diffusers, 745–746  
   surface aerators, 743–745  
 classifications and applications, 696–700  
 enhanced lagoon designs, 753–754  
 operation and maintenance  
   algae control, 726  
   appropriate water elevations, 707  
   batch and controlled discharge operations, 730–731  
   headworks and screening, 718–719  
   levee maintenance, 726–728  
   liners, 728–730  
   loading management, 707–717  
   observe and test lagoon conditions, 706–707  
   odor control, 720–721  
   recirculation, 718  
   scum control, 719–720  
   sludge management, 725–726  
   weed and insect control, 721–725

Lagoon systems (*continued*)

- reviewing plans and specifications, 747–752
  - safety, 696
  - sampling and analysis, 738–740
    - expected treatment efficiencies, 742
    - sampling frequency and location, 740–741
  - shutdown procedures, 747
  - starting, 704–705
  - treatment process, 701–703
  - typical lagoon performance, 703–704
  - uses, 694–695
- Lagoon system with postnitrification  
MBBR, 562, 563
- Land discharge, 37
- Lateral surface area, 960
- Launders, 200
- Lemna Duckweed System, 733–734, 754
- Levee maintenance, 726–728
- Light scattering, 805, 806
- Limit switch, 157
- Lineal, 200
- Liners, 728–730
- Liquid chlorinators, 604–605
- Liquid chlorine evaporator, 596–597
- Liquid chlorine piping, 600–601
- Local control panel, 410
- Local-off-remote (LOR) switch, 410
- Lockout/tagout procedure, 95–97
- Long-term shutdown and startup  
procedures, 426–429
- Lower explosive limit (LEL), 77, 78
- Low-pressure collection systems, 15
- Low-pressure fans, 479–480
- Low-rate/extended aeration, 304–305
- Low-rate trickling filters, 508–509

## M

- Macro fauna, 525–526
- Magnetic stirrers, 781
- Manual grab samplers, 822–823
- Mass and weight, 965
- Mass concentration, 788–790
- Matrix spike (MS), 812–813
- Matrix spike duplicate (MSD), 813
- MBBR roughing reactor, 562, 563
- Mean ( $\bar{X}$ ), 231
- Mean cell residence time (MCRT), 262
- Mechanical aeration systems, 275, 349–350
- Mechanical cleaning equipment, 157, 158
- Mechanical meters, 147
- Media, 26, 466
- Median, 704, 1012
- Media retention sieve, 554–555
- Membrane bioreactor (MBR), 19, 318–320
- Membrane filter holder, 781
- Membrane filter (MF) method, 902
- Membrane filtration, 33
- Membrane filtration apparatus, 781

- Membrane filtration processes
  - microfiltration, 33
  - nanofiltration, 34
  - reverse osmosis (RO), 34
  - total dissolved solids removal, 35
  - ultrafiltration, 33–34
- Meniscus, 782, 783, 1003
- Mercaptans, 41
- Mercuric nitrate method, 855
- Methane, 206
- Metric system
  - measure of volume capacity, 980
  - measures of length, 980
  - measures of weight, 980–981
  - SI base units, 978–979
  - temperature, 981–982
- Microbial testing, 900–902
- Microfiltration (MF) membranes, 33
- Microns ( $\mu\text{m}$ ), 383
- Microorganisms, activated sludge process
  - bacteria, 383–385
  - desirable and undesirable
    - microorganisms, 402–403
  - microscopic examination, 395–397
    - objective lens and ocular lens, 392
    - operating guidelines, 393–394
    - sample collection, 389–390
    - sample preparation, 390–391
    - types of microscopes, 391
  - microscopic observations
    - filaments, 398
    - floc particles, 394
    - frequency of microscopic observation, 400
    - protozoa and rotifers, 398–399
    - sample matrix, 398
  - microscopic results, 403
  - process change, 405–407
  - protozoa, 385–388
  - rotifers, 388
  - viruses, fungi, and algae, 388
- Microorganisms, defined, 238
- Microscopy, 805
- Microsoft Excel™, 807, 811
- Milligrams per liter (mg/L), 6, 788
- Million gallons per day (MGD), 147
- Million liters per day (MLD), 147
- Mixed liquor, 548
- Mixed liquor suspended solids (MLSS), 243
- Mixed liquor volatile suspended solids (MLVSS), 243
- Mixed media, 474
- Mixers, 554
- Modified Ludzack-Ettinger process, 562, 564
- Molar concentration, 790–792
- Mole, 790
- Molecular weight, 790
- Molecular weight cutoff (MWCO), 34
- Molecules, 198
- Most probable number (MPN), 590, 902
- Motor control center, 410

- Motorized column assembly, 477–478
- Motorized rotary distributor, 477–479
- Moving air hazards, 247
- Moving averages, 1017–1019
- Moving bed biological reactor (MBBR), 548–549
- Muff-type hearing protection, 69
- Multiple tube coliform test, 903–906
- Multiple tube fermentation, 903–906, 911–917
- Multiplication, 946
- Municipal Separate Storm Sewer Systems (MS4s), 11

## N

- Nanofiltration membrane, 34
- National Fire Protection Association  
Standard 820 (NFPA 820), 78
- National Pollutant Discharge  
Elimination System permit  
(NPDES permit), 10–12, 21, 239, 590, 760, 902
- National Pretreatment Program, 11
- Nitrate, 868, 877–878
- Nitric acid, 108–110
- Nitrification, 239, 867
- Nitrifying trickling filters, 510–511
- Nitrite, 868, 877
- Nitrogen (organic), 877
- Nitrogen compounds, 867–870
- Nitrogenous compounds, 586
- N,N-diethyl-p-phenylenediamine (DPD)  
method, 642, 859–860
- Noise exposure, 67–69
- Noise hazards, 246
- Noise reduction rating (NRR), 69, 70
- Non-fecal coliform, 902
- Nonporous diffusers, 274, 276
- Normality (*N*), 792
- NPDES permit. *See* National Pollutant  
Discharge Elimination System  
permit (NPDES permit)
- Nuclear Regulatory Commission (NRC)  
regulations, 74, 75
- Numbers and operations
  - addition, 945
  - division, 946
  - multiplication, 946
  - subtraction, 945–946
- Nutrients, 2, 505

## O

- Occupational Health and Safety  
Administration (OSHA), 56
  - confined space, 80
  - noise exposure limits, 68
- Occupational Safety and Health Act  
(OSH Act of 1970), 762

- Occupational Safety and Health  
Administration (OSHA), 44, 206, 578
- Odor, 521, 523
- Odor control, 40–41
- Olfactory fatigue, 114, 205
- On-the-job training (OJT), 71
- Operations logbook, 299
- Operator safety  
noise exposure, 67–69  
personal protective equipment  
eye protection, 65–66  
foot protection, 65–66  
hand protection, 66–67  
head protection, 66–67  
respiratory protection, 63–64
- Order of operations, 946–949
- Organic compounds, 760
- Organic loading rate, 487–489
- Organic solids, 9
- Organic wastes, 5, 136
- Organisms, 764
- Ortho-P, 896–898
- Overloading, 731–732
- Overtturn, 725
- Oxidation, 240
- Oxidation ditches, 312–314
- Oxidation lagoons, 696
- Oxidation-reduction potential (ORP), 285, 288, 289, 607
- Oxidizing agent, 584
- Oxygen, 118
- Oxygen deficiency, 118
- Oxygen-deficient atmosphere, 79
- Oxygen depletion, 5–6
- Oxygen enrichment, 118
- Oxygen supply, 498–501
- Oxygen transfer efficiency (OTE), 560
- Oxygen uptake rate (OUR), 262–263
- Ozonation, 579, 685–687
- P**
- Painting, 76
- Palmer-Bowlus flume, 142, 145
- Parshall flume, 21, 142, 144
- Path control, 67
- Pathogenic, 764
- Pathogens, 2, 238, 576
- Percentages, 953–956
- Percolation, 703
- Permeate, 34
- Personal protective equipment (PPE), 56, 62, 85  
eye protection, 65–66  
foot protection, 65–66  
hand protection, 66–67  
head protection, 66–67  
laboratory safety, 762, 763
- Petri (culture) dish, 781
- pH, 7, 701, 760, 862–865
- Phenylarsine oxide (PAO), 860
- pH measure, 505
- pH meters, 288
- Phosphorus, 896
- Photosynthesis, 35, 701
- Pinpoint floc, 361–362
- Pipet bulbs, 784, 785
- Pipet filler, 784, 785
- Pipets, 779
- Piping network system, 274
- Pitot tube, 143, 147
- Plant changes, 344
- Plant influent, 136
- Plastic (polyethylene), 823
- Plastic lagoon liners, 696
- Plastic media trickling filter, 469, 472–475
- Plastic sheet and floating covers, 733
- Plug flow activated sludge process, 307
- Plug-flow treatment, 542
- Pneumatic systems, 152
- Pneumatic tools, 82, 84
- Polishing lagoons, 698
- Polyelectrolyte, 358
- Polyphosphates, 896
- Ponding, 524–525
- Porous-type diffusers, 274
- Portable multi-gas monitor, 79
- Positive displacement blowers, 273, 432–433
- Postnitrification MBBR, 562, 563
- Potable water, 34
- Powders  
activated carbon, 123–124  
organic coagulant aids, 122
- Power, 977
- Power tools, 82–84
- Preaeration, 137, 186  
operation and maintenance, 182  
shutdown procedures, 183  
startup procedures, 182
- Precipitate, 792
- Precipitation, 792
- Preliminary treatment, 16  
definition of, 136  
emergency storage basins, 137, 183–184, 186  
fine screens, 19  
flow measurement, 136, 184  
calibration and cross-checking meter  
performance, 152–153  
controllers, 150  
determining flow rate, 140  
devices, 142–146  
example, 141–142  
location of measuring devices, 146–147  
maintenance, 150–152  
troubleshooting meters, 153  
grit chambers/channels, 18–19  
grit removal, 136–137, 186–187  
aerated grit chambers, 172–174  
cyclone grit separators, 174–177  
disposal of grit, 180  
grit channels, 165–172  
grit channel safety, 181–182  
grit, received quantities, 179–180  
grit washing, 177–179  
operation and maintenance, 180–181  
vortex-type grit chambers, 174
- preaeration, 137, 186  
operation and maintenance, 182  
shutdown procedures, 183  
startup procedures, 182
- safety hazards, 137–139
- screening and shredding, 18, 136, 185  
bar screens and racks, 154–157  
disposal of screenings, 157–161  
mechanical cleaning equipment, 157, 158  
operating grinders and comminutors, 161–164  
safety around grinders, 164–165
- Pressure sewers, 15
- Pressurized pipes and systems, 247
- Presumptive test, 903
- Preventive maintenance, 300
- Primary clarifier, 22, 24, 192, 208, 214–221
- Primary treatment, 16  
abnormal operations and troubleshooting, 212–221  
clarifier efficiency, 221–224  
clarifiers, 22–24  
definition, 192  
plan diagram, 192, 194  
sedimentation and flotation (*see* Sedimentation and flotation)  
treatment processes flow diagram, 192, 193
- flow equalization  
disadvantage of, 227  
evaluation of, 231  
in-line equalization, 227  
operating equalization tanks, 230  
pumps and flow controls, 229–230  
side-line equalization, 227  
tanks, 228–229
- normal operations  
cleaning weirs and troughs, 211  
equipment/process failures, 210  
sludge and scum pumping, 211–212  
operation and maintenance, 225–226
- safety  
avoiding atmospheric hazards, 205–206  
avoiding falls, 206  
avoiding strains and overexertion, 206  
considerations, 225  
electric shock prevention, 207  
preventing drowning, 206  
shutdown procedures, 221  
startup procedures  
circular clarifiers, 207–208  
rectangular clarifiers, 209

Primary vortex, 174  
 Probe-based electronic instruments, 805–807  
 Process control, 344–345, 761  
 Process control tests, 222  
 Process startup procedures, 422–436  
 Programmable logic controllers (PLCs), 42, 412  
 Publicly owned treatment works (POTWs), 11  
 Pump motor, 410  
 Pumps, 376–378  
   capacity, 992–993  
   characteristics, 990–992  
   efficiency, 993–996  
   friction/energy losses, 997–1000  
   head, 988–990  
   horsepower, 984–988  
   power, 984  
   pressure, 982–983  
   pump speed–performance relationships, 996–997  
   work, 983  
 Putrescible, 170

## R

Radioactive wastes, 5  
 Random media, 472  
 Range, 1006  
 RAS/WAS pumping systems, 434, 446–447  
 Raw wastewater (sewage) lagoons, 696–697  
 RBCs. *See* Rotating biological contactors (RBCs)  
 Reaction kinetics, 262  
 Reading volumes, 782, 783  
 Reagents, 767  
 Receiver control, 67  
 Receivers, 148–149  
 Receiving water, 2  
 Recirculation, 718  
 Recirculation ratio, 495–497  
 Recording meters, 148  
 Recordkeeping, 810–811  
 Recordkeeping program, 298–300  
 Rectangular clarifiers, 22, 194–196, 209  
 Rectangular weir, 142, 145  
 Recycle streams, 227  
 Reducing agents, 585  
 Refrigerated water sampler, 821, 822  
 Regression analysis, 1024–1030  
 Reliquefaction, 598  
 Remote-manual mode operation, 414  
 Removal efficiencies, 497–498  
 Reporting incidents, 60–62  
 Representative samples, 815–817, 1001  
 Respiratory protection, 63–64  
 Return activated sludge (RAS), 242  
 Return and waste activated sludge pumps, 422

Reverse osmosis (RO), 34  
 Reverse thrusting jets, 476  
 Riprap, 722  
 Rising sludge, 309  
 Rock media trickling filter, 469, 471–472  
 Rotameter, 142, 144, 596  
 Rotary-type distributors, 476  
 Rotating biological contactors (RBCs), 26, 239, 529–530  
   components  
     auxiliary instrumentation, 536–537  
     baffles, 535–536  
     covers, 536–537  
     drive mechanism, 534–535  
     influent/effluent piping, 536  
     media, 530–533  
     tank, 535  
   equipment inspection and preventive maintenance, 546–547  
   modes of operation, 541–542  
   process monitoring and control, 537–538  
     biofilm thickness, 540–541  
     disc submergence, 540  
     hydraulic loading rate, 539  
     organic loading rate, 538–539  
     oxygen supply/transfer, 539–540  
     recirculation rate, 541  
     rotational speed, 540  
     water and ambient temperature, 541  
   reviewing plans and specifications, 542–544  
   shutdown procedures, 545  
   startup procedures, 544–545  
 Rotating equipment hazards, 246  
 Roughing filters, 510

## S

Sacrificial anode, 598  
 Safety  
   ASP, 246–247  
   avoiding atmospheric hazards, 205–206  
   avoiding falls, 206  
   avoiding strains and overexertion, 206  
   chemical handling (*see* Chemical handling)  
   collection system  
     cleaning tools and equipment, 129  
     excavation, 126–129  
     manholes, 125–126  
     pumping stations, 129–130  
     traffic hazards, 124–125  
   considerations, 225  
   electrical equipment  
     avoiding electric shock, 90–92  
     control panels, 95  
     current and voltage, 89–90  
     electric motors, 93–94  
     electric starters, 93  
     emergency procedures, 92  
   instrumentation, 94–95  
   lockout/tagout procedure, 95–97  
   safe practices, 89  
   transformers, 92–93  
 electric shock prevention, 207  
 facility maintenance  
   cleaning, 75–76  
   confined spaces, 78–82  
   crane operation, 77  
   explosive gas mixtures, 77–78  
   painting, 76  
   power tools, 82–84  
   safety valves, 85  
   welding, 84–85  
 fire prevention and protection  
   fire exits, 100–101  
   fire extinguisher, 98–100  
   fire hoses, 100  
   plan, 97–98  
   storage of flammables, 100  
 grit channel, 181–182  
 laboratory (*see* Laboratory safety)  
 management's responsibilities for, 56  
 preventing drowning, 206  
 prevention  
   emergency preparedness and response, 72–73  
   engineering controls, 62  
   operator (*see* Operator safety)  
   personal protective equipment (PPE), 62  
   work practice controls, 62  
 safety program  
   hazards, 58–60  
   reporting incidents, 60–62  
   training, 70–72  
 vehicle maintenance, 87–89  
 vehicle operation, 86–87  
 water, 73–75  
 Safety data sheets (SDSs), 102–104, 643, 762  
 Safety hazards, 137–139  
 Safety program  
   hazards, 58–60  
   reporting incidents, 60–62  
   training, 70–72  
 Safety valves, 85  
 Salts  
   aluminum sulfate, 121  
   ferric chloride, 121  
   ferric sulfate, 121–122  
   ferrous sulfate, 122  
   sodium aluminate, 122  
 Sampling  
   automated sampling device, 821–824  
   collecting samples  
     composite samples, 817–820  
     grab samples, 817  
   elements of, 814  
   goals and procedures, 814–815  
   handling samples  
     chain-of-custody procedures, 825–827

- preservation, storage, and transport of samples, 824, 825
  - representative samples, 815–817
  - sludge, 827–828
- Sanitary Sewer Overflows (SSOs), 11
- Sanitary sewers, 14
- Sanitary sewer systems, 11
- Saprophytes, 579
- SCADA system. *See* Supervisory control and data acquisition (SCADA) system
- Scatter plots, 1008–1010
- Screening and shredding, 18, 136, 185
  - bar screens and racks
    - debris caught on, 154
    - at lagoon headworks, 718–719
    - operation of, 155
    - safety around, 156–157
  - disposal of screenings, 157–161
  - mechanical cleaning equipment, 157, 158
  - operating grinders and comminutors, 161–164
  - safety around grinders, 164–165
- Scum, 24, 719
- Scum blanket, 39
- Scum control, 719–720
- Secchi disk, 291, 922–923
- Secondary clarifiers, 22, 27–28, 243–245, 421, 444–446, 483–485
  - abnormal operation, ASP problems
    - ashing, 361
    - cloudy secondary effluent, 362–364
    - clumping/rising sludge, 360–361
    - pinpoint floc, 361–362
    - septic sludge, 359
    - sludge bulking, 356–359
    - straggler floc, 362
  - RAS flow rate, 282–283
  - settleometer test, 292–293
  - sludge blanket depth, 293
  - sludge blanket depth control, 283–284
  - sludge settleability control, 284
  - turbidity/clarity, 293–294
- Secondary clarifier sludge and scum collector, 434–435
- Secondary treatment, 16
  - activated sludge process (*see* Activated sludge process (ASP))
  - activated sludge systems, 24–26
  - fixed film processes, 26–27
  - secondary clarifiers, 27–28
- Secondary Treatment Standards, 11
- Sedimentation and flotation, 192
  - detention time, 199–200
  - examples, 202–204
  - rectangular and circular clarifiers, 194–196
  - short-circuiting, 198–199
  - surface loading rate, 200
  - temperature, 198
  - weir loading rate, 200
- Seizing inhibitor, 439
- Selective culturing, 903
- Selectors, 243
- Self-contained breathing apparatus (SCBA), 56, 63
- Semi-Micro-Kjeldahl method, 875
- Sensors, 151
- Septage, 731
- Septic, 184, 198
- Septic conditions, 521
- Septicity, 335
- Septic sludge, 359
- Sequencing batch reactor (SBR) process, 309–312
- Serological pipet, 783, 784
- Set point, 282
- Settleable solids, 833–835
- Settleometer, 9
- Shallow lagoons, 35
- Shallow rock media trickling filter, 471
- Shear pin, 157
- Sheeting, 127
- Shielding, 127, 128
- Shoring, 127
- Short-circuiting, 28, 198, 199, 708
- Short-term overloading, 732
- Short-term shutdown and startup procedures, 429–430
- Shredding, 18, 136
- Silver nitrate method, 855
- Skatole, 41
- Skin burns, 113
- Sloughing, 467
- Sludge, 5
  - sludge blanket depth, 283
  - sludge bulking, 284, 356–359
    - dispersed-growth bulking, 358–359
    - filamentous bulking, 356–358
  - sludge collector, 379–380
  - sludge density index (SDI), 924–927
  - sludge digestion, 37
  - sludge gasification, 211
  - sludge management, 725–726
  - sludges, 192
  - sludge sampling, 827–828
  - sludge settleability, 924–927
  - sludge volume index (SVI), 269–270, 924–927
  - slug loading, 732
- Slurry, 174
- Sodium aluminate, 122
- Sodium carbonate, 113
- Sodium hydroxide, 111–113
- Sodium sulfite
  - DPD method, 642
  - flow through a tablet feeder, 641
  - insufficient dose or incomplete removal of chlorine, 643
  - overdose, 643
  - storage and safety, 642–643
  - tablet dechlorination unit, 641
- Software interlock, 412
- Solids
  - classifications of, 830, 831
  - electroconductivity, 845–846
  - settleable, 833–835
  - suspended, 835–838
  - total, 831–833
  - turbidity, 846–847
  - volatile and fixed, 841–845
- Solids accumulation, 5
- Solids grinders, 161
- Solids handling, 229
- Solids processing equipment, 485
- Solids retention times (SRTs), 263–267, 550
- Solutions, 770
- Source control, 67
- Specific gravity, 114, 172, 197, 966
- Specific weight, 966
- Spectrophotometer, 803, 804
- Speed-retarder orifices, 476
- Spilled polymers, 122–123
- Splash pads, 751
- Spoil, 128
- Spülkraft (SK) rate. *See* Dosing rate
- Stabilization, 6, 700
- Stabilization lagoons, 35, 696–697
- Stabilized waste, 302
- 3-stage Bardenpho process, 562, 564
- 5-stage Bardenpho process, 562, 565
- Standard deviation (S), 231
- Standardize, 794
- Standard operating procedures (SOPs), 770, 830
- Standard solution, 794
- Start/stop switch, 411
- Steel containment structure, 479–480
- Step-feed and conventional operations, 307–309
- Sterilization, 28
- Stiff white foam, 351–352
- Stilling wells, 151
- Stop log, 707
- Stormwater collection system, 14
- Straggler floc, 362
- Straw, 734–735
- Submerged diffusers, 745–746
- Submerged fixed film, 547–548
  - components
    - aeration system, 554
    - media, 551–553
    - media retention sieve, 554
    - mixers, 554
  - integrated fixed film activated sludge process, 550–551
  - modes of operation, 561–565
  - moving and fixed bed biological reactor processes, 548–549
  - process monitoring and control, 554–560
  - process selection, 551
  - reviewing plans and specifications, 565–567

Submerged fixed film (*continued*)  
 startup and shutdown procedures, 567  
 troubleshooting, 567–568  
 Substrate, 261  
 Subtraction, 945–946  
 Sulfate, 898–899  
 Sulfonation systems, 649–650  
 maintenance, 659–661  
 operation, 653–659  
 residual sulfur dioxide, 652–653  
 sulfonator controls, 650–652  
 Sulfur dioxide, 643–644  
 application point, 648–649  
 hazards, 645–647  
 reactions with wastewater, 647–648  
 safety, 644–645  
 supply system, 649  
 Sulfur dioxide (SO<sub>2</sub>), 118  
 Sulfuric acid (H<sub>2</sub>SO<sub>4</sub>), 110  
 Supernatant, 39, 40, 240  
 Supervisory control and data acquisition (SCADA) system, 42, 238, 291, 412  
 Surface aerators, 36, 369–370, 432, 437–438, 743–745  
 Surface area, media, 470  
 Surface mixers, 432  
 Surface loading rate, 200. (*see also* Hydraulic loading rate)  
 Surface water inflow, 14  
 Surfactants, 899–900  
 Surge relief valves, 85  
 Suspended growth systems, 238  
 Suspended solids (SS), 5, 9, 24, 238, 827, 828, 835–838  
 Suspended vegetation, 722–723  
 Synthetic liner, 729–730

## T

Tailgate safety meetings, 71–72  
 Tangential flow membrane filtration, 33  
 Tank mixers, 437  
 Tapered aeration activated sludge process, 309  
 Temperature switch high (TSH), 412  
 Tertiary treatment, 698  
 enhanced total suspended solids removal, 32–33  
 membrane filtration, 33–35  
 nitrification, 31  
 nitrogen removal, 31  
 phosphorus removal, 32  
 Test tubes, 778  
 Time-weighted average (TWA), 69  
 Titrate, 606, 799  
 TKN. *See* Total Kjeldahl Nitrogen (TKN)  
 “To contain” (TC) pipet, 784  
 “To deliver” (TD) pipet, 784  
 Tonges, 781  
 Ton tanks, 623–624

Total coliform  
 membrane filtration technique, 906–909  
 multiple tube fermentation for, 903–906, 911–917  
 Total dissolved solids (TDS), 35  
 Total dynamic head (TDH), 990  
 Totalizing meters, 149  
 Total Kjeldahl Nitrogen (TKN), 868, 874–877  
 Total organic carbon (TOC), 9, 296  
 Total phosphorus, 898  
 Total solids, 8, 798, 831–833  
 Total suspended solids (TSS), 32, 222, 238, 289, 503–504, 798, 805  
 Total suspended solids analyzers, 288  
 Toxic, 5, 101, 212  
 Toxic fumes, 767–768  
 Toxic paints, 76  
 Transformers, 92–93  
 Transmitters, 147  
 Treatment plant operational variables  
 biological solids/active biomass, 260–261  
 dissolved oxygen, 263  
 F/M ratio, 261–262  
 HLR and HRT, 259–260  
 influent characteristics, 257–259  
 MCRT and SRT, 263–269  
 oxygen uptake rate (OUR), 262–263  
 reaction kinetics, 262  
 sludge age, 263–269  
 sludge volume index (SVI), 269–270  
 solids in aeration tank, 260  
 substrate, 261  
 volume of reactors, 259  
 volumetric organic loading, 260  
 Trickling filters, 26, 27, 239, 466–468  
 classification  
 applied organic loading rates, 506  
 effluent soluble BOD, 507  
 high-rate filters, 510  
 intermediate-rate filters, 509–510  
 low-rate trickling filters, 508–509  
 nitrifying trickling filters, 510–511  
 roughing filters, 510  
 construction, startup, and shutdown, 515–518  
 containment structure, 479–481  
 distribution system, 474  
 filter pump station, 483  
 fixed nozzle, 476  
 hydraulically propelled rotary distributor, 477  
 motorized column assembly, 477–478  
 motorized rotary distributor, 477–479  
 rotary-type, 476  
 speed-retarder orifices, 476  
 media characteristics, 470–471  
 modes of operation, 511–513  
 operation and maintenance, 518–521  
 plastic media, 469, 472–475  
 process monitoring and control, 486–487  
 daily plant monitoring, 502–506  
 dosing rate, 492–495  
 hydraulic loading rate, 490–492  
 organic loading rate, 487–489  
 oxygen supply, 498–501  
 recirculation ratio, 495–497  
 removal efficiencies, 497–498  
 sampling and laboratory analysis, 501–502  
 reviewing plans and specifications, 513–514  
 rock media, 469, 471–472  
 safety, 485–486  
 secondary clarifier, 483–485  
 solids processing equipment, 485  
 troubleshooting  
 guide, 521–523  
 icing, 526  
 immobilized rotating distributor, 526–527  
 odor, 521, 523  
 ponding, 524–525  
 trickling filter macro fauna, 525–526  
 upstream and downstream treatment processes, 527–528  
 underdrain system, 481–482  
 Trihalomethanes (THMs), 662  
 Troubleshooting, 212–221, 761  
 activated sludge process, 366–368  
 air diffusers, 374–376  
 air distribution system, 373–374  
 air filter, 373  
 air headers, 374–375  
 blower operation, 369, 371–373  
 gates and valves, 378–378  
 principles of, 365  
 pumps, 376–378  
 sludge collector, 379–380  
 surface aerators, 369–370  
 meters, 153  
 trickling filters  
 guide, 521–523  
 icing, 526  
 immobilized rotating distributor, 526–527  
 odor, 521, 523  
 ponding, 524–525  
 trickling filter macro fauna, 525–526  
 upstream and downstream treatment processes, 527–528  
 TSS. *See* Total suspended solids (TSS)  
 Turbidity, 288, 805, 806, 846–847  
 Turbidity meters, 285, 288, 290  
 Turbo blowers, 433

## U

Ultrafiltration (UF) membrane, 33–34  
 Ultrasonic flowmeter, 287  
 Ultraviolet radiation, 579  
 attenuation, 663–664  
 equipment configuration

- bank of UV lamps, 665, 667
  - cleaning equipment, 669–670
  - closed-vessel UV chamber, 667
  - critical sensors, 670–671
  - horizontal, 665–666
  - lamps and sleeves, 668–669
  - vertical, 665–666
  - lamp and sleeve, 663–664
  - maintenance
    - ballast, 682–683
    - lamp, 682
    - quartz sleeve cleaning and replacement, 681–682
    - reactor cleaning, 679–681
    - sensor, 683–684
  - normal and abnormal operation
    - cleaning quartz sleeves, 676
    - correcting performance issues, 677–678
    - equipment startup/shutdown procedures, 672–673
    - monitoring and managing UV dose, 673–675
    - monitoring influent and effluent characteristics, 675–676
    - monitoring lamp output intensity, 676–677
    - monitoring water flows and levels, 673
    - recordkeeping, 678–679
  - radiation spectrum and UV lamp output, 662–663
  - reviewing plans and specifications, 684–685
  - safety, 665
  - validation test, 665
  - Underdrain system, 481–482
  - Underflow discharge, 177
  - Uniform Fire Code (UFC), 578
  - Units
    - distance or length, 956–957
    - surface area of circle, 959–960
    - surface area of cone, 961–962
    - surface area of cylinder, 960–961
    - surface area of rectangle, 957–958
    - surface area of sphere, 962
    - surface area of trapezoid, 959
    - surface area of triangle, 958–959
  - Untreated waste discharges
    - disease transmission, 6–7
    - oxygen depletion, 5–6
    - solids accumulation, 5
    - water clarity and color, 7
  - Upper explosive limit (UEL), 77, 78
  - Upstream and downstream treatment processes, 527–528
  - Urban water cycle, 3–4
  - US Environmental Protection Agency (EPA), 10
  - US Nuclear Regulatory Commission (NRC) regulations, 74, 75
  - UV disinfection, 29
  - UV lamp, 29, 30
  - UV lamp assemblies, 29, 30
- V**
- Vacuum collection systems, 15
  - Vacuum gas feed chlorinator, 594
  - Vehicle maintenance, 87–89
  - Vehicle operation, 86–87
  - Velocity and flow rate, 968–970
  - Venturi meter, 21, 22
  - Vertical axis surface aerators, 276
  - Vertical-flow media, 472–474
  - Very dark or black foam, 354–355
  - Viscosity, 198
  - Void ratio, media, 470
  - Volatile liquids, 773
  - Volatile solids, 798, 841–845
  - Volume
    - cone, 965
    - cube, 963
    - cylinder, 964
    - rectangular prism, 963–964
    - sphere, 965
    - triangular prism, 964
  - Volumetric flasks, 780
  - Volumetric pipets, 780, 783
  - Vortex-type grit chambers, 19, 20, 174
- W**
- Waste activated sludge (WAS), 240
  - Wastewater collection systems
    - odor control in, 40
    - pretreatment program, 13
    - types of
      - combined, 14
      - gravity, 14
      - low-pressure, 15
      - sanitary, 14
      - stormwater, 14
      - vacuum, 15
  - Wastewater components
    - types of solids
      - dissolved, 8
      - floatable, 9–10
      - organic and inorganic solids, 9
      - organic content, 9
      - suspended, 9
      - total, 8
    - untreated waste discharges, 5–7
  - Wastewater treatment
    - collection system
      - commercial sources, 254
      - domestic sources, 254
      - industrial material spills, 255
      - industrial sources, 255
      - infiltration and inflow, 256
      - maintenance activities, 256–257
      - disinfection, 28–30
    - electrical power and instrumentation control, 42
    - fixed film systems, 239
    - flow diagram, 16, 17
    - flow measuring devices, 20–22
    - lagoon systems, 35–36
    - maintenance program, 42–43
    - odor control, 40–41
    - operational variables
      - activated sludge process variables, 258–271
      - influent characteristics, 257–258
    - preliminary treatment (*see* Preliminary treatment)
    - primary treatment, 22–24
    - safety program
      - accident prevention, 44–45
      - types of safety hazards, 45
    - sampling and laboratory analysis, 41–42
    - secondary treatment, 16
      - activated sludge systems, 24–26
      - fixed film processes, 26–27
      - secondary clarifiers, 27–28
    - tertiary treatment
      - enhanced total suspended solids removal, 32–33
      - membrane filtration, 33–35
      - nitrification, 31
      - nitrogen removal, 31
      - phosphorus removal, 32
  - Wastewater treatment plant operator, 4, 46–50
  - Water bodies, 238
  - Water conveyance systems, 12–15
  - Water extinguishers, 99
  - Water quality, 342–343
  - Water Quality Based Permitting, 11
  - Water resource recovery facilities (WRRF), 2
  - Water safety
    - cold-weather conditions, 74
    - filters, 73
    - handrails, 73
    - infections and diseases, 74
    - radiological hazards, 74–75
    - swim, 74
  - Water sprayers, 417
  - Weed and insect control
    - dike vegetation, 723
    - emergent weeds, 721–722
    - herbicides, 723–724
    - insects, 724–725
    - suspended vegetation, 722–723
  - Weir, 21
  - Weir diameter, 201
  - Weir loading rate, 200
  - Welding, 84–85
  - Wetting rate. *See* Hydraulic loading rate
  - Winkler method, 885
  - Winter conditions, 732
  - Work, 975
  - Work environment/conditions, 58
  - Wuhrman process, 562, 564

