

SMALL WATER SYSTEMS
VIDEO INFORMATION SERIES
COURSE OUTLINE

	Page		Page
1. Roles and Responsibilities of Operators, Managers, Owners, and Elected Board Members	1	7. Monitoring	161
2. Surface Water Treatment, Part 1	13	8. Managerial Responsibilities	191
3. Surface Water Treatment, Part 2	31	9. Financial Considerations	217
4. Groundwater Treatment, Part 1	55	10. Emergency Preparedness	235
5. Groundwater Treatment, Part 2	85	Water Words	243
6. Storage and Distribution	117	Subject Index	261

SUBJECT INDEX

A

ABC (Association of Boards of Certification), 7, 204
 ADA (Americans with Disabilities Act), 201, 206
 ASDWA (Association of State Drinking Water Administrators), 7
 AWWA (American Water Works Association), 7, 211
 AWWA (American Water Works Association) standards
 coating, 130
 fluoride compounds, 94
 paint, 130
 potable water diving, 130
 Abnormal conditions, operation, 79
 Abnormal operation, storage, 127
 Action level, 198
 Action levels, Lead and Copper Rule, 88
 Activated carbon
 granular, 110, 111
 iodine number, 110
 phenol number, 110
 powdered, 110
 process description, 110, 111
 regeneration, 111
 taste and odor control, 110, 111
 Acute health effect, 165, 198
Ad valorem taxes, 228
 Additives, indirect, 129
 Adequate resources, 5
 Administering rates and charges, 222
 Administrator, budget, 5
 Adsorption, 25, 110
 Advertising, job, 201
 Aeration, oxidation
 iron and manganese, 91
 reaction basin, 92
 short-circuiting, 92
 Aesthetic
 definition, 18
 secondary standards, 166
 standards, 165
 Affirmative action, 201
 Aftergrowth, coliform, 173
 Aftergrowth, storage and distribution, 143
 Age of facilities, 144
 Air binding, slow sand filters, 47, 50
 Air gap, 92, 128
 Air vent, storage, 122
 Alkalinity, 20
 Allocation
 cost, 225, 226
 factor, 226
 Alluvial, 65
 Alum, 19
 American Water Works Association (AWWA), 7, 211
 Americans with Disabilities Act (ADA), 201, 206
 Anaerobic, 144
 Analysis, sampling, 165

Anecdotes, 206
 Anions, 93
 Anodic, 131
 Anthracite, 25
 Application process, job, 201
 Appropriative water rights, 17, 61
 Appurtenances, distribution system, 120
 Aquifer, 58, 61, 62
 Arsenic Rule, 201
 Artesian, 58, 59, 61
 Assessment
 bonds, 228
 source, 17, 60
 vulnerability, 239, 240
 Assets, 195
 Assistance, financial, 229
 Association of Boards of Certification (ABC), 7, 204
 Association of State Drinking Water Administrators (ASDWA), 7
 Audit, water, 146
 Available chlorine, 133
 Average demand, 120

B

Back pressure, 142
 Backflow, 92, 134, 142
 Backsiphonage, 79, 127, 134, 142
 Backwashing, filters, 26
 Bacteria
 contaminant, 6
 disinfection, 35, 67
 heterotrophic, 198, 199
 Bacteriological, water quality, 60
 Barricades, 144
 Base costs, 226
 Base-extra capacity method, 226
 Below-ground reservoirs, 136, 138, 139
 Bench scale tests
 oxidation with permanganate, 92
 polyphosphate treatment, 89
 Benchmarking, 211
 Benefits, O & M, 195
 Best-of-class agencies, 213
Bible, Water Board, 6
 Bill Stokes, 173
 Billing, customer, 222
 Biofilm, 142
 Biological
 growth, 142
 water quality, 60
 Bleach, liquid, 35, 67
 Block grants, 229
 Bonds, 5, 223, 228, 229
 Booster station, 126
 Breakpoint chlorination, 38, 39, 70, 128
 Breakthrough, filtration, 26

262 Small Water Systems

Broken
equipment, 79
facilities, 127

Budget
administrator, 5
justification, 6

Budgeting, 221

C

CCI (Construction Cost Index), 223
CCRs (Consumer Confidence Reports), 198
CFR (Code of Federal Regulations), 208
CIP (Capital Improvement Program), 195
CPI (Consumer Price Index), 223
CT method, 37, 69
CT values, monitoring, 175
Calcium deposits, hypochlorinator, 38, 71
Calcium hypochlorite, 35, 67
Calibration
chemical feed pump, 21
laboratory equipment, 173
Call date, 229
Capillary fringe, 58
Capital costs, 226
Capital Improvement Program (CIP), 195
Capital improvements, 228
Capital investments, 195
Carbonate hardness, 94
Cartridge filters, 25
Cash basis, 223
Cash reserves, 223, 224
Casing, well vent, 65
Catastrophic emergencies, 238
Cathodic, 131
Cathodic protection, 131, 132
Cations, 93
Cavitation, valve, 151
Centrifugal pump, 65
Certification, 4, 204
Chain of command, 238
Charges, financial, 222, 223
Check sampling reports, 196
Chemical characteristics, MSDS, 208
Chemical feed pump
calibration, 21
hypochlorinator, 35, 67
Chemical feeders
day tank, 102, 103
diaphragm pump, 95
electronic feeder pump, 95, 97
fluoridation, 95-104
fluoridation systems, 101
gravimetric feeder pump, 95, 100
operation, 106-110
peristaltic pump, 95, 96
positive displacement diaphragm, 95
saturator, fluoride, 100, 102, 104, 105
start-up, 104
volumetric, 95, 98, 99
Chemical inhibitors, corrosion, 131
Chemical treatment, corrosion control, 34
Chemical, water quality, 60
CHEMTREC (800) 424-9300, 239
Chloramine, 36, 38, 68, 69, 143
Chlorination, breakpoint, 38, 39, 70, 128
Chlorinator, 35, 67

Chlorine
available, 133
contact time, 68, 173, 175
demand, 173-175
detention rate curve, 173, 174
dioxide, 35, 67
disinfection, 67
generation, on-site, 73
oxidation, 92

Chlorine residual
combined, 36, 68
curves, 173-175
disinfection, 36, 67, 175
effective kill, 173
free, 36, 37, 38, 68, 69
initial, 173
target, 173
testing, 173-175
total, 37, 69

Cholera, 67

Civil rights, 201

Civil service exams, 4

Clear well

definition, 19
disinfection, 36, 68
storage, 75, 76, 122, 123

Coagulation

description, 19
purpose, 19
troubleshooting, 20

Code of Federal Regulations (CFR), 208

Coliform, aftergrowth, 173

Coliform Rule, Total

See Total Coliform Rule

Coliforms, 18, 122, 134, 173

Color

organic, 92
troubleshooting, 128

Colored water complaints, 42, 43

Combined chlorine residual, 36, 68

Commercial diving crews, 130

Commodity charge, 223, 225

Commodity-demand method, 225

Communication, 205

Community

involvement, wellhead protection, 63
water system, monitoring, 184, 185, 196, 197
water systems, 88, 200

Complaint form, water quality, 42, 43, 111, 112

Complaints

colored water, 42, 43
handling, 205
responsibilities, 6
sand, 66
troubleshoot, 5

Compliance

decision tree, coliform, 198, 199
Lead and Copper Rule, 89
monitoring, 165, 168, 198, 199
Occupational Safety and Health Administration (OSHA), 196
Safe Drinking Water Act (SDWA), 195

Components, rate, 226

Composite sample, 168

Computer recordkeeping, 222

Conductivity, 167

Conductor casing, well, 65

Cone of depression, 61

- Confined space
 - definition, 16
 - entry, 211, 212
 - permit, 211, 212
 - safety, 16, 27, 129
 - safety procedures, 129
 - Connection fees, 223
 - Conservation, water, 211
 - Construction Cost Index (CCI), 223
 - Consulting engineer, 5
 - Consumer Confidence Reports (CCRs), 198
 - Consumer Price Index (CPI), 223
 - Contact time
 - chlorine residual, 68, 173, 175
 - disinfection, 36, 68, 175
 - empty bed, 111
 - Contacts, telephone, 206
 - Containers, sampling, 171, 172
 - Contaminants
 - inorganic, 6
 - microbial, 6
 - organic, 6
 - radiological, 6
 - turbidity, 6
 - Contamination, groundwater, 63
 - Contingency reserve, 222, 224
 - Continuous positive water pressure, 120, 138
 - Control measures, MSDS, 210
 - Conventional filtration, 23
 - Copper
 - sources, 88
 - threat to health, 88
 - Wilson's Disease, 88
 - Corrective maintenance
 - chemical inhibitors, 131
 - corrosion control methods, 131
 - storage and distribution systems, 128
 - Corrosion control
 - chemical inhibitors, 131
 - chemical treatment, 34
 - control, 34
 - Langelier Index, 34
 - Lead and Copper Rule, 143
 - materials, 34
 - methods, 131
 - optimize, 88
 - pH adjustment, 34
 - procedures, 34
 - purpose, 19
 - quality degradation, 142
 - storage facilities, 130, 132
 - valves, 151
 - water quality, 34
 - Corrosive waters, 88
 - Cost allocation, 225, 226
 - Costs
 - base, 226
 - capital, 226
 - customer, 225, 226
 - direct fire protection, 226
 - extra capacity, 226
 - fixed, 223
 - O & M, 226
 - variable, 223
 - Coverage ratio, 220
 - Covers, storage, inadequate, 134, 136, 137
 - Crenothrix*, iron bacteria, 142, 143
 - Critical factors, disinfection, 173
 - Cross connection, 128, 142, 173
 - Cross-spraying method, 130
 - Cryptosporidiosis, 35, 67, 200
 - Cryptosporidium*, 6, 46, 198
 - Currents, tank, 22
 - Curves, chlorine residual, 173-175
 - Customer
 - billing, 222
 - complaints, 42, 43, 205
 - costs, 226
 - service costs, 225, 226
 - Customer's tap, 168, 169
- D**
- DBPs (disinfection by-products), 27
 - DPD reagent, 36, 68
 - Data sheets, monitoring, 183-189
 - Database, historical, 222
 - Day tank, 102, 103
 - Dead-end main, 141, 144
 - Debt service, 220, 224
 - Dechlorination
 - neutralizing chemicals, 133
 - reducing agents, 92
 - Decision makers, 5
 - Decision tree, coliform compliance, 198, 199
 - Declining demand, 222
 - Demand, chlorine, 173-175
 - Demands, for water
 - average, 120
 - excessive, 79
 - fire, 79, 127, 141
 - peak, 120
 - setting rates, 222, 225
 - Depreciation expenses, 225
 - Depth sampler, 169, 170, 171
 - Design engineers, 4
 - Designs and specifications, fluoridation, 104
 - Destabilize particles, 20
 - Detention rate curve, chlorine, 173, 174
 - Devices, sampling, 169-171
 - Diaphragm
 - hypochlorinator, 38, 71
 - pump, 95
 - Diatomaceous earth filtration, 25
 - Direct filtration, 23
 - Direct fire protection costs, 226
 - Directions, Objective Test, 8
 - Disaster organization, 238
 - Discrimination, 201
 - Disinfectants/Disinfection By-Products Rule, 200
 - Disinfection
 - bacteria, 35, 67
 - bleach, liquid, 35, 67
 - by-product, trihalomethanes, 165
 - by-products (DBPs), 27, 165
 - by-products rule, 200
 - calcium hypochlorite, 35, 67
 - chlorinator, 35, 67
 - chlorine dioxide, 35, 67
 - chlorine residual, 36, 68, 175
 - chlorine, 67
 - clear well, 36, 68
 - contact time, 36, 68, 175
 - critical factors, 173

264 Small Water Systems

Disinfection (continued)
cryptosporidiosis, 35, 67
distribution system, 144
gaseous chlorine, 35, 67
giardiasis, 35, 67
hypochlorinator, 35, 67
hypochlorite, 35, 67
iodine, 35, 67
liquid bleach, 35, 67
mains, 144
mixing, 36, 68
ozone, 35, 67
pH, 36, 68, 175
procedures, 35-42
protozoa, 35, 67
purpose, 19, 35, 67
sodium hypochlorite, 35, 67
storage facilities, 131-134
temperature, 36, 68
time of contact, 36, 68
ultraviolet radiation (UV), 35, 67
viruses, 35, 67
wells, 73-75

Displacement pumps, 65

Distribution system

Also see Storage and Storage facilities

age of facilities, 144
appurtenances, 120
cross connections, 173
dead-end main, 141, 144
disinfection, 144
emergency response plan, 127
facilities, 121, 140
flushing, 143
hazardous facilities, 144
hydrants, 151, 154
hydraulics, 138
operation and maintenance, 120, 138, 144
performance, 138-141
quality degradation, 120, 134-138, 142-144
records, 151, 154
reservoirs, uncovered, 134, 135
safety, 144
sampling, 167, 169, 170
target water pressures, 126
troubleshooting, 127, 128
valves, 151-155

Divalent, 93

Diversion works, 18

Diving crews, commercial, 130

Documentation, staff, 201

Drawdown, well, 65

Drinking water regulations, 166

Dual media filter, 25

Duties, operators, 5

E

E. coli, 198, 199

EEO (Equal Employment Opportunity) Act, 201, 206

EFIN (Environmental Financing Information Network), 229

EMF (Electromotive Force), 131

EPA (Environmental Protection Agency), 7

ESWTR (Enhanced Surface Water Treatment Rule), 201

Eddy currents, 22

Effective kill, chlorine residual, 173

Elected board members, 3, 4

Electrochemical reaction, 34, 142

Electromotive Force (EMF), 131

Electronic feeder pump, 95, 97

Elevated tanks, 75, 76, 122, 123, 130

Emergency

conditions, operation, 79

operations plan, 238, 239

phone numbers, 239

planning, 238

plans, 79, 127

response, 240

response plans, distribution system, 127

simulation training, 239

Emergency preparedness

assessment, vulnerability, 239, 240

catastrophic emergencies, 238

chain of command, 238

CHEMTREC (800) 424-9300, 239

disaster organization, 238

emergency operations plan, 238, 239

emergency planning, 238

emergency response, 240

emergency simulation training, 239

mutual aid agreements, 238

natural disasters, 238

need for a plan, 238

organization, disaster, 238

planning, 238

recovery operation plan, 239

responding, emergencies, 240

responsibilities, 238

vulnerability assessment, 239, 240

Employee orientation, 204

Employer/employee relations, 206

Empty bed contact time (EBCT), 111

Engineering News Record, 223

Engineers

consulting, 5

design, 4

Enhanced Surface Water Treatment Rule (ESWTR), 201

Entrained, 138

Environmental Financing Information Network (EFIN), 229

Environmental Protection Agency (EPA), 7

Epidemiology, 17, 60

Equal Employment Opportunity (EEO) Act, 201, 206

Equal opportunity employer, 206

Equalize demands, storage, 120

Equipment, broken, 79

Equipment repair/replacement fund, 227

Equity, 225

Evaluating job performance, 201

Excessive water demands, 79

Exemption, 198

Exercising valves, 151, 152

Expenditures, financial, 222

Explosion hazard, MSDS, 209

Extra capacity costs, 226

Eye, impeller, 65

F

FMLA (Family and Medical Leave Act), 201, 206

Family and Medical Leave Act (FMLA), 201, 206

Fecal coliform, 18, 198, 199

Fees

connection, 223

user, 220, 221, 223

- Filters, iron and manganese, 93
 - Filtration
 - backwashing, 26
 - breakthrough, 26
 - cartridge, 25
 - conventional, 23
 - description, 22
 - diatomaceous earth, 25
 - direct, 23
 - dual media, 25
 - gravity, 22, 23
 - head loss, 26, 27
 - in-line, 23
 - mixed media, 25
 - mudballs, 26
 - pressure, 22, 24
 - purpose, 19
 - slow sand, 23, 25, 44-50
 - troubleshoot, 26
 - underdrain, 25, 26
 - Financial
 - ad valorem* taxes, 228
 - administering rates and charges, 222
 - allocation, cost, 225, 226
 - assistance, 229
 - base-extra capacity method, 226
 - bonds, 5, 223, 228, 229
 - budgeting, 221
 - capital improvements, 228
 - cash basis, 223
 - cash reserves, 223, 224
 - charges, 222, 223
 - commodity charge, 223, 225
 - commodity-demand method, 225
 - components, rate, 226
 - computer recordkeeping, 222
 - connection fees, 223
 - Construction Cost Index (CCI), 223
 - Consumer Price Index (CPI), 223
 - contingency reserve, 222, 224
 - cost allocation, 225, 226
 - costs, 223
 - coverage ratio, 220
 - customer billing, 222
 - debt service, 220, 224
 - declining demand, 222
 - demand for water, 222, 225
 - equipment repair/replacement fund, 227
 - expenditures, 222
 - fire protection costs, 225, 226, 227
 - fixed costs, 223
 - forecasting expenditures, 222
 - funding, 5, 228
 - general obligation bonds, 228
 - growth, system, 223
 - inflation, 223
 - level of service, 225
 - long-range planning, 223
 - management, 220
 - multiple-block rate structure, 227
 - operating ratio, 220
 - presenting rates, 227
 - rate components, 226
 - rate design, 227
 - rates, 222, 227, 228
 - recordkeeping, 222
 - repair/replacement fund, equipment, 227
 - revenue base, 223
 - revenue bond, 228
 - revenue sources, 220
 - short-range planning, 223
 - stability, 220
 - SURF (Small Utility Rates and Finances), AWWA, 222
 - utility basis, 225
 - variable costs, 223
 - water rates, 222, 227, 228
 - Fire and explosion hazard, MSDS, 209
 - Fire demands, abnormal operating conditions, 79, 127
 - Fire insurance regulations, 120
 - Fire protection
 - charge, 226, 227
 - costs, 225, 226, 227
 - demands, 127, 141, 155
 - storage, 120
 - First-draw samples, 89, 171, 178
 - First-flush samples, 89, 171
 - Fixed costs, 223
 - Float on system, 134
 - Flocculation
 - description, 20
 - purpose, 19
 - troubleshooting, 21
 - Flow, 143
 - Flow measurement, purpose, 19
 - Fluoridation
 - AWWA standards, 94
 - chemical feeders, 95-104
 - compounds, 94
 - day tank, 102, 103
 - designs and specifications, 104
 - hard water, 102
 - log sheets, 106-109
 - maintenance, 110
 - methods, 94-110
 - overfeeding, 104, 106
 - programs, 94
 - safety, 110
 - saturator, 100, 102, 104, 105
 - start-up, 104
 - underfeeding, 106
 - Fluorosilicic acid, 94
 - Flushing
 - distribution system, 143
 - mains, 141, 143
 - mains, sand, 66
 - Foot valve, 75
 - Forecasting expenditures, 222
 - Free chlorine residual, 36, 37, 38, 68, 69
 - Frequency
 - monitoring, lead and copper, 177
 - sampling, 169
 - Friction loss, 66, 138
 - Funding, financial, 5, 228
- G**
- GAC (granular activated carbon), 110, 111
 - Galvanic action, 34
 - Garnet, 25
 - Gaseous chlorine, 35, 67
 - General obligation bonds, 228
 - Generating chlorine on site, 73
 - Giardia*, 6, 46, 69, 175
 - Giardia*, inactivation, 37, 38, 69, 175

266 Small Water Systems

Giardiasis, 35, 67, 200
Goals
 plant operation, 166
 public health, 166
Grab sample, 168
Granular activated carbon (GAC), 110, 111
Gravimetric feeder pump, 95, 100
Gravity filters, 22, 23
Greensand, 93
Ground Water Rule, 201
Ground-level storage, 75, 77, 122, 124
Groundwater sampling, 167
Groundwater sources
 aquifer, 58, 61, 62
 artesian, 58, 59, 61
 contamination, 63
 perched, 62
 reclaimed water, 58
 sources, 58, 59
 springs, 58
 wells, 58
Groundwater treatment, procedures, 58-78, 88-113
Growth, system, 223
Guidebook of Financial Tools, 229
Guidelines, sampling, Lead and Copper Rule, 88

H

Hardness, water
 consumers' attitudes, 93
 description, 93
 fluoridation, 102
 ion exchange treatment, 94
 lime-soda ash treatment, 94
Hazard communication program, 16, 208
Hazardous facilities, 144
Hazardous ingredients, MSDS, 209
Hazards, safety, 16
Head loss, filters, 26, 27
Head loss, fire hoses, 141
Head, pump, 65
Health and well-being, 4
Health concerns, lead and copper, 175, 176
Health hazard, MSDS, 210
Hepatitis, 200
Heterotrophic bacteria, 198, 199
High-service pumps, 19
Hiring new employees, 201
Historical database, 222
Hook-up charges, 220, 221
Hotline, Safe Drinking Water, 195, 200
Humor, 206
Hydrants, 151, 154
Hydraulic gradient
 distribution mains, 66
 water table, 62
Hydraulics, distribution, 138
Hydrofluosilicic acid, 94, 106, 107
Hydrogeologist, 61
Hydrologic cycle, 59, 62
Hydropneumatic pressure tank, purpose, 19
Hydropneumatic tanks, 75, 78, 122, 125, 126
Hypochlorinator
 calcium deposits, 38, 71
 chemical feed pump, 35, 67
 diaphragm, 38, 71
 disinfection, 35, 67

 poppet valves, 38, 71
 purpose, 35, 67
 recordkeeping, 40, 41, 72, 73
 troubleshooting, 38, 70
Hypochlorite, 35, 67

I

IESWTR (Interim Enhanced Surface Water Treatment Rule), 19
Identification, sample, 171
Impeller, pump, 65, 66
Indicators, performance, 211
Indirect additives, 129
Industrial requirements, storage, 120
Inflation, 223
Initial chlorine residual, 173
Initial sampling reports, 196
Inlet, tank, 22
In-line filtration, 23
Inorganic
 contaminants, 6
 water quality, 172
In-plant sampling, 167
Inquiries
 customer (complaints), 42, 43, 66, 205
 pre-employment, 202
Inspection, storage tanks, 129
Insurance regulations, fire, 120
Interface, 110
Interim Enhanced Surface Water Treatment Rule (IESWTR), 19
Interviewing, job applicants, 201
Interviews, news media, 206
Iodine, 35, 67
Iodine number, activated carbon, 110
Ion exchange, softening, 94
Ions, 131
Iron and manganese
 control, 89-93
 filters, operation, 93
 objections, 89
 oxidation by aeration, 91
 oxidation with chlorine, 92
 oxidation with permanganate, 92
 polyphosphate treatment, 89-91
Iron bacteria, *Crenothrix*, 142, 143

J

Jack of all trades, operators, 4
Jar test, 20
Jargon, 205
Job
 advertising, 201
 application, 201
 interviewing, 201
 paper screening, 201
 performance, 201
 related, staff, 201
 selection, 201, 203

K

Kemmerer sampler, 171
Keys to Successful Funding, 229
Knowledge, skills, and abilities, operators, 4

L

Laboratory
 equipment, calibration, 173
 procedures, monitoring, 171
 Lake, sampling, 167
 Langelier Index, 34
 Las Vegas Valley Water District, 207
 Laws, Worker Right-To-Know (RTK), 16, 208
 Lead
 sources, 88
 threat to health, 88
 Lead and Copper Rule
 action levels, 88
 compliance, 89
 corrosion control, 143
 description, 88
 first-draw samples, 89
 first-flush samples, 89
 health concerns, 175, 176
 monitoring, 177
 regulations, 177
 sampling, 171, 177, 178
 sampling guidelines, 88
 source water treatment, 88
 tap water sampling, 88
 treatment techniques, 88
 Leak detection
 checklist, 145
 procedures, 145-149
 program, 145
 sound-intensifying instruments, 145-149
 unaccounted for water (UFW), 146
 waste control studies, 146
 water audit, 146
 Leaks, 145-149
 Leaks, water, conservation, 211
 Legionnaire's Disease, 200
 Level of service, 225
 Levels of risk, groundwater, 64
 Lime-soda ash, softening, 94
 Liquid bleach, 35, 67
 Load factor, 225
 Location, sample, 168, 169
 Log inactivation, 175
 Log sheets, fluoridation, 106-109
 Long-range planning, 223
 Long-term capital improvements, 223
 Loss, friction, 66, 138
 Louvers, well screen, 65

M

MCL (Maximum Contaminant Level), 166, 185, 187, 189, 198
 MCLG (Maximum Contaminant Level Goal), 198
 MSDS (Material Safety Data Sheet)
 chemical characteristics, 208
 control measures, 210
 fire and explosion hazard, 209
 form, 209
 general description, 17
 hazard communication program, 16
 hazardous ingredients, 209
 health hazard, 210
 physical/chemical characteristics, 209
 precautions for safe handling, 210
 reactivity data, 210
 Mains
 dead-end, 141, 144

flushing, 141, 143
 flushing, sand, 66
 water, disinfection, 144
 Maintenance
 corrective, 128
 distribution system, 120, 138
 fluoridation, 110
 painting, 128
 preventive, 128
 storage facilities, 128-130
 surface preparation, 128
 Management, financial, 220
 Managerial
 assets, 195
 benchmarking, 211
 benefits, O & M, 195
 Capital Improvement Program (CIP), 195
 capital investments, 195
 certification, 4, 204
 complaints, 205
 confined space entry, 211
 conservation, water, 211
 Consumer Confidence Reports (CCRs), 198
 Disinfectants/Disinfection By-Products Rule, 200
 employee orientation, 204
 employer/employee relations, 206
 hazard communication program, 208
 inquiries (complaints), 205
 interviews, 206
 mass media, 205
 O & M programs, 195
 Occupational Safety and Health Administration (OSHA), 196
 orientation, employee, 204
 personnel, 201
 public relations, 205
 public speaking, 206
 Right-To-Know (RTK) laws, 16, 208
 rules and regulations, 196-201
 safety policy statement, 207
 safety program, 207-211
 small systems, O & M, 195
 staffing, 201-205
 telephone contacts, 206
 Total Coliform Rule, 196-199
 training and certification, 4, 204
 water conservation, 211
 Worker Right-To-Know (RTK) laws, 16, 208
 Managers, roles and responsibilities, 3, 4
 Manganese
 See Iron and manganese
 Map, valves, 151, 154
 Marsh enhancement, reclaimed water, 58
 Mass media, 205
 Material Safety Data Sheet (MSDS)
 chemical characteristics, 208
 control measures, 210
 fire and explosion hazard, 209
 form, 209
 general description, 17
 hazard communication program, 16
 hazardous ingredients, 209
 health hazard, 210
 physical/chemical characteristics, 209
 precautions for safe handling, 210
 reactivity data, 210
 Materials, corrosion control, 34
 Mature, slow sand filters, 46
 Maximum Contaminant Level Goal (MCLG), 198
 Maximum Contaminant Level (MCL), 166, 185, 187, 189, 198

268 Small Water Systems

Meg, 80
Metals, water quality, 172
Meter reading and billing, 226
Meters, 155
Microbial contaminants, 6
Microbiological, standards, 165
Miscellaneous charge, 226, 227
Mixed media filter, 25
Mixing, disinfection, 36, 68
Monitoring
 CT values, 175
 chlorine residual testing, 173-175
 community water system, 184, 185, 196, 197
 compliance, 165, 168, 198, 199
 data sheets, 183-189
 drinking water regulations, 166
 frequency, lead and copper, 177
 importance, 165
 laboratory procedures, 171
 Lead and Copper Rule, 177
 measuring for compliance, 168
 natural substances, 165
 noncommunity water system, 186, 187, 197
 nontransient water system, 188, 189
 operational, 165
 preservation of samples, 171, 172
 requirements, 177
 Safe Drinking Water Act, 166
 sampling, 166-168
 sampling devices, 169
 standards, 165
Mudballs, 26
Multiple-block rate structure, 227
Multi-stage pump, 65
Mutual aid agreements, 238

N

NCSC (National Center for Small Communities), 229
NPDWR (National Primary Drinking Water Regulations), 198
NRWA (National Rural Water Association), 7
NSF (National Sanitation Foundation), 34, 130, 133
NSFC (National Small Flows Clearinghouse), 7
Nameplate, 81, 106
National Center for Small Communities (NCSC), 229
National Primary Drinking Water Regulations (NPDWR), 198
National Rural Water Association (NRWA), 7
National Sanitation Foundation (NSF), 34, 130, 133
National Small Flows Clearinghouse (NSFC), 7
Natural disasters, 238
Natural organic matter (NOM), 27
Natural substances, monitoring, 165
Negative coliform test results, 134
Nephelometric turbidimeter, 18
Neutralizing chemicals, dechlorination, 133
Noncarbonate hardness, 94
Noncommunity water system, monitoring, 186, 187, 197
Nonmetals, water quality, 172
Nontransient noncommunity systems, 88
Nontransient water system, monitoring, 188, 189

O

O & M program
 benefits, 195
 costs, 226
 distribution system, 120, 138, 144
 effectiveness, 195
 managerial, 195

 purpose, 195
OSG (on-site generation), chlorine, 73
OSHA (Occupational Safety and Health Act)
 administration, 196
 compliance, 196
 definition, 7, 208
 shoring, 145
 standard, 16
OSHA (Occupational Safety and Health Administration), 7, 196
Objective Test, directions, 8
Objectives
 emergency preparedness, 237
 financial considerations, 219
 groundwater treatment, 57, 87
 managerial responsibilities, 194
 monitoring, 164
 roles and responsibilities, 3, 4
 storage and distribution, 119
 surface water treatment, 15, 33
Obsolescence, 225
Occupational Safety and Health Act (OSHA)
 administration, 196
 compliance, 196
 definition, 7, 208
 shoring, 145
 standard, 16
Occupational Safety and Health Administration (OSHA), 7, 196
Odors
 See Taste and odor (T & O) control
On-site generation (OSG), chlorine, 73
Operating ratio, 220
Operation
 abnormal, storage, 127
 chemical feeder, 106-110
 distribution, 120, 138, 144
 iron and manganese filters, 93
 slow sand filters, 49
 storage, 126, 138
 target water pressures, 126
 water quality degradation, 120
Operational
 monitoring, 165
 water quality indicators, 165
Operations plan, emergency, 238, 239
Operators
 certification, 4, 204
 duties, 5
 jack of all trades, 4
 knowledge, skills, and abilities, 4
 qualified, 4
 recognition, 204
 roles and responsibilities, 3, 4
 safety, 16
 self-esteem, 204
Optimize corrosion control, 88
Optimum chemical dose, 20
Optimum pH, 20
Oregon Health Division, 183
Organic contaminants, 6
Organization, disaster, 238
Orientation, employee, 204
Orifice, 20
Orthotolidine, 36, 68
Outbreak, waterborne disease, 4
Outlet, tank, 22
Out-of-service facilities, 127
Overdraft, 61

Overfeeding, fluoridation, 104, 106
 Overflow rate, tank, 22
 Overflow vent, storage, 122
 Overpumping, 61
 Owners, roles and responsibilities, 3, 4
 Oxidation
 aeration, iron and manganese, 91
 chlorine, iron and manganese, 92
 permanganate, iron and manganese, 92
 Ozone, 35, 38, 67, 69

P

P-A test, 199
 PAC (powdered activated carbon), 110
 PCB (polychlorinated biphenyl), 130
 Package plants, 19, 44, 45
 Painting, maintenance, 128
 Palatable, 165
 Paper screening, job, 201
 Pathogens, surface water, 17
 Payback time, pump, 221
 Peak flow, demand, 120, 225
 Perched groundwater, 62
 Performance
 distribution system, 138-141
 indicators, utility, 211
 job, 201
 Peristaltic pump, 95, 96
 Permanganate, oxidation, 92
 Permit-required, confined space, 211, 212
 Personnel management, 201
 Pesticides, 60
 pH
 corrosion control, 34
 disinfection, 36, 68, 175
 optimum, 20
 Phenol number, activated carbon, 110
 Phone numbers, emergency, 239
 Physical properties, water quality, 60, 172
 Physical/chemical characteristics, MSDS, 209
 Piezometric surface, 62
 Pink color, permanganate, 92
 Pipe materials, standards, 165
 Pitot tube, 149
 Planning
 emergency, 238
 long-range, 223
 short-term, 223
 Plans, emergency, 79, 127
Plant Manager's Handbook, 207
 Plant operation, goals, 166
 Points of sampling, 168, 169
 Poisonous materials, 60
 Pollutants, standards, 165
 Polychlorinated biphenyl (PCB), 130
 Polymer, 20
 Polyphosphate treatment
 bench scale tests, 89
 iron and manganese, 89-91
 Poppet valves, hypochlorinator, 38, 71
 Porosity, 61
 Positive coliform results, 128
 Positive displacement diaphragm pump, 95
 Positive displacement pumps, 65
 Positive water pressure, 120, 138
 Poster, SDWA, 6, 7, 200
 Potable water diving, AWWA, 130
 Powdered activated carbon (PAC), 110
 Power actuator, valve, 151-153
 Precautions, safe handling, MSDS, 210
 Pre-employment inquiries, 202
 Prescriptive water rights, 17, 61
 Presenting rates, 227
 Preservation of samples, 171, 172
 Pressure
 filters, 22, 24
 tanks, 75, 78, 122, 125, 126
 vessel, 75
 water, 120, 126, 138
 zones, 149
 Pressure-reducing valve, 149, 150
 Preventive maintenance
 program, 50
 schedule, 51
 spare parts, 50
 storage and distribution system, 128
 tools, 50
 Problems, troubleshoot, 5
 Programs
 fluoridation, 94
 leak detection, 145
 O & M, 195
 preventive maintenance, 50
 training, 4
 Proportional sample, 168
 Protozoa, 6, 35, 67
 Public fire protection, 225, 226, 227
 Public health, goals, 166
 Public relations
 interviews, 206
 mass media, 205
 objectives, 205
 program, 205
 public speaking, 206
 responsibilities, 6
 utility operations, 205
 Public speaking, 206
 Pumps
 centrifugal, 65
 deep well, 75
 diaphragm, 95
 disinfection, 75
 electronic feeder, 95, 97
 gravimetric feeder, 95, 100
 head, 65
 high-service, 19
 impeller, 65, 66
 multi-stage, 65
 payback time, 221
 peristaltic, 95, 96
 positive displacement, 65
 submersible, 75
 troubleshooting, 79-81
 turbine, 65, 66, 75
 variable displacement, 65
 variable speed, 126
 volute, 65, 66
 well, 65

Q

Qualified operators, 4
 Quality degradation, 120, 134-138, 142-144

270 Small Water Systems

R

RTK (Right-To-Know) laws, 16, 208
Radiological
 contaminants, 6
 water quality, 60
Rate
 base, 225
 design, 227
 schedules, 227, 228
Rate components
 fire protection charge, 226, 227
 miscellaneous charge, 226, 227
 service charge, 226, 227
 volume charge, 223, 226, 227
Rates, financial, 222, 227, 228
Raw water storage, 18
Reaction basin, short-circuiting, 92
Reactivity data, MSDS, 210
Reagent, 36, 68
Reclaimed water, 58
Recognition, operators, 204
Recordkeeping
 chlorinator, 38, 70
 computer, 222
 financial, 222
 hypochlorinator, 40, 41, 72, 73
Records, distribution, 151, 154
Recovery operation plan, 239
Red water, 142
Reducing agents, dechlorination, 92
Regeneration, granular activated carbon, 111
Regulations
 contaminants, 6
 drinking water, 166
 Lead and Copper Rule, 177
 Safe Drinking Water Act, 23, 177
Repair, valves, 155
Repair/replacement fund, equipment, 227
Repeat sampling reports, 196
Replacement fund, equipment, 227
Reporting
 Safe Drinking Water Act, 195, 196
 sampling, 165, 195
Reports, sampling, 195
Representative sample, 167
Reserve, contingency, 222, 224
Reserve storage, 120
Reserves, cash, 223, 224
Reservoirs
 below-ground, 136, 138, 139
 sampling, 167
 uncovered, 134, 135
Resources, adequate, 5
Responding, emergencies, 240
Responsibilities, emergency, 238
Return on rate base, 225
Revenue
 base, 223
 bond, 228
 sources, 220
Rights, water, 17, 61
Right-To-Know (RTK) laws, 16, 208
Riparian water rights, 17, 61
Ripen, slow sand filters, 46
Risk, to groundwater, 64
Risk-risk tradeoff, 200
Rivers, sampling, 167

Roles and responsibilities
 complaints, 6
 elected board members, 3, 4
 managers, 3, 4
 operators, 3, 4
 owners, 3, 4
 public relations, 6
 safety, 6
Routine sampling reports, 196
Rules and regulations, 196-201

S

SDWA (Safe Drinking Water Act)
 compliance, 195
 monitoring, 166
 poster, 6, 7, 200
 purpose, 195
 regulations, 23, 177
 reporting, 195, 196
 Total Coliform Rule, 196-199
SRF (State revolving fund), 229
SSPC (Society for Protective Coatings), 129
SURF (Small Utility Rates and Finances), AWWA, 222
SWTR (Surface Water Treatment Rule), 18, 23, 44, 175
Safe Drinking Water Act (SDWA)
 compliance, 195
 monitoring, 166
 poster, 6, 7, 200
 purpose, 195
 regulations, 23, 177
 reporting, 195, 196
 Total Coliform Rule, 196-199
Safe Drinking Water Hotline, 195, 200
Safe yield, 58
Safety
 confined spaces, 16, 27, 129
 distribution system, 144
 elevated tanks, 130
 fluoridation, 110
 hazard communication program, 16
 hazards, 16
 operator, 16
 policy statement, 207
 procedures, confined space, 129
 program, 207-211
 responsibilities, 6
 rules and regulations, 196
 tailgate meeting, 5
 training, 204
 Worker Right-To-Know (RTK) laws, 16, 208
Salt water intrusion, 61, 63
Sample
 composite, 168
 first-draw, 89, 171, 178
 first-flush, 89, 171
 grab, 168
 identification, 171
 location, 168, 169
 preservation, 171, 172
 proportional, 168
 representative, 167
 size, 167
Sampler, Kemmerer, 171
Sampling
 containers, 171, 172
 depth, 169, 170, 171
 devices, 169-171

- Sampling (continued)
 - distribution system, 167, 169, 170
 - first-draw, 89, 171, 178
 - first-flush, 89, 171
 - frequencies, 169
 - groundwater, 167
 - guidelines, Lead and Copper Rule, 88
 - in-plant, 167
 - lakes, 167
 - lead and copper, 171, 177, 178
 - monitoring, 166-168
 - points, 168, 169
 - preservation, 171, 172
 - reports, 195
 - reservoirs, 167
 - rivers, 167
 - source water, 167
 - surface, 169, 170
 - tap, 88, 171
- Sand
 - complaints, 66
 - flushing mains, 66
 - separator, 66
- Sand filter
 - See Slow sand filters
- Sand in well
 - flushing mains, 66
 - problems, 66
 - sources, 65
- Sanitary survey, 17, 60, 197, 198
- Saturator, fluoride, 100, 102, 104, 105
- Schedule, maintenance, 51
- Schedules, rate, 227, 228
- Schmutzdecke, 46, 47, 49
- Secondary standards, aesthetic, 166
- Sedimentation
 - description, 21
 - purpose, 19
 - troubleshooting, 22
- Selection process, job, 201, 203
- Self-esteem, operators, 204
- Separator, sand, 66
- Septum, 25
- Service
 - charge, 226, 227
 - costs, customer, 225, 226
 - zone, 126
- Settling, 19, 21
- Shoring, 145
- Short-circuiting
 - aeration reaction basin, 92
 - definition, 21, 22
 - distribution storage reservoir, 127
- Short-range planning, 223
- Shutoff valve, 151
- Simulation training, emergency, 239
- Sinkhole, 61
- Size of sample, 167
- Slime growths, 143
- Slow sand filters
 - air binding, 47, 50
 - components, 46-48
 - cover, 46
 - description, 23, 25
 - development of process, 44
 - filter tank, 46
 - finished water, 47
 - flow control, 47, 48
 - mature, 46
 - operation, 49
 - outlet chamber, 47
 - procedures, 46
 - ripen, 46
 - sand media bed, 47
 - schmutzdecke, 46, 47, 49
 - troubleshooting, 49
 - turbidity, 18
 - underdrain system, 47
- Slurry, 25
- Small systems, O & M, 195
- Small Utility Rates and Finances (SURF), AWWA, 222
- Society for Protective Coatings (SSPC), 129
- Sodium fluoride, 94
- Sodium fluorosilicate, 94, 106, 108, 109
- Sodium hypochlorite, 35, 40, 41, 67, 72, 73
- Softening water
 - ion exchange, 94
 - lime-soda ash, 94
- Source
 - assessment, 17, 60
 - protection, 17, 60
- Source water sampling, 167
- Source Water Protection Rule, 201
- Source water treatment, Lead and Copper Rule, 88
- Sources
 - groundwater, 58, 59
 - revenue, 220
- Spare parts, maintenance, 50
- Special assessment bonds, 229
- Specific gravity, 61
- Specific yield, 61
- Spraying, paint, 130
- Springs, 58
- Stability, financial, 220
- Staffing, 201-205
- Stale water, 79, 127
- Standards
 - aesthetic, 165
 - disinfection by-products, 165
 - microbiological, 165
 - monitoring, 165
 - natural substances, 165
 - operational water quality indicators, 165
 - pipe materials, 165
 - pollutants, 165
- Standpipes, 75, 77, 122, 124
- Start-up, chemical feeder, 104
- State revolving fund (SRF), 229
- Stokes, Bill, 173
- Storage
 - abnormal operation, 127
 - booster station, 126
 - clear well, 75, 76, 122, 123
 - corrosion control, 130, 132
 - disinfection, 131-134
 - elevated tank, 122, 123, 130
 - equalize demands, 120
 - facilities, 121
 - fire protection, 120
 - ground-level reservoirs, 122, 124
 - hydropneumatic tank, 122, 125, 126
 - inadequate covers, 134, 136, 137
 - industrial requirements, 120
 - inspection, 129
 - operation, 126, 138
 - pressure tank, 122, 125, 126

272 Small Water Systems

- Storage (continued)
 - purpose, 120
 - quality degradation, 134
 - raw water, 18
 - reserve storage, 120
 - selection and location, 126
 - service zone, 126
 - standpipe, 122, 124
 - target water pressures, 126
 - troubleshooting, 127
 - types, 120-126
 - uncovered reservoirs, 134, 135
 - vents, 122
 - videotaping, 130
 - Storage facilities
 - clear wells, 75, 76
 - elevated tanks, 75, 76
 - ground-level storage, 75, 77
 - hydropneumatic tanks, 75, 78
 - maintenance, 128-130
 - pressure tanks, 75, 78
 - standpipes, 75, 77
 - surge tanks, 75, 78, 122, 125, 126
 - types, 75-78
 - Strainer, wye, 19
 - Stratification, thermal, 167
 - Submersible pumps, 75
 - Subsidence, 58, 61
 - Surface loading rate, 22
 - Surface preparation, maintenance, 128
 - Surface sampling, 169, 170
 - Surface water pathogens, 17
 - Surface water treatment, procedures, 16, 18, 34
 - Surface Water Treatment Rule (SWTR), 18, 23, 44, 175
 - Surge tanks, 75, 78, 122, 125, 126
 - Survey, sanitary, 17, 60, 197, 198
 - Sustained yield, 58
 - System growth, 223
- T**
- T & O (taste and odor) problems, 42
 - THMs (trihalomethanes), 6, 19, 27, 92, 200
 - TOC (total organic carbon), 27
 - TON (threshold odor number), 44, 113
 - Tailgate safety meeting, 5
 - Tank, inlet and outlet, 22
 - Tap
 - customer's, 168, 169
 - sampling, 88, 171
 - water sampling, Lead and Copper Rule, 88
 - Target
 - chlorine residual, 173
 - water pressures, 126
 - Taste and odor (T & O) control
 - activated carbon, 110, 111
 - complaint form, 42, 43
 - control, 110-113
 - identification, 42, 111
 - importance of control, 42
 - low demand, 127
 - prevention, 42
 - problems, 42
 - slime growths, 143
 - temperature, 143
 - threshold odor number (TON), 44, 113
 - time in system, 144
 - troubleshooting, 128
 - water quality complaint form, 111, 112
 - Telephone
 - contacts, 206
 - numbers, emergency, 239
 - Temperature
 - disinfection, 36, 68
 - taste and odor control, 143
 - water, 22
 - Testing, chlorine residual, 173-175
 - Thermal stratification, 167
 - Threshold odor number (TON), 44, 113
 - Time in system, 144
 - Time of contact, disinfection, 36, 68
 - Tools, maintenance, 50
 - Topography, 58
 - Total chlorine residual, 37, 69
 - Total Coliform Rule
 - community water systems, 196, 197
 - compliance, 196-199
 - monitoring frequency, 196, 197
 - reporting and notification, 198
 - sampling plan, 196
 - Total organic carbon (TOC), 27
 - Toxic
 - materials, 60
 - waste dumps, 208
 - Training
 - certification, 4, 204
 - emergency simulation, 239
 - programs, 4
 - safety, 204
 - Transmissivity, 61
 - Transpiration, 58
 - Treated water storage, 19
 - Treatment technique, in CCRs, 198
 - Treatment techniques, Lead and Copper Rule, 88
 - Trenching, 144
 - Trihalomethanes, disinfection by-product, 165, 200
 - Trihalomethanes (THMs), 6, 19, 27, 92, 200
 - Troubleshooting
 - coagulation, 20
 - color, 128
 - complaints, 5
 - distribution systems, 127, 128
 - filtration, 26
 - flocculation, 21
 - hypochlorinators, 38, 70
 - problems, 5
 - pumps, 79-81
 - sedimentation, 22
 - slow sand filters, 49
 - storage tanks, 127
 - taste and odor, 128
 - turbidity, 128
 - water quality problems, 127, 128
 - Tubercle, 143
 - Turbidimeter, nephelometric, 18
 - Turbidity
 - contaminant, 6
 - measurements, 18
 - sampling, 18
 - troubleshooting, 128
 - units, 18
 - Turbine pump, 65, 66, 75
 - Typhoid fever, 67

U

UFW (unaccounted for water), 146
 US EPA (United States Environmental Protection Agency), 7
 UV (ultraviolet radiation), 35, 67
 Ultraviolet radiation (UV), 35, 67
 Unaccounted for water (UFW), 146
 Uncovered distribution reservoirs, 134, 135
 Underdrain, filter, 25, 26, 47
 Underfeeding, fluoride, 106
 United States Environmental Protection Agency (US EPA), 7
 User fees, 220, 221, 223
 Utility
 basis, 225
 performance indicators, 211

V

Valves
 cavitation, 151
 corrosion, 151
 distribution system, 151-155
 exercising, 151, 152
 foot, 75
 inspections, 151
 location, 151, 154
 map, 151, 154
 power actuator, 151-153
 pressure reducing, 149, 150
 repair, 155
 shutoff, 151
 Variable costs, 223
 Variable displacement pumps, 65
 Variable speed pumps, 126
 Variance, 198
 Vent, well casing, 65
 Vents, storage, 122
 Very small water systems, 200
 Videotaping, inside tanks, 130
 Violation reports, 196
 Viruses, 6, 35, 67
 Void, 46
 Volume, charge, 223, 226, 227
 Volumetric feeder pump, 95, 98, 99
 Volute pump, 65, 66
 Vortex, 138
 Vulnerability assessment, 239, 240

W

Waste control studies, water, 146
 Water
 audit, 146
 conservation, 211
 cycle, 59, 62
 demand, 222, 225
 hammer, 75, 126, 151
 hardness, 93
 inorganics, 172
 leaks, 145-149, 211
 metals, 172
 nonmetals, 172
 physical properties, 172
 pressure, 120, 126, 138
 rates, financial, 222, 227, 228
 reclaimed, 58

rights, 17, 61
 short-circuiting, 21, 22
 table, 58, 59
 temperature, 22
 waste control studies, 146
Water Board Bible, 6
 Water quality characteristics
 bacteriological, 60
 biological, 60
 chemical, 60
 physical, 60
 radiological, 60
 Water quality complaint form, 42, 43, 111, 112
 Water quality degradation, 120, 134-138, 142-144
 Water quality problems, troubleshooting, 127, 128
 Water rights
 appropriative, 17, 61
 prescriptive, 17, 61
 riparian, 17, 61
 Waterborne disease outbreak, 4
 Well
 casing vent, 65
 conductor casing, 65
 disinfection, 73-75
 drawdown, 65
 pumps, 65
 safe yield, 58
 screen, 65
 sources, 58
 structure, 61
 sustained yield, 58
 Well, sand
 flushing mains, 66
 problems, 66
 sources, 65
 Well-being, health, 4
 Wellhead protection
 community involvement, 63
 groundwater contamination, 63
 levels of risk, 64
 problem, 63
 risk, 64
 Wetland, reclaimed water, 58
 Wilson's Disease, 88
 Wind, tank, 22
 Worker Right-To-Know (RTK) laws, 16, 208
 Wye strainer, 19

X

(NO LISTINGS)

Y

Yield
 safe, 58
 specific, 61
 sustained, 58

Z

Zeolite, 93
 Zone of saturation, 58, 59
 Zone, pressure, 149
 Zone, service, 126