

**SMALL WASTEWATER SYSTEM OPERATION
AND MAINTENANCE**

Volume II

Second Edition

Chapters		Page
9 Wastewater Stabilization Ponds	1	
10 Activated Sludge (Package Plants and Oxidation Ditches)	51	
11 Rotating Biological Contactors (RBCs)	113	
12 Disinfection and Chlorination	155	
13 Alternative Wastewater Treatment, Discharge, and Reuse Methods	207	
14 Laboratory Procedures	251	
15 Management.....	343	

Appendix

Comprehensive Review Questions and Suggested Answers.....	395
How to Solve Wastewater System Arithmetic Problems.....	413
Wastewater Abbreviations	428
Wastewater Words	429
Subject Index	477

SUBJECT INDEX

A

Abnormal operation
 chlorination, 196
 package plants, 87, 90
 ponds, 24
 rotating biological contactors, 138

Absorption, 76

Accident prevention, lab, 283–286

Accident reports, 380–382

Accountability, 353

Activated sludge
 activated sludge, definition, 63
 activated sludge process, 63–70
 aeration equipment, operation, 85
 aeration methods, 77–84
 BOD loading, 86, 96
 brush aeration, 77, 80
 bulking, 87, 89
 calculations, 106–108
 coarse bubble diffusers, 82
 complete mix, 75, 76
 compressor, 84
 contact stabilization, 75, 76
 control, 70, 71
 control tests, 307–312
 conventional activated sludge, 75, 76
 culture, 84, 87
 definitions, 63
 description, 66–70, 96
 diffused aeration, 77–83
 dissolved oxygen (DO), 84, 85, 86, 96
 endogenous respiration, 74
 excess, 86, 95
 extended aeration, 75, 76
 flow diagram, 65, 67–69, 73
 foaming/frothing, 90
 laboratory testing, 91–92
 loading, BOD, 86, 96
 maintenance, oxidation ditches, 104, 105
 maintenance, package plants, 94
 mechanical aeration, 77, 79, 80
 metric calculations, 107, 108
 microorganisms, 63, 64
 modes, 76–77
 odors, 89, 90

operation
 aeration equipment, 85
 oxidation ditches, 99–108
 package plants, 86–90
 operational strategy, 90, 91, 104
 oxidation ditches, 95–108
 package plants, 72–94
Also see Package plants, activated sludge
 plans and specifications, 109, 110
 pre-start check-out, 77
 process, 63–70
 records
 oxidation ditches, 101
 package plants, 84
 respiration, endogenous, 74
 return activated sludge (RAS), 65, 67–69, 73, 84, 95
 rotor aeration, 77, 80
 safety, 92, 97
 seed, 84, 99
 shutdown
 oxidation ditch, 104
 package plant, 90
 sludge age, 74, 86, 96
 sludge wasting, 85, 86
 solids in effluent, 87
 specifications, 109, 110
 starting plant, 84
 strategy, operational, 90, 91, 104
 swing headers, 83
 treatment, 63–66
 troubleshooting
 oxidation ditches, 104
 package plants, 87–90
 wastewater treatment, 63–66
 wasting sludge, 85, 86
Ad valorem taxes, 364

Adsorption, 76

Advantages, ponds, 12

Aeration
 equipment, operation, 85
 methods, 77–84
 mixing, 65
 systems, ponds, 28–29, 37
 tank, 72, 74
 tubing, 29

Aerobic bacteria, 65

Aerobic digester, 74, 86, 87
 Aerobic ponds, 13, 16
 Agglomeration, 70
 Air drive, rotating biological contactors, 131
 Air filter, 72
 Air gap device, 369
 Air lifts, 72, 94
 Algae, 11, 16
 Algae in pond effluent, 24, 42, 43
 Algal bloom, 19
 Ambient temperature, 334
 Americans With Disabilities Act (ADA), 354
 Ammonia, chlorination, 171
 Amperometric, 180, 314
 Anaerobic environment, 282
 Anaerobic ponds, 13, 16
 Animals, burrowing, 22, 27, 228
 Annual report, 358
 Anode, 74
 Anoxic, 228
 Application points, chlorination, 176, 177
 Aquatic plants, wetlands, 217
 Arcata, CA, wetlands, 216
 Ashing, 89
 Assessment, rotating biological contactor biomass, 151–153
 Assistance, financial, 365
 Authority, managers, 353
 Available moisture content, 236

B

BOD (biochemical oxygen demand), 13, 63, 98
 BOD loading
 activated sludge, 86, 96
 rotating biological contactors, 146, 148
 BOD, soluble, 132
 BOD test, 319–327
 Bacteria
 aerobic, 65
 disease-causing, 167
 Baffles
 ponds, 26
 rotating biological contactors, 128
 Bar rack
 package plants, 72
 ponds, 11
 Basic conversion factors
 English, 417
 metric, 423
 Basic formulas, 417–418
 Batch operation, ponds, 24
 Bearings
 maintenance, 105
 rotating biological contactors, 145
 Belt drive, rotating biological contactors, 143
 Berm and dike maintenance, wetlands, 229
 Bioassay, 92

Biochemical oxygen demand (BOD), 13, 63, 98
 Biochemical oxygen demand (BOD) test, 319–327
 Biodegradable, 121
 Bioflocculation, 17
 Biomass assessment, rotating biological contactors, 151–153
 Biomass, rotating biological contactors, 137
 Black appearance, rotating biological contactors, 136
 Block grants (HUD), 364
 Blower, 72
 Blue-green algae, 43
 Breakaway of chlorine, 201
 Break-in maintenance, rotating biological contactors, 141
 Breakout of chlorine, 201
 Breakpoint chlorination, 172
 Brine tank, 190
 Brush aeration, 77, 80
 Budgeting, 362
 Bulking, 87, 89
 Bulrush, 217
 Burping, 85
 Burrowing animals, 22, 27, 228

C

CBOD (carbonaceous biochemical oxygen demand), 137
 CIP (Capital Improvement Program), 366
 COD (chemical oxygen demand), 98
 Calcium hypochlorite (HTH), 191
 Calculations
 activated sludge
 English, 106–107
 metric, 107–108
 chlorination
 English, 198
 metric, 203
 disinfection
 English, 198
 metric, 203
 loading, rotating biological contactors
 English, 146–147
 metric, 147–148
 oxidation ditches
 English, 106–107
 metric, 107–108
 ponds
 English, 37–40
 metric, 40–41
 wastewater system
 English, 418–422
 metric, 423–427
 Call date, 364
 Capital Improvement Program (CIP), 366
 Capital improvements, 363
 Carbonaceous biochemical oxygen demand (CBOD), 137
 Cathodic protection, 74
 Cation exchange capacity, 244
 Cattail, 217

- Centrifuge, clinical, 297, 311
 Centrifuge test, 69, 91, 93
 Chain drive, rotating biological contactors, 130, 142
 Chain of custody, 287
 Chemical oxygen demand (COD), 98
 Chemical storage and transfer, lab, 285
 Chemistry, wet, 91
CHEMTREC [(800) 424-9300], 185
 Chironomid midges, 22
 Chloramines, 171
 Chlorination
 abnormal operation, 196
 ammonia, 171
 application points, 176, 177
 bacteria, 167
 breakpoint chlorination, 172
 calcium hypochlorite (HTH), 191
 calculations, 198, 203
 CHEMTREC [(800) 424-9300], 185
 chloramines, 171
 chlorinator control, 178, 179
 chlorine procedure, 183
 chlorine requirements, 173–175, 178
 chlorine residual, 171, 178, 181
 chlorine safety, 184, 185
 chlorine solution, 180, 181
 collection system chlorination, 176
 contact time, 173
 Cryptosporidium, 167
 dechlorination, 188
 disinfection, 168
 dose, 174
 first aid, chlorine, 184, 185
 gas/liquid, 170
 giardiasis, 167
 HTH (calcium hypochlorite), 191
 hypochlorination, 173, 188–197
 hypochlorinator, 178–180, 191–197
 hypochlorite, on-site generation, 188, 189, 190
 internal parasites, 167
 maintenance, 186–197
 measurement, chlorine residual, 181–183
 metric calculations, 203
 need, 167, 168
 on-site generation, hypochlorite, 188, 189, 190
 operation and maintenance, 186–197
 overchlorination, 187
 pathogenic organisms, 167
 points of application, 176, 177
 ponds, 11
 procedure, chlorine analysis, 183
 process control, 178–182
 reactions, 171, 172
 requirements, chlorine, 173–175, 178
 residual chlorine, 171, 178, 181
 safety, chlorine, 184, 185
 sampling, chlorine residual, 181
 shutdown, 195
 solution, chlorine, 180, 181
 sterilization, 168
 tablet hypochlorinators, 178, 186, 188
 troubleshooting, 196–197
 viruses, 167
 Chlorinator control, 178, 179
 Chlorine contact basin, ponds, 11
 Chlorine contact chamber, 173
 Chlorine dose, 174
 Chlorine procedure, 183
 Chlorine requirements, 173–175, 178
 Chlorine residual, 171, 178, 181
 Chlorine residual analyzer, 178
 Chlorine residual test, 314–318
 Chlorine safety, 184, 185
 Chlorine solution, 180, 181
 Chlororganic, 172
 Ciliates, 64
 Citizen groups, 357
 Clarifier, scum, 89
 Clarity, 100, 293
 Classification
 irrigation waters, 240, 241
 ponds, 13–15
 Clinical centrifuge, 297, 311
Clostridium, 33
 Coarse bubble diffusers, 82
 Code of Federal Regulations (CFR), 375
 Cold climates, 110
 Cold weather constructed wetland, 221
 Coliform, 13, 174
 Color comparator kits, 91
 Color, oxidation ditch, 100
 Comminutor, 77
 Communication, 356–358
 Complaints, 360
 Complete mix, 75, 76
 Components, wetlands, 222, 223, 224
 Composite sample, 31, 134, 287, 288
 Compressor, 84
 Concentration, solids, 63
 Conducting meetings, 358
 Confined space entry, 378, 379
 Constructed wetlands, 223, 224
 Contact chamber, chlorine, 173
 Contact stabilization, 75, 76
 Contact time, chlorine, 173
 Contamination, groundwater, 27
 Contingency planning, 370
 Control of hazardous energy, 375, 378
 Controlled-discharge, ponds, 15, 17, 24
 Controlling snails, rotating biological contactors, 137, 138
 Conventional activated sludge, 75, 76
 Corrective maintenance, 366
 Corrosion, activated sludge, 89
 Corrosive materials, lab, 281

- Cost-effective, 364, 366
- Cover, rotating biological contactors, 128
- Coverage ratio, 361
- Crops, irrigation, 234–243
- Cryptosporidium*, 167
- Culture, activated sludge, 84, 87
- Customer inquiries, 360

- D**

- DNA (deoxyribonucleic acid), 198
- DO
 - See* Dissolved oxygen (DO)
- Davis, CA, wetlands, 227
- Debt service, 361
- Decant, activated sludge, 65
- Dechlorination, 188
- Decommissioning, rotating biological contactors, 140
- Decomposition, ponds, 16
- Delegation, 353
- Denitrification, 228
- Deoxyribonucleic acid (DNA), 198
- Depths, ponds, 37
- Description
 - activated sludge, 66–70, 96
 - land treatment, 230–233
 - rotating biological contactors, 121–131
- Detention time, ponds, 13
- Diffused aeration, 77–83
- Diffusers, 72
- Digester, aerobic, 74, 86, 87
- Dike maintenance, wetlands, 229
- Dike, pond, 11
- Dike vegetation, ponds, 21
- Discharge, controlled, ponds, 24
- Diseases, 146
- Disinfection
 - application points, 176, 177
 - bacteria, 167
 - breakpoint chlorination, 172
 - calculations, 198, 203
 - chlorine requirements, 173–175, 178
 - contact time, 173
 - Cryptosporidium*, 167
 - giardiasis, 167
 - hypochlorination, 173, 188–197
 - hypochlorite, 170
 - inactivation, 167
 - internal parasites, 167
 - metric calculations, 203
 - need, 167, 168
 - ozone, 171
 - pathogenic organisms, 167
 - points of application, 176, 177
 - ponds, 13
 - removing microorganisms, 167
 - requirements, chlorine, 173–175, 178

- E**

- Eductor, 180
- Efficiencies, treatment, ponds, 17, 32
- Effluent line, ponds, 11
- Effluent troubleshooting, ponds, 26–27, 42, 43
- Electrolysis, 188
- Emergency maintenance, 366
- Emergency operating procedures, land treatment, 242
- Emergency response plan, 370, 371
- Emergency simulation, 370
- Emergent vegetation, ponds, 21
- Employee orientation, 356
- Endogenous respiration, 74
- Enzymes, 172
- Equal Employment Opportunity (EEO) Act, 354
- Equipment
 - laboratory, 267–273
 - land treatment, 232
- Equipment maintenance, oxidation ditches, 104, 105
- Equipment repair/replacement fund, 363
- Evapotranspiration, 230
- Excess activated sludge, 86, 95
- Explosive materials, lab, 282
- Extended aeration, 75, 76

- F**

- F/M (Food/Microorganism) Ratio, 63, 86, 96
- FWS (free water surface) wetlands, 215–217
- Facultative bacteria, 65
- Facultative ponds, 13

Family and Medical Leave Act, 354

Fencing and signs, ponds, 37

Filamentous, 69

Filtration, 168

Final plant survey, 101

Financial assistance, 365

Financial management, 361–365

Financial stability, 361, 362

Fires, lab, 284

First aid, chlorine, 184, 185

Fixed solids test, 302–304

Flame polished, 284

Flammable materials, lab, 282

Floating aerator, 28, 29

Floc, 65

Floc mass, 70

Flooding, land treatment, 233

Flow control, wetlands, 225, 227

Flow diagram

- activated sludge, 65, 67–69, 73

- rotating biological contactors, 122–124, 127, 129

- treatment plant, 169, 170

Flow measuring, ponds, 34

Flow path, oxidation ditches, 95, 96

Flowmeter, ponds, 11

Foam, oxidation ditch, 100

Foaming/frothing, 90

Food/Microorganism (F/M) Ratio, 63, 86, 96

Foot valve, 193

Free available chlorine, 172

Free overfall, 36

Free oxygen, 15

Free water surface (FWS) wetlands, 215–217

Freeboard, 222

Frequency of samples, ponds, 30

Frothing, 72, 90, 94

Functions, manager, 351

G

Gambusia, 22

Gas/liquid, 170

Gear reducer, 105

General obligation bonds, 364

Geosynthetics, 22

Giardiasis, 167

Gooch crucible test, 92

Grab sample, 30, 134, 288

Groundwater contamination, 27

Guidelines, operation, oxidation ditches, 106–108

H

HTH (calcium hypochlorite), 191

Hazard communication, 374–375

Hazardous materials, lab, 281–282

Hazards, laboratory, 281

Header, 77, 78, 83

Headworks, ponds, 23, 34

Health and safety, wetlands, 229

Homeland defense, 371–373

Horizontal subsurface flow (HSSF) wetlands, 218–221, 223

Housekeeping

- oxidation ditches, 104

- rotating biological contactors, 142

Hydraulic jump, 181, 228

Hydraulic loading, rotating biological contactors, 132, 146

Hydrogen ion (pH) test, 329

Hydrogen sulfide test, 294, 295

Hydrologic cycle, 230

Hygiene, personal, lab, 282, 283

Hypochlorination, 173, 188–197

Hypochlorinator, 178–180, 191–197

Hypochlorite

- chlorine forms, 170

- on-site generation, 188, 189, 190

- reactor, 189, 190

- storage, 190

I

Ice, rotors, 103, 110

Inactivation, 167

Indicators, chemical, 277

Infections and diseases, 146

Infectious materials, lab, 281

Infiltration–percolation, 231, 232

Injury frequency rate, 384

Injury severity rate, 384

Inlet and outlet structures, ponds, 11, 34–37

Insect control

- ponds, 20–22, 27

- wetlands, 228

Inspecting equipment, 134

Inspection, pretreatment facility, 71

Intermittent sand filters, 42

Internal parasites, 167

Interview by press, 359

Inventory records, 386

Irrigation, 231, 232, 233

J

Jackson turbidity units (JTU), 335

Job-related, staff, 354

K

Kjeldahl nitrogen, total (TKN), 92

L

Laboratory procedures

- accident prevention, 283–286

- activated sludge control, 307–312

- basics, 265

- Laboratory procedures (continued)
- biochemical oxygen demand (BOD), 319–327
 - chemical storage and transfer, 285
 - chlorine residual, 314–318
 - clarity, 293
 - dissolved oxygen (DO), 319–327
 - dissolved oxygen in aerator, 310
 - equipment, 267–273
 - fires, 284
 - hazards, 281
 - hydrogen ion (pH), 329
 - hydrogen sulfide, 294, 295
 - Mean Cell Residence Time (MCRT), 312
 - metric system, 265
 - NPDES monitoring, 314–336
 - notebook, 277
 - personal safety and hygiene, 282, 283
 - pH, 329
 - plant control, 293–313
 - preservation methods, 291
 - preventing accidents, 283–286
 - SDI (sludge density index), 308
 - SVI (sludge volume index), 307, 308
 - safety and hygiene, 281–286
 - sampling, 287–292
 - settleability, 307
 - settleable solids, 295, 297
 - sludge age, 309
 - sludge density index (SDI), 308
 - sludge solids, total, 302–304
 - sludge volume index (SVI), 307, 308
 - suspended solids, 297–302
 - suspended solids in aerator, 311–312
 - techniques, proper 283
 - temperature, 334
 - total residue, 330–332
 - total sludge solids, 302–304
 - total solids, 330–332
 - turbidity, 335, 336
 - volatile and fixed solids, 302–304
 - worksheet, 277, 279, 280
- Laboratory procedures, 76, 85, 92
- Laboratory testing, package plants, 91–92
- Land treatment systems
- available moisture content, 236
 - cation exchange capacity, 244
 - classification, waters, 240, 241
 - crops, irrigation, 234–243
 - description, 230–233
 - drain tile system, 246
 - drainage wells, 246
 - drip irrigation systems, 246
 - emergency operation, 242
 - equipment, 232
 - flooding, 233
 - infiltration–percolation, 231, 232
 - irrigation, 231, 232, 233
 - limitations, 234
 - loadings, 232
 - maintenance, 245, 246
 - moisture, soil, 237
 - monitoring, 244, 246
 - operation and maintenance, 245, 246
 - operation, crops, 234–243
 - operational strategy, crops, 239, 242
 - overland flow, 231, 232
 - pre-start checklist, irrigation, 234, 235
 - ridge and furrow, 233
 - safety, 244
 - sampling, 244
 - shutdown, irrigation, 237
 - sidestreams, 234
 - soil moisture, 237
 - spray irrigation, 234–244
 - sprinkler, 233
 - start-up, irrigation, 236
 - subsurface drip irrigation, 246
 - testing requirements, water, 244
 - troubleshooting, 242, 243
 - well monitoring, 244
- Leakage, ponds, 27
- Lemna Duckweed System, 42
- Levee maintenance, ponds, 22, 27, 36
- Levee, pond, 11
- Life expectancy, 363
- Lime, 136
- Limitations
- land treatment, 234
 - ponds, 12
- Loading
- BOD, activated sludge, 86, 96
 - ponds, 37–41
- Loading calculations, rotating biological contactors, 146–148
- Loading criteria
- land treatment, 232
 - wetlands, 223
- Location of samples, ponds, 30
- Location, ponds, 34
- Lockout/tagout procedures, 375, 378
- Log book, 90
- Lubrication, oxidation ditches, 104, 105
- M**
- MCRT (Mean Cell Residence Time) test, 312
- MLSS (Mixed Liquor Suspended Solids), 76, 85, 86, 96
- MPN (Most Probable Number), 174
- MSDS (Material Safety Data Sheet), 375–377
- Maintenance
- aeration tubing, 29
 - chlorination, 186–197
 - land treatment, 245, 246
 - manager's responsibilities, 366–367
 - oxidation ditches, 104, 105

- Maintenance (continued)
- package plants, 94
 - ponds, 19–29
 - rotating biological contactors, 141
 - wetlands, 225–229
- Mallory settlometer, 307
- Management
- accident reports, 380–382
 - accountability, 353
 - Americans With Disabilities Act (ADA), 354
 - assistance, financial, 365
 - authority, 353
 - budgeting, 362
 - Capital Improvement Program (CIP), 366
 - capital improvements, 363
 - communication, 356–358
 - complaints, 360
 - conducting meetings, 358
 - confined space entry, 378, 379
 - control of hazardous energy, 375, 378
 - corrective maintenance, 366
 - coverage ratio, 361
 - customer inquiries, 360
 - debt service, 361
 - delegation, 353
 - emergency maintenance, 366
 - emergency response plan, 370, 371
 - employee orientation, 356
 - Equal Employment Opportunity (EEO) Act, 354
 - equipment repair/replacement fund, 363
 - Family and Medical Leave Act, 354
 - financial assistance, 365
 - financial management, 361–365
 - financial stability, 361, 362
 - functions, 351
 - hazard communication, 374–375
 - interview by press, 359
 - lockout/tagout procedures, 375, 378
 - MSDS (Material Safety Data Sheet), 375–377
 - maintenance, 366–367
 - mass media, 359
 - Material Safety Data Sheet (MSDS), 375–377
 - meetings, conducting, 358
 - need, 351
 - OSHA (Occupational Safety and Health Act), 375, 378
 - operating ratio, 361
 - operations and maintenance, 366–367
 - organizing, 353, 354
 - orientation, employee, 356
 - OSHA (Occupational Safety and Health Act), 374
 - planning, 353
 - plant tours, 361
 - predictive maintenance, 366
 - present worth, 364
 - preventive maintenance, 366
 - public relations, 359
 - public speaking, 360
 - purchase order, 386, 387
 - recordkeeping, 386–388
 - requisition, 386, 387
 - responsibility, 353
 - safety policy statement, 373
 - safety program, 373–385
 - speaking, public, 360
 - staffing, 354–356
 - telephone contacts, 360
 - tours, 361
 - Worker Right-To-Know (RTK) laws, 374–375
- Mass media, 359
- Material Safety Data Sheet (MSDS), 375–377
- Maturation, wetlands, 229
- Mean Cell Residence Time (MCRT) test, 312
- Measurement, chlorine residual, 181–183
- Mechanical aeration, 77, 79, 80
- Media observation, rotating biological contactors, 136
- Median, 18
- Meetings, conducting, 358
- Meniscus, 274
- Methane fermentation, 17
- Metric calculations
- activated sludge, 107, 108
 - chlorination, 203
 - oxidation ditches, 107, 108
 - ponds, 40–41
 - rotating biological contactors, 147, 148
- Metric loading rates, rotating biological contactors, 147
- Metric system, lab, 265
- Micron, 168
- Microorganisms, activated sludge, 63, 64
- Mixed Liquor Suspended Solids (MLSS), 76, 85, 86, 96
- Mixing/aeration, 65
- Modes, activated sludge, 76–77
- Moisture, soil, 237
- Monitoring
- land treatment, 244, 246
 - wetlands, 229
- Mosquito control, 228
- Mosquito fish, 22
- Most Probable Number (MPN), 174
- Motors, rotating biological contactors, 130, 145
- Multiple lockout devices, 378
- N
- NPDES (National Pollutant Discharge Elimination System)
- monitoring tests, 314–336
 - permit, 23, 25, 71, 265
- Nameplate, 133
- Need, management, 351
- Nephelometric turbidity units (NTU), 335
- Neutralization, 136
- Nitrification, 104, 128, 228
- Nitrogen control, wetlands, 228
- Nitrogenous, 172

Normal operation

- oxidation ditches, 99–101
- package plants, 86

Notebook, lab, 277

O

OSHA (Occupational Safety and Health Act), 374, 375, 378

Objectives, public relations, 359

Observation

- media, rotating biological contactors, 136
- oxidation ditches, 100

Occupational Safety and Health Act (OSHA), 374, 375, 378

Odor control

- ponds, 17, 20, 24, 27
- wetlands, 228

Odors, activated sludge, 85, 89, 90, 100

On-site discharge, 124

On-site generation, hypochlorite, 188, 189, 190

Operating ratio, 361

Operation and maintenance

- aeration equipment, 85
- chlorination, 186–197
- crops, 234–243
- land treatment, 245, 246
- oxidation ditches, 99–108
- package plants, 86–90
- ponds, 19–29
- rotating biological contactors, 134–138
- wetlands, 225–229

Operational strategy

- crops, 239, 242
- oxidation ditches, 104
- package plants, 90, 91
- ponds, 25

Operations and maintenance, management, 366–367

Oral communication, 356, 357

Organic loading, rotating biological contactors, 132, 146, 148

Organizing, 353, 354

Orientation, employee, 356

Outlet baffle, 11

Overchlorination, 187

Overland flow, 231, 232

Overload correction, rotating biological contactors, 153

Overturn, ponds, 23

Oxidation, 66

Oxidation ditches

- application, 95–108
- BOD loading, 96
- brush aeration, 77, 80, 103
- calculations, 106–108
- clarity, 100
- cold climates, 110
- color, 100
- description, 96
- equipment maintenance, 104, 105
- excess sludge, 95

F/M (Food/Microorganism) Ratio, 96

final plant survey, 101

flow path, 95, 96

foam, 100

guidelines, operational, 106–108

housekeeping, 104

ice, 103, 110

lubrication, 104, 105

maintenance, 104, 105

metric calculations, 107, 108

normal operation, 99–101

observations, 100

odor, 100

operation, 99–108

operational guidelines, 106–108

operational strategy, 104

parts, 95

performance, 101, 102

plans and specifications, 109, 110

plant start-up, 98

pre-start inspection, 97, 98

records, 101

return sludge, 95

rotor aeration, 77, 80, 95, 97, 103

safety, 97

seed activated sludge, 99

shutdown, 104

sludge age, 96

specifications, 109, 110

start-up, 97, 98

strategy, operational, 104

troubleshooting, 104

use, 95, 96

Oxidation ponds, 14

Oxygen saturation, 321

Ozone, 171

P

Package plants, activated sludge

abnormal operation, 87, 90

aeration equipment, operation, 85

aeration methods, 77–84

application, 72–94

complete mix, 76

contact stabilization, 76

corrosion, 89

diffused aeration, 77–83

extended aeration, 76

foaming/frothing, 90

laboratory testing, 91–92

maintenance 94

mechanical aeration, 77, 79, 80

modes, 76–77

normal operation, 86

odors, 89, 90

operation, aeration equipment, 85

- Package plants, activated sludge (continued)
 - operation, plant, 86–90
 - operational strategy, 90, 91
 - parts, 72
 - plans and specifications, 109, 110
 - pre-start check-out, 77
 - process modes, 76–77
 - purpose, 72–77
 - safety, 92
 - shutdown, 90
 - sludge wasting, 85, 86
 - solids in effluent, 87
 - specifications, 109, 110
 - starting plant, 84
 - strategy, operational, 90, 91
 - troubleshooting, 87–90
 - use, 74–76
 - wasting sludge, 85, 86
- Parallel ponds, 23
- Parts
 - oxidation ditches, 95
 - package plants, 72
 - rotating biological contactors, 128
- Pathogenic organisms, 18, 92, 167
- Payback calculation, 363
- Percolation, 11, 230
- Performance
 - oxidation ditches, 101, 102
 - ponds, 17, 18
- Personal safety and hygiene in lab, 282, 283
- Personnel policies, 354
- Personnel records, 387
- Pest and insect control, wetlands, 228
- pH
 - ponds, 15
 - rotating biological contactors, 136
 - test, 329
- Photosynthesis, 15, 16
- Pillows, reagent, 323
- Pin floc, 89
- Planning, 353
- Plans and specifications
 - oxidation ditches, 109, 110
 - package plants, 109, 110
- Plans (drawings), rotating biological contactors, 146
- Plant control tests, 293–313
- Plant start, oxidation ditches, 97, 98
- Plant tours, 361
- Plastic disk media, rotating biological contactors, 125, 126
- Platform aerator, 28
- Plug flow, 215, 289
- Points of application, chlorination, 176, 177
- Policy statement, safety, 373
- Polishing ponds, 14
- Polymer, 103
- Ponds
 - abnormal operation, 24
 - advantages, 12
- aeration systems, 28–29, 37
- aeration tubing, 29
- aerobic, 13, 16
- algae, effluent, 24, 42, 43
- anaerobic, 13, 16
- analysis, 29–31
- animals burrowing, 22, 27
- applications, 13–15
- baffles, 26
- bar rack, 11
- batch operation, 24
- blue-green algae, 43
- burrowing animals, 22, 27
- calculations, 37–41
- chironomid midges, 22
- chlorination, 11
- chlorine contact basin, 11
- classifications, 13–15
- contamination, groundwater, 27
- controlled-discharge, 15, 17, 24
- depths, 37
- dike vegetation, 21
- discharge, controlled, 24
- dissolved oxygen (DO), 27
- duckweed, 20, 42
- efficiencies, treatment, 17, 32
- effluent line, 11
- effluent troubleshooting, 26–27, 42, 43
- emergent weeds, 21
- facultative, 13
- fencing and signs, 37
- floating aerator, 28, 29
- flow measuring, 34
- flowmeter, 11
- geosynthetics, 22
- groundwater contamination, 27
- headworks, 23, 34
- hints, operating, 23, 24
- inlet and outlet structures, 11, 34–37
- insect control, 20–22, 27
- intermittent sand filters, 42
- land treatment, effluent, 42
- leakage, 27
- Lemna Duckweed System, 42
- levee maintenance, 22, 27, 36
- limitations, 12
- loadings, 37–41
- location, 34
- maintenance, 19–29
- metric calculations, 40–41
- mosquito fish, 22
- odor control, 17, 20, 24, 27
- operating strategy, 25
- operation, 19–29
- outlet baffle, 11
- overturn, 23
- oxidation, 14
- parallel, 23

- Ponds (continued)
- parts, 11
 - performance, 17, 18
 - photosynthesis, 15, 16
 - plans, 34–41
 - platform aerator, 28
 - polishing, 14
 - purpose, parts, 11
 - recirculation, 23
 - recirculation line, 11
 - riprap, 20
 - safety, 32, 33
 - sampling, 29–31
 - screening, 23, 34
 - scum control, 19, 20, 24
 - series, 23
 - shock loads, 13
 - short-circuiting, 17
 - shutting down, 25
 - signs and fencing, 37
 - sodium nitrate, 20
 - specifications, 34–41
 - stabilization, 11, 14
 - starting, 19
 - strategy, operating, 25
 - straw, algae control, 43
 - surface aerators, 28–29, 37
 - suspended vegetation, 21
 - transfer line, 11
 - treatment, 12–13
 - treatment efficiencies, 17, 32
 - troubleshooting, 26–27, 42, 43
 - use, 11
 - weed control, 20, 21, 27
- Population equivalent, 39
- Portable water, 170
- Predictive maintenance, 366
- Present worth, 364
- Preservation of samples, 291
- Pressure relief valve, 85
- Pre-start checklist, irrigation, 234, 235
- Pre-start check-out, package plants, 77
- Pretreatment facility inspection, 71
- Pretreatment requirements, rotating biological contactors, 132
- Preventing accidents, lab, 283–286
- Preventive maintenance, 366
- Preventive maintenance program, rotating biological contactors, 141
- Procedure, chlorine analysis, 183
- Process control, chlorination, 178–182
- Process modes, activated sludge, 76–77
- Process operation, rotating biological contactors, 132–140
- Proportional sample, 31
- Public speaking, 360
- Purchase order, 386, 387
- Pyrometer, 133
- Q**
- Qualifications profile, 355
- R**
- RAS (return activated sludge), 65, 67–69, 73, 84, 95
- RBC
- See* Rotating biological contactor (RBC)
- RNA (ribonucleic acid), 198
- Ratio, Food/Microorganism (F/M), 63, 86, 96
- Reactions, chlorination, 171, 172
- Reactor, 74
- Reagent, 91
- Recirculation line, ponds, 11
- Recirculation, ponds, 23
- Recordkeeping, 386–388
- Records
- oxidation ditches, 101
 - package plants, 84
- Removals, activated sludge, 86
- Removing microorganisms, 167
- Replacement cost, 363
- Representative sampling, 287, 288
- Reptiles, 228
- Requirements, chlorine, 173–175, 178
- Requisition, 386, 387
- Residual analyzer, chlorine, 178
- Residual, chlorine, 171, 178, 181
- Respiration, endogenous, 74
- Responsibility, manager, 353
- Restart, rotating biological contactors, 140
- Return Activated Sludge (RAS), 65, 67–69, 73, 84, 95
- Revenue bond, 364
- Review of plans and specifications, rotating biological contactors, 146
- Ribonucleic acid (RNA), 198
- Ridge and furrow, 233
- Riprap, 20
- Rising sludge, 89
- Roller chain drive, rotating biological contactors, 142
- Rotameter, 180
- Rotating biological contactor (RBC), 113–153
- abnormal operation, 138
 - air drive, 131
 - application, 13
 - assessment, biomass, 151–153
 - BOD loading, 146, 148
 - baffles, 128
 - bearings, 145
 - belt drive, 143

Rotating biological contactor (RBC) (continued)
 biomass, 137
 biomass assessment, 151–153
 black appearance, 136
 break-in maintenance, 141
 calculations
 loading, 146, 147
 metric, 147, 148
 chain drive, 130, 142
 control of snails, 137, 138
 cover, 128
 decommissioning, 140
 description, 121–131
 diseases, 146
 dissolved oxygen (DO), 134, 135
 drive assembly, 128
 flow diagram, 122–124, 127, 129
 housekeeping, 142
 hydraulic loading, 132, 146
 infections and diseases, 146
 inspecting equipment, 134
 loading calculations, 146, 147
 maintenance, 141
 media observation, 136
 metric
 calculations, 147, 148
 loading rates, 147
 motors, 130, 145
 observing media, 136
 operation, 134–138
 organic loading, 132, 146, 148
 overload correction, 153
 parts, 128
 pH, 136
 plans, 146
 plastic disk media, 125, 126
 pretreatment requirements, 132
 preventive maintenance program, 141
 process operation, 132–140
 restart, 140
 review of plans and specifications, 146
 roller chain drive, 142
 rotating media, 128
 safety, 145
 shaft, 145
 shutdown, 140
 slippery surfaces, 145
 sloughed, 121, 137
 slow-moving equipment, 145
 snail control, 137, 138
 soluble BOD, 132
 specifications, 146
 start-up, 132–134
 supernatant, 136

treatment plant, 127
 troubleshooting, 138, 139, 142–145
 underdrains, 128
 v-belt drive, 144
 white appearance, 137
 wiring and connections, 145
 Rotating media, rotating biological contactors, 128
 Rotor operation, 77, 80, 95, 97, 103
 Rotten egg odor, 85
 Rural Utilities Service (RUS) loans, 364

S

SBR (sequencing batch reactor), 65
 SDGS (small-diameter gravity sewer), 66, 68, 69
 SDI (sludge density index) test, 308
 STEP (septic tank effluent pump), 66, 68, 69
 SVI (sludge volume index) test, 307, 308
 Safety
 activated sludge, 92, 97
 chlorine, 184, 185
 hygiene, laboratory, 281–286
 laboratory, 281–286
 land treatment, 244
 oxidation ditches, 97
 ponds, 32, 33
 rotating biological contactors, 145
 wetlands, 229
 Safety policy statement, 373
 Safety programs, 373–385
 human factors as part of, 385
 injury frequency rate, 384
 injury severity rate, 384
 management's responsibility for, 380
 measuring the effects of, 383
 tailgate safety meetings, 383
 training, 380
 Sample preservation, 291
 Samples, rotating biological contactors, 134
 Sampling
 chlorine residual, 181
 devices, 290–291
 laboratory, 287–292
 land treatment, 244
 ponds, 29–31
 Saprophytic organisms, 168
 Screening, ponds, 23, 34
 Scum control, ponds, 19, 20, 24
 Scum on clarifier, 89
 Secchi disk, 92, 293
 Secondary clarifier, 74
 Seed activated sludge, 84, 99
 Septic, 87
 Septic tank effluent pump (STEP), 66, 68, 69

- Septicity, 176
 Sequencing batch reactor (SBR), 65
 Series ponds, 23
 Set point, 178
 Settleability test, 307
 Settleable solids test, 295, 297
 Settler, 74
 Settling, activated sludge, 65, 72
 Settrometer, Mallory, 307
 Shaft, rotating biological contactors, 145
 Shock loads, ponds, 13
 Short-circuiting
 activated sludge, 72
 ponds, 17
 Shutdown
 chlorination, 195
 irrigation, 237
 oxidation ditch, 104
 package plant, 90
 ponds, 25
 rotating biological contactors, 140
 Sidestreams, 234
 Signs and fencing, ponds, 37
 Slippery surfaces, 145
 Sloughed, rotating biological contactors, 121, 137
 Slow-moving equipment, rotating biological contactors, 145
 Sludge age, 74, 86, 96
 Sludge age test, 309
 Sludge density index (SDI) test, 308
 Sludge sampling, 289
 Sludge solids, total, test, 302–304
 Sludge volume index (SVI) test, 307, 308
 Sludge wasting, package plants, 85, 86
 Small systems, 124
 Small-diameter gravity sewer (SDGS), 66, 68, 69
 Snail control, rotating biological contactors, 137, 138
 Sodium nitrate, ponds, 20
 Soil moisture, 237
 Solids concentration, 63
 Solids in effluent, package plants, 87
 Soluble BOD, 132
 Solution, chlorine, 180, 181
 Solutions, 275
 Speaking, public, 360
 Special assessment bonds, 364
 Specific gravity, 297
 Specifications
 oxidation ditches, 109, 110
 package plants, 109, 110
 ponds, 34–41
 rotating biological contactors, 146
 Spectrophotometer, 275, 276
 Splash pad, 37
 Spore, 173
 Spray irrigation, 234–244
 Sprinkler, 233
 Stabilization ponds, 11, 14
Also see Ponds
 Stabilized waste, 11, 66
 Staff gauge, 101
 Staffing, 354–356
Standard Methods, 267
 Standardize, 91
 Start-up
 irrigation, 236
 oxidation ditches, 97, 98
 package plants, 84
 ponds, 19
 rotating biological contactors, 132–134
 wetlands, 223
 State Revolving Fund (SRF) loans, 364
 Sterilization, 168
 Stop log, 25
 Storage and transfer, lab chemicals, 285
 Straggler floc, 89
 Strategy, operational
 oxidation ditches, 104
 package plants, 90, 91
 ponds, 25
 Straw, algae control, ponds, 43
 Supernatant, rotating biological contactors, 136
 Surface aerators, ponds, 28–29, 37
 Surfactant, 288
 Suspended solids in aerator test, 311–312
 Suspended solids test, 297–302
 Suspended vegetation, ponds, 21
 Swing headers, 83
 System performance, 367
 Systems, disinfection, 186, 197–198

T

- Tablet hypochlorinators, 178, 186, 188
 Tailgate safety meetings, 383
 Task analysis, 355
 Techniques, proper laboratory 283
 Telephone contacts, 360
 Temperature, ambient, 334
 Temperature measurement, 334
 Testing requirements, water, 244
 Thermometers, types, 334
 Titration, 275
 Total residue test, 330–332
 Total sludge solids test, 302–304
 Total solids test, 330–332
 Tours, 361
 Toxic gases, 92
 Toxic materials, lab, 282

Toxic pond performance, 17
 Toxic substances, 137
 Toxic wastes, 87
 Training, safety, 380
 Transfer line, ponds, 11
 Transpiration, 223
 Treatment efficiencies, ponds, 17, 32
 Treatment plant, rotating biological contactors, 127
 Treatment, ponds, 12–13
 Trickling filters, 13, 132
 Troubleshooting
 chlorination, 196–197
 land treatment, 242, 243
 oxidation ditches, 104
 package plants, 87–90
 ponds, 26–27, 42, 43
 rotating biological contactors, 138, 139, 142–145
 Turbidity test, 335, 336
 Turbidity units (TU), 335

U

UV light (ultraviolet light), 171, 197
 Underdrains, rotating biological contactors, 128
 Unity of command, 353

V

V-belt drive, rotating biological contactors, 144
 Vector, 215, 228
 Vegetation management, wetlands, 227
 Vertical flow constructed wetland, 220
 Viruses, 167
 V-notch weir, 178
 Volatile and fixed solids test, 302–304
 Volatile liquids, 285
 Vulnerability assessment, 370

W

Wastes, toxic, 87
 Wastewater stabilization ponds, 11
 Also see Ponds
 Wasting sludge, 85, 86
 Water level control, wetlands, 222, 225, 227
 Weed control, ponds, 20, 21, 27
 Weir, activated sludge, 72
 Well monitoring, 244
 Wet chemistry, 91

Wetlands
 aquatic plants, 217
 Arcata, CA, 216
 berm and dike maintenance, 229
 bulrush, 217
 cattail, 217
 cold weather constructed wetland, 221
 components, 222, 223, 224
 constructed wetlands, 223, 224
 Davis, CA, 227
 dike maintenance, 229
 duckweed, 217
 flow control, 225, 227
 free water surface (FWS), 215–217
 health and safety, 229
 horizontal subsurface flow (HSSF), 218–221, 223
 insect control, 228
 loading criteria, 223
 maintenance, 225–229
 maturation, 229
 monitoring, 229
 mosquito control, 228
 nitrogen control, 228
 odor control, 228
 operation and maintenance, 225–229
 pest and insect control, 228
 start-up, 223
 types, 215–221
 vegetation management, 227
 vertical flow constructed wetland, 220
 water level control, 222, 225, 227
 White appearance, rotating biological contactors, 137
 Winkler method, 91
 Wiring and connections, rotating biological contactors, 145
 Worker Right-To-Know (RTK) laws, 374–375
 Worksheet, lab, 277, 279, 280

X

(NO LISTINGS)

Y

(NO LISTINGS)

Z

Zoogleal floc, 64